



(19)

Europäisches Patentamt
European Patent Office
Office européen des brevets



(11)

EP 1 284 298 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
19.02.2003 Bulletin 2003/08

(51) Int Cl.7: **C12Q 1/68, A01K 67/027**

(21) Application number: **02255229.3**

(22) Date of filing: **26.07.2002**

(84) Designated Contracting States:
**AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
IE IT LI LU MC NL PT SE SK TR**
Designated Extension States:
AL LT LV MK RO SI

(30) Priority: **27.07.2001 GB 0118354**
07.02.2002 GB 0202883

(71) Applicant: **WARNER-LAMBERT COMPANY**
Morris Plains, New Jersey 07950 (US)

(72) Inventors:
• **Brooksbank, Robert Alan**
Cambridgeshire, CB1 3AW (GB)

• **Dixon, Alistair Kerr,**
Cambridgeshire, CB1 2LL (GB)
• **Lee, Kevin, c/o Pfizer Limited UK**
Sandwich, Kent CT13 9NJ (GB)
• **Pinnock, Robert Denham,**
Pfizer Global Res. and Dev
Ann Arbor, MI 48105 (US)

(74) Representative: **Hayles, James Richard et al**
UK Patent Department,
Pfizer Limited,
Ramsgate Road
Sandwich, Kent CT13 9NJ (GB)

(54) **Identification and use of molecules implicated in pain**

(57) The invention relates to the use of:

- (a) an isolated gene sequence that is down-regulated in the spinal cord of a mammal in response to mechanistically distinct first and second models of neuropathic or central sensitization pain;
- (b) an isolated gene sequence comprising a nucleic acid sequence of any of Tables I to VI;
- (c) an isolated gene sequence having at least 80% sequence identity with a nucleic acid sequence of any of Tables I to VI;
- (d) an isolated nucleic acid sequence that is hybridizable to any of the gene sequences according to (a), (b) or (c) under stringent hybridisation conditions;
- (e) a recombinant vector comprising a gene sequence or nucleic acid sequence according to any one of (a) to (d);
- (f) a host cell containing the vector according to (e);
- (g) a non-human animal having in its genome an introduced gene sequence or nucleic acid sequence or a removed or down-regulated gene sequence or nucleic acid sequence according to any one of (a) to (d);
- (h) an isolated polypeptide comprising an amino acid sequence at least 90% identical to an amino acid sequence encoded by a nucleotide sequence ac-

- cording to any one of (a) to (d), or a variant polypeptide thereof with sequential amino acid deletions from the C terminus and/or the N-terminus;
- (i) an isolated polypeptide encoded by a nucleotide sequence according to any one of (a) to (d); or
- (j) an isolated antibody that binds specifically to a polypeptide according to (h) or (i);

in the screening of compounds for the treatment of pain, or for the diagnosis of pain.

The invention also relates to the use of naturally occurring compounds such as peptide ligands of the expression products of the above gene sequences and their associated signal transduction pathways for use in the treatment of pain.

EP 1 284 298 A2

Description

FIELD OF THE INVENTION

[0001] The present invention relates to nucleic acids, their expression products and pathways involved in pain, and their use in screening for molecules that can alleviate pain. The invention further relates to methods for the assay and diagnosis of pain in patients.

BACKGROUND TO THE INVENTION

[0002] Pain is currently classified into four general types. Post-operative acute pain can be successfully treated with existing pain medications of e.g. the opioid and non-steroidal anti-inflammatory (NSAID) types, and is usually short-term and self-limiting. A second type of pain, present e.g. in cancer and arthritis, is also responsive to medication initially with a NSAID and in its later stages with opioids. Neuropathic pain arises from damage to the central or peripheral nerve systems, and is more effectively treated with antidepressants or anticonvulsants. A fourth type of pain called central sensitization results from changes in the central nervous system as a result of chronic pain, these changes often being irreversible and difficult to treat. Nerve pain from shingles or diabetes falls into this and the neuropathic category. Changes occur where pain is at first poorly controlled and gradually progress to the point where a person is sensitive to stimuli which would not normally cause pain, for example a light touch. People with pain of this kind often describe a widening of the pain area to include areas which had originally not been injured or which were thought not to be involved in pain. This classification is, however based on clinical symptoms rather than on the underlying pain mechanisms.

[0003] Opiates such as morphine belong to a traditional class of pain-relieving compounds that are now recognized as binding to opiate receptors. Naturally occurring polypeptides have also been found to have opiate-like effects on the central nervous system, and these include β -endorphin, met-enkephalin and leu-enkephalin.

[0004] Salicin was isolated at the beginning of the 19th century, and from that discovery a number of NSAIDs such as aspirin, paracetamol, ibuprofen, flurbiprofen and naproxen were developed. NSAIDs are by far the most widely used pain-relieving compounds, but can exhibit side effects, in particular irritation of the GI tract that can lead to the formation of ulcers, gastrointestinal bleeding and anemia.

[0005] Interest in the neurobiology of pain is developing: see a colloquium sponsored by the US National Academy of Sciences in December 1998 concerning the neurobiology of pain and reviewed in *The Scientist* **13**[1], 12, 1999. Many pain mechanisms were discussed including the role of the capsaicin receptors in pain, (M.J. Caterina *et al.*, *Nature*, **389**, 816-824, 1997). Large dosages of capsaicin were reported to disable that receptor, (W.R. Robbins *et al.*, *Anesthesia and Analgesia*, **86**, 579-583, 1998). Additionally, a tetrodotoxin-resistant sodium channel found in small diameter pain-sensing neurons (PN3) was discussed (A.N. Akopian *et al.*, *Nature*, **379**, 257-262, 1986) and L. Sangeswaran *et al.*, *Journal of Biological Chemistry*, **271**, 953-956, 1996). Its involvement in transmission and sensitization to pain signals has been reported, (S.D. Novakovic *et al.*, *Journal of Neuroscience*, **18**, 2174-2187, 1998). A further tetrodotoxin-resistant sodium channel has been reported (S. Tate *et al.*, *Nature Neuroscience*, **1**, 653-655 1998).

[0006] Second messenger systems have also been shown to be important since knockout-mice lacking protein kinase C (PKC) γ were reported to respond to acute pain e.g. from a hot surface, but not to respond to neuropathic pain when their spinal nerves are injured (Malmberg *et al.*, *Science*, **278**, 279-283 (1997).

[0007] Present methods for identifying novel compounds that relieve pain of one or more of the types indicated above suffer from the defect that they are dependent either on the relatively limited number of receptors known to be involved in pain or on the empirical identification of new receptors which is an uncertain process. In relation to known receptors, for example the opioid receptor, research directed to improved compounds offers the possibility of screening compounds that have a better therapeutic ratio and fewer side effects. This does not lead naturally to compounds for different pain receptors that have new modes of action and new and qualitatively different benefits. Even when newly identified additional receptors are taken into account, known receptors revolve around tens of gene products. However, there are between 30,000 and 40,000 genes in the genome of an animal and more of them are concerned with nervous system function than with peripheral function. We therefore concluded that a large number of receptors and pathways are important to the transduction of pain, but up to now have remained unknown.

SUMMARY OF THE INVENTION

[0008] It is an object of the invention to provide sequences of genetic material for which no role in pain has previously been disclosed, and which are useful, for example, in:

- identifying metabolic pathways for the transduction of pain

- identifying from said metabolic pathways compounds having utility in the diagnosis or treatment of pain
 - producing proteins and polypeptides with a role in the transduction of pain;
 - producing genetically modified non-human animals that are useful in the screening of compounds having utility in the treatment or diagnosis of pain.
- Identifying ligand molecules for receptors involved in said metabolic pathways and having utility in the treatment of pain.

[0009] It is yet a further object of the invention to provide research tools, for example non-human animals and microorganisms, that can be used in screening compounds for pharmacological activity, especially pain-reducing activity.

[0010] The present invention is based on sequences that are down-regulated in two models of chronic pain, namely streptozocin-induced diabetes and chronic constrictive injury (CCI) to a nerve leading to the spine, for example the sciatic nerve.

[0011] In one aspect, the invention relates to the use in the screening of compounds that are effective in the treatment of pain, or in the diagnosis of pain, of:

(a) an isolated gene sequence that is down regulated in the spinal cord of a mammal in response to first and second models of pain, for example in response to streptozocin-induced diabetes and in response to a chronic constrictive injury to a nerve leading into the spine;

(b) an isolated gene sequence having at least 80% sequence identity with any of the nucleic acid sequences of Tables I - VI, preferably 85% sequence identity, more preferably 90%, increasingly preferably 95%, most preferably 99%;

(c) an isolated nucleic acid sequence comprising a sequence that is hybridizable to any of the gene sequences according to (a) or (b) under stringent hybridisation conditions;

(d) a recombinant vector comprising any of the gene sequences according to (a) to (c);

(e) a host cell containing the vector according to (d);

(f) a non-human animal, for use in the screening of compounds that are effective in the treatment of pain, or in the diagnosis of pain, having in its genome an introduced gene sequence or a removed or down-regulated nucleotide sequence, said sequence becoming down-regulated in the spinal cord of a mammal in response to first and second models of pain, particularly neuropathic or sensitisation pain, for example in response to streptozocin-induced diabetes and in response to a chronic constrictive injury to a nerve leading into the spine;

(g) an isolated polypeptide containing an amino acid sequence at least 90% identical to an amino acid sequence encoded by a nucleotide sequence according to any one of (a) to (d), or a variant thereof with sequential amino acid deletions from the C terminus and/or the N-terminus; or

(h) an isolated antibody that binds specifically to the isolated polypeptide according to (g).

[0012] The invention further provides a compound that is useful in the treatment or diagnosis of pain and that modulates the action of an expression product of a gene sequence that becomes down-regulated in the spinal cord of a mammal in response to first and second models of pain, for example being down-regulated both in response to streptozocin induced diabetes and in response to chronic constrictive injury to a nerve leading into the spine.

[0013] The invention also relates to the use of naturally occurring compounds such as peptide ligands of the expression products of the above gene sequences and their associated signal transduction pathways for the treatment of pain.

DESCRIPTION OF PREFERRED EMBODIMENTS

DEFINITIONS

[0014] Within the context of the present invention:

- "Comprising" means consisting of or including. Thus nucleic acid comprising a defined sequence includes nucleic acid that may contain a full-length gene or full-length cDNA. The gene may include any of the naturally occurring regulatory sequence(s), such as a transcription and translation start site, a promoter, a TATA box in the case of eukaryotes, and transcriptional and translational stop sites. Further, nucleic acid comprising a cDNA or gene may include any appropriate regulatory sequences for the efficient expression thereof *in vitro*.
- "Isolated" requires that the material be removed from its original environment (e.g. the natural environment if it is naturally occurring). For example, a naturally occurring polynucleotide or a peptide present in a living animal is not isolated, but the same polynucleotide or peptide, separated from some or all of the coexisting materials in the natural system, is isolated. Such polynucleotide can be part of a vector and/or such polynucleotide or peptide can

be part of a composition, and still be isolated in that the vector or composition is not a part of its natural environment.

- "Mechanistically distinct" in relation to pain models implies that the pain is induced by mechanisms that differ in kind rather than being variants of a similar pain model. Thus diabetic pain and chronic constrictive pain models are mechanistically distinct, whereas spinal nerve ligation models and sciatic nerve ligation models which both work by ligation are not.
- "Purified" does not require absolute purity; instead it is intended as a relative definition. Purification of starting materials or natural materials from their native environment to at least one order of magnitude, preferably two or three orders, and more preferably four or five orders of magnitude is expressly contemplated.
- "Nucleic acid sequence" or "gene sequence" means a sequence of nucleotides or any variant or homologue thereof, or truncated or extended sequence thereof, and is preferably indicated by a Genbank accession number. Also within the scope of the present invention are down-regulated nucleic acid sequences which encode expression products which are components of signaling pathways. This invention also includes any variant or homologue or truncated or extended sequence of the down-regulated nucleotide sequence. Also within the scope of the present invention, the term "nucleic acid(s) product", or "expression product" or "gene product" or a combination of these terms refers without being biased, to any, protein(s), polypeptide(s), peptide(s) or fragment(s) encoded by the down-regulated nucleotide sequence.
- "Operably linked" refers to a linkage of polynucleotide elements in a functional relationship. For instance, a promoter or an enhancer is operably linked to a coding sequence if it regulates the transcription of the coding sequence. In particular, two DNA molecules (such as a polynucleotide containing a promoter region, and a polynucleotide encoding a desired polypeptide) are said to be "operably linked" if the nature of the linkage between the two polynucleotides does not (1) result in the introduction of a frame-shift mutation and (2) interfere with the ability of the polynucleotide containing the promoter to direct the transcription of the coding polynucleotide.

"Gene product" refers to polypeptide - which is interchangeable with the term protein - which is encoded by a nucleotide sequence and includes single-chain polypeptide molecules as well as multiple-polypeptide complexes where individual constituent polypeptides are linked by covalent or non-covalent means. Polypeptides of the present invention may be produced by synthetic means (e.g. as described by Geysen *et al.*, 1996) or by recombinant means.

The terms "variant", "homologue", "fragment", "analogue" or "derivative" in relation to the amino acid sequence for the polypeptide of the present invention includes any substitution of, variation of, modification of, replacement of, deletion of or addition of one (or more) amino acid from or to the sequence providing the resultant polypeptide has the native gene product activity. In particular, the term "homologue" covers homology with respect to structure and/or function. With respect to sequence homology, there is at least 90%, more preferably at least 95% homology to an amino acid sequence encoded by the relevant nucleotide sequence shown in Tables I - VI, preferably there is at least 98% homology.

Typically, for the variant, homologue or fragment of the present invention, the types of amino acid substitutions that could be made should maintain the hydrophobicity/hydrophilicity of the amino acid sequence. Amino acid substitutions may include the use of non-naturally occurring amino acid analogues.

In addition, or in the alternative, the protein itself could be produced using chemical methods to synthesize a polypeptide, in whole or in part. For example, peptides can be synthesized by solid phase techniques, cleaved from the resin, and purified by preparative high performance liquid chromatography (e.g. Creighton (1983) *Proteins Structures and Molecular Principles*, WH Freeman and Co., New York, NY, USA). The composition of the synthetic peptides may be confirmed by amino acid analysis or sequencing (e.g. the Edman degradation procedure).

Direct peptide synthesis can be performed using various solid-phase techniques (Roberge JY *et al* *Science* Vol 269 1995 202-204) and automated synthesis may be achieved, for example, using the ABI 431 A Peptide Synthesizer (Perkin Elmer) in accordance with the instructions provided by the manufacturer. Additionally, the amino acid sequence of a gene product, or any part thereof, may be altered during direct synthesis and/or combined using chemical methods with a sequence from other subunits, or any part thereof, to produce a variant polypeptide.

In another embodiment of the invention, a gene product natural, modified or recombinant amino acid sequence may be ligated to a heterologous sequence to encode a fusion protein. For example, for screening of libraries for compounds and peptide agonists and antagonists of gene product activity, it may be useful to encode a chimeric gene product expressing a heterologous epitope that is recognised by a commercially available antibody. A fusion protein may also be engineered to contain a cleavage site located between a gene product sequence and the heterologous protein sequence, so that the gene product may be cleaved and purified away from the heterologous moiety.

The gene product may also be expressed as a recombinant protein with one or more additional polypeptide domains added to facilitate protein purification. Such purification facilitating domains include, but are not limited to, metal chelating peptides such as histidine-tryptophan modules that allow purification on immobilised metals (Porath J, Protein Expr Purif Vol 3 1992 p263-281), protein A domains that allow purification on immobilised immunoglobulin, and the domain utilised in the FLAGS extension/affinity purification system (Immunex Corp, Seattle, WA, USA). The inclusion of a cleavable linker sequence such as Factor XA or enterokinase (Invitrogen, San Diego, CA, USA) between the purification domain and the gene product is useful to facilitate purification.

- "Pain" includes chronic pain, neuropathic pain, pain arising from central sensitisation, and in particular diabetic pain.
- "Stringent hybridization conditions" is a recognized term in the art and for a given nucleic acid sequence refers to those conditions which permit hybridization of that sequence to its complementary sequence and closely homologous sequences. Conditions of high stringency may be illustrated in relation to filter-bound DNA as for example 2X SSC, 65°C (where SSC = 0.15M sodium chloride, 0.015M sodium citrate, pH 7.2), or as 0.5M NaHPO₄, 7% sodium dodecyl sulfate (SDS), 1mM EDTA, at 65°C, and washing in 0.1xSSC/0.1% SDS at 68°C (Ausubel F.M. *et al.*, eds, 1989, *Current Protocols in Molecular Biology*, Vol. I, Green Publishing Associates, Inc., and John Wiley & Sons Inc., New York, at p. 2. 10.3). Hybridization conditions can be rendered highly stringent by raising the temperature and/or by the addition of increasing amounts of formamide, to destabilize the hybrid duplex of non-homologous nucleic acid sequence relative to homologous and closely homologous nucleic acid sequences. Thus, particular hybridisation conditions can be readily manipulated, and will generally be chosen depending on the desired results.
- "Variants or homologues" include (a) sequence variations of naturally existing gene(s) resulting from polymorphism (s), mutation(s), or other alteration(s) as compared to the above identified sequences, and which do not deprive the encoded protein of function (b) recombinant DNA molecules, such as cDNA molecules encoding genes indicated by the relevant Genebank accession numbers and (c) any sequence that hybridizes with the above nucleic acids under stringent conditions and encodes a functional protein or fragment thereof.

IDENTIFIED SEQUENCES

[0015] The inventors have identified nucleotide sequences that give rise to expression products listed in Tables I - VI, that become differentially expressed in the spinal cord in response to two distinct chronic pain stimuli, for example neuropathic and/or central sensitization pain stimuli, and that are believed to be involved in the transduction of pain. In Tables I - VI, * denotes more preferred nucleic acid sequences and ** denotes most preferred nucleic acid sequences. These nucleic acid sequences have not previously been implicated in the transduction of pain.

[0016] The validity of the present experimental procedure was confirmed by the fact that nucleotide sequences were obtained as a result of the investigation whose function in the transduction of pain has been previously confirmed and established. These nucleic acid sequences are not part of this invention. Any of the nucleic acid sequences and expression products can be used to develop screening technologies for the identification of novel molecules for the prevention or treatment of pain. These screening technologies could also be used to ascribe new pain therapeutic indications to molecules that have not previously been identified as being useful for the prevention or treatment of pain. Furthermore, the said nucleic acid sequences can be used as diagnostic tools and for the development of diagnostic tools.

Table I -

Sequences whose expression products are kinases					
Expression product or name (Reference)	Rat Accession Number	Mouse accession number	Human Accession Number	Reaction	Assay
Pyruvate kinase, M1 and M2 subunits (Refs : 1 - 2)	M24359 (SEQ ID No's 1-3)	X97047	X56494	Tissue-specific promoter; Carbohydrate kinase	Kinase

Table II -

Sequences whose expression products are receptors					
Expression Product or Name (Reference)	Rat Accession Number	Mouse accession Number	Human Accession Number	Reaction	Assay
Dopamine receptor D.sub. 1** (Ref : 3)	I58000 (SEQ ID NO 4)			Dopamine receptor	Receptor
Putative GABA-B1a receptor** (Ref : 4)		AF114168 (SEQ ID No's 5-6)		GABA-B Receptor	Receptor

Table III -

Sequences whose expression products are transporters					
Expression Product or Name	Rat Accession Number	Mouse Accession Number	Human Accession Number	Reaction	Assay
Differentiation-associated Na-dependent inorganic phosphate cotransporter (Ref : N/A)	AF271235 (SEQ ID NO's 7-8)			Trans-membrane phosphate transport	Transporter
Putative vacuolar assembly protein VSP41 gene (Ref : N/A)	U87309		AAM47563. 1 (SEQ ID No 9)	Vacuolar assembly and traffic	Transporter

Table IV -

Sequences whose expression products are G-protein coupled receptor proteins					
Expression product or Name	Rat Accession Number	Mouse Accession Number	Human Accession Number	Function	Assay
Git1 (G-protein-coupled receptor kinase-interactor 1 ; GPCR kinase-associated ADP-ribosylation factor) (Ref : 5)	AF085693 (SEQ ID NO 10-11)			Regulation of activity of ARF6 in phosphatidylinositol 3-kinase signalling pathways ; β 2 adrenergic receptor regulation	Ligand binding

Table V -

Sequences whose expression products are DNA-binding proteins

Expression Product or Name	Rat Accession Number	Mouse Accession Number	Human Accession Number	Reaction	Assay
Putative histone H3.3A (Ref: 6)		X91866	M11354(SEQ ID NO 12-13)	DNA binding	DNA binding

Table VI -

Sequences whose expression products are other enzymes

Expression product or Name	Rat Accession Number	Mouse Accession Number	Human Accession Number	Reaction	Assay
3-Hydroxy 3-methylglutaryl coenzyme A synthase, cytosolic * (Ref: 7)	X52625 (SEQ ID No's 14-15)			Cholesterol biosynthesis	Ligase
Acyl-CoA synthetase II, brain (Ref : N/A)	D360666 (N/A)			Fatty acid metabolism	Ligase
Farnesyl diphosphate synthase ** (Ref : 8)	M34477 (Seq ID No's 16-17)			Isoprene biosynthesis	Ligase
Bendless protein (Ref : N /A)	AB032739 (Seq ID No's 18-19)		E12457	Protein degradation	Ligase
fatty acid synthase (Ref: 9)	X62888 (SEQ ID No's 20-21)			Fatty acid synthesis	Ligase
Glutamine synthetase (EC 6.3.1.2) ** (Ref : 10)	M91652 (SEQ ID NO's 22-23)			Amino acid metabolism	Ligase
Putative seryl-tRNA synthetase (Ref No : 11)			X91257 (SEQ ID NO's 24-25)	Ligase	Ligase
Enolase, alpha alpha, non-neuronal (NNE) (REF NO 12)	X02610	X52379	M14328 (SEQ ID NO's 26-27)	Glycolysis	Lyase
Aldose reductase, lens (AREC 11.1.21) (REF : 13)	X05884 (SEQ ID NO's 28-29)			Reduces carbonyl	Oxidoreductase
Cytochrome-c oxidase I, mitochondrial (Ref : 14)	S79304 (SEQ ID NO's 30-31)			Mitochondrial energy metabolism	Oxidoreductase

Table VI - (continued)

Sequences whose expression products are other enzymes					
Expression product or Name	Rat Accession Number	Mouse Accession Number	Human Accession Number	Reaction	Assay
Lactate dehydrogenase-B (LDH-B) (Ref : 15)	U07181 (SEQ ID NO's 32-33)	X51905	Y00711	Glycolysis	Oxidoreductase
Putative cytochrome c oxidase VIB (EC 1.9.3.1) (Ref : 16)			X13923 (SEQ ID NO's 34-35)	Mitochondrial energy metabolism	Oxidoreductase
Putative NADH: ubiquinone oxidoreductase PG IV subunit (Ref : 17)			AF044953 (SEQ ID No's 36-37)	Mitochondrial energy metabolism	Oxidoreductase
Putative succinate dehydrogenase flavoprotein (Ref: N/A)		AF095938 (SEQ ID No's 38-39)	AF171022	TCA cycle	Oxidoreductase
Putative ubiquinol-cytochrome-c reductase (EC 1.10.2.2) core protein II (REF: 18)			J04973 (SEQ ID No's 40-41)	Mitochondrial energy metabolism	Oxidoreductase
Stearoyl-coA desaturase 2 * (Ref: N/A)	AB032243 (SEQ ID NO's 42-43)	M26270		Fatty acid biosynthesis	Oxidoreductase
Ribophorin I * (Ref: 19)	X05300 (SEQ ID No's 44-45)			Glycosylation	Transferase
Sulfotransferase-like protein (REF : 20)	AF188699 (SEQ ID No's 46-47)			Transferase	Transferase
ATP synthase, H ⁺ , alpha subunit, mitochondrial (EC 3.6.1.34) (Ref: N/A)	X56133 (SEQ ID No's 48-49)			Mitochondrial energy metabolism	Hydrolase
F1F0 ATPase delta subunit (REF : 21)	U00926 (SEQ ID No's 50-51)			Mitochondrial energy metabolism	Hydrolase
Putative dihydropyrimidinase related protein * (REF: 22)			D78013 (SEQ ID NO's 52-53)	Pyrimidine degradation	Hydrolase
Heat shock protein 90 (REF : 23)	S45392 (SEQ ID NO's 114-115)	M18186	M16660	Cell protection	Hydrolase

EP 1 284 298 A2

Table VI - (continued)

Sequences whose expression products are other enzymes					
Expression product or Name	Rat Accession Number	Mouse Accession Number	Human Accession Number	Reaction	Assay
Myelin basic protein S (MBP S) (REF :24)	K00512 SEQ ID No 54)			Myelin structural protein	Ligand binding
Transferrin (Ref 25)	D38380 (SEQ ID No's 55-56)			Iron transport	Ligand binding
Neurofilament, light molecular weight (NF-L) (Ref : 26)	AF031880 (SEQ ID No's 57-58)			Cytoskeleton	Ligand binding
Myelin-associated glycoprotein (MAG) (Ref : 27)	M1680 (SEQ ID NO's 59-60)	M31811		Cell adhesion molecule for postnatal neural development	Ligand binding
NF-M middle molecular weight neurofilament protein (Ref : 28)	M18628 (SEQ ID No's 61-62)			Cytoskeleton	Ligand binding
Neuro-degeneration associated-protein 1 (Ref: 29)	D32249 (SEQ ID No's 63-64)			Protein sorting; synaptic communication and plasticity	Ligand binding
S-100 protein β -subunit (REF: 30)	X01090 (SEQ ID No 65)			Zinc and calcium binding	Ligand binding
Microtubule-associated protein 1b (Map 1b) (Ref: 31)	X60370 (SEQ ID No's 66-67)		L06237	Cytoskeleton protein, neuronal growth/ regeneration; microtubule binding protein	Ligand binding
Putative cdc 37 homolog (Ref: 32)	D26564 (Seq ID No's 68-69)			Cell signalling ; cell cycle protein	Ligand binding
Putative ras-related protein Rab-5c (Ref : 33)			U11293 (SEQ ID No's 70-71)	Small GTP binding protein	Ligand binding
Putative gelsolin (Ref: 34)		J04953 (SEQ ID No's 72-73)		Cytoskeleton protein	Ligand binding
Cd81 antigen (target of antiproliferative antibody 1) (Ref : 35)	U19894 (SEQ ID No's 74-75)	X59047	M33680	Regulator for neuron-induced astrocyte differentiation; microglial effector functions	Ligand binding

Table VI - (continued)

Sequences whose expression products are other enzymes					
Expression product or Name	Rat Accession Number	Mouse Accession Number	Human Accession Number	Reaction	Assay
Mobp81 (Myelin-associated/Oligodendrocytic basic protein 81) (Ref : 36)	X87900 (SEQ ID No's 76-77)			Myelin compaction	Ligand binding
Syntaxin binding protein n-sec1, sec1 homolog (Ref : N/A)			BC002869 (Seq ID No's 78-79)	Neuro-transmission	Ligand binding
Alpha-internexin (Ref: 37)	M73049 (SEQ ID No's 80-81)			Cytoskeleton protein; neuronal intermediate filament that can self-assemble	Ligand binding
Putative β -sarcoglycan A3b (Ref: N/a)		AB024921 (SEQ ID No's 82-83)		Cytoskeleton protein	Ligand binding
CGI-78 protein (Ref: 38)	AF151835		AF151835 (SEQ ID No's 84-85)	Unknown	Ligand binding
KIAA0143 (Ref: 39)			D63477 (SEQ ID NO's 86-87)	Transmembrane protein	Ligand binding
Septin 2 (KIAA0128 ; Ref 39)			D50918 (SEQ ID No's 88-89)	GTPase; cytokinesis	Ligand binding
Nucleobindin (Ref: 40)	Z36277 (SEQ ID No's 90-91)			Unknown	Ligand binding
Myelin protein SR13 (Ref: 41)	M69139 (SEQ ID NO's 92-93)	S55427		Myelin structural protein	Ligand binding
B-Actin, cytoplasmic (Ref: 42)	V01217 (SEQ ID NO's 94-95)	X03672		Structural protein	Ligand binding
Ly6/neurotoxin (Lynx1) homolog (Ref: 43)		AF141377 (SEQ ID No's 96-97)		Neuro-transmitter modulator	Ligand binding
Astrocytic phosphoprotein; PFA 15 gene (Ref: N/A)	AJ243949 (SEQ ID NO's 98-99)	X86694		PKC substrate	Ligand binding
PLIC-1 (Ref: N/A)		AF177345 (SEQ ID NO 100-101)		Cytoskeleton interaction	Ligand binding
Nfx1 (tip associating protein (TAP) gene) (Ref: N/A)	AF093139 (SEQ ID NO's 102-103)	AF093140		Unknown	Logand binding

Table VI - (continued)

Sequences whose expression products are other enzymes					
Expression product or Name	Rat Accession Number	Mouse Accession Number	Human Accession Number	Reaction	Assay
Alpha-Crystallin B (Ref N/A)	U04320 (SEQ ID NO's 104-105)	M73741	M28638	Stress response ; heat shock element	Ligand binding
Heat shock-like protein 70 kD (Ref : 44)	X70065 (SEQ ID No's 106-107)	U73744	Y00371	Stress response	Ligand binding
Tau microtubule-associated protein (Ref : 45)	X79321 (SEQ ID NO's 108-109)			Microtubule associated protein expressed in neurons	Ligand binding
Myelin, Schwann cell, Peripheral (P-0) (Ref : 46)	K03242 (SEQ ID No's 110-111)			Myelin structural protein	Ligand binding
B-Tubulin class 1 (Ref: 47)	AB011679 (SEQ ID NO's 112-113)	X04663	AF14139	Structural protein	Ligand binding
Putative ribonuclease III (Ref : N/A)			AF116910 (SEQ ID NO's 116-117)	RNA hydrolysis	Hydrolase

PRODUCTION OF POLYPEPTIDES AND NUCLEIC ACIDS

Vectors

[0017] Recombinant expression vectors comprising a nucleic acid can be employed to express any of the nucleic acid sequences of the invention. The expression products derived from such vector constructs can be used to develop screening technologies for the identification of molecules that can be used to prevent or treat pain, and in the development of diagnostic tools for the identification and characterization of pain. The expression vectors may also be used for constructing transgenic non-human animals.

[0018] Gene expression requires that appropriate signals be provided in the vectors, said signals including various regulatory elements such as enhancers/promoters from viral and/or mammalian sources that drive expression of the genes or nucleic acid sequences of interest in host cells. The regulatory sequences of the expression vectors used in the invention are operably linked to the nucleic acid sequence encoding the pain-associated protein of interest or a peptide fragment thereof.

[0019] Generally, recombinant expression vectors include origins of replication, selectable markers, and a promoter derived from a highly expressed gene to direct transcription of a downstream nucleotide sequence. The heterologous nucleotide sequence is assembled in an appropriate frame with the translation, initiation and termination sequences, and if applicable a leader sequence to direct the expression product into the periplasmic space, the extra-cellular medium or cell membrane.

[0020] In a specific embodiment wherein the vector is adapted for expressing desired sequences in mammalian host cells, preferred vectors will comprise an origin of replication from the desired host, a suitable promoter and an enhancer, and also any necessary ribosome binding sites, polyadenylation site, transcriptional termination sequences, and optionally 5'-flanking non-transcribed sequences. DNA sequences derived from the SV40 or CMV viral genomes, for example SV40 or CMV origin, early promoters, enhancers, and polyadenylation sites may be used to provide the required non-transcribed genetic elements.

[0021] A recombinant expression vector used in the invention advantageously also comprises an untranscribed poly-

nucleotide region located at the 3' end of the coding sequence (ORF), this 3'-UTR (untranslated region) polynucleotide being useful for stabilizing the corresponding mRNA or for increasing the expression rate of the vector insert if this 3'-UTR harbours regulation signal elements such as enhancer sequences.

[0022] Suitable promoter regions used in the expression vectors are chosen taking into account the host cell in which the nucleic acid sequence is to be expressed. A suitable promoter may be heterologous with respect to the nucleic acid sequence for which it controls the expression, or alternatively can be endogenous to the native polynucleotide containing the coding sequence to be expressed. Additionally, the promoter is generally heterologous with respect to the recombinant vector sequences within which the construct promoter/coding sequence has been inserted. Preferred promoters are the LacI, LacZ, T3 or T7 bacteriophage RNA polymerase promoters, the lambda PR, PL and Trp promoters (see EP-0 036 776), the polyhedrin promoter, or the p10 protein promoter from *baculovirus* (kit Novagen; Smith *et al.*, (1983); O'Reilly *et al.* (1992)).

[0023] Preferred selectable marker genes contained in the expression recombinant vectors used in the invention for selection of transformed host cells are preferably dehydrofolate reductase or neomycin resistance for eukaryotic cell culture, TRP1 for *S. cerevisiae* or tetracycline, rifampicin or ampicillin resistance in *E. coli*, or Levamsaccharase for *Mycobacteria*, this latter marker being a negative selection marker.

[0024] Preferred bacterial vectors are listed hereafter as illustrative but not limitative examples: pQE70, pQE60, pQE-9 (Quiagen), pD10, phagescript, psiX174, p.Bluescript SK, pNH8A, pNH16A, pNH18A, pNH46A (Stratagene); pKK223-3, pKK233-3, pDR540, pRIT5 (Pharmacia); pWLNEO, pSV2CAT, pOG44, pXT1, pSG (Stratagene); pSVK3, pBPV, pMSG, pSVL (Pharmacia); pQE-30 (QIA express).

[0025] Preferred bacteriophage recombinant vectors of the invention are P1 bacteriophage vectors such as described by Sternberg N.L. (1992;1994).

[0026] A suitable vector for the expression of any of the pain associated polypeptides used in the invention or fragments thereof, is a baculovirus vector that can be propagated in insect cells and in insect cell-lines. A specific suitable host vector system is the pVL 1392/1393 *baculovirus* transfer vector (Pharming) that is used to transfect the SF9 cell line (ATCC N°CRL 1711) that is derived from *Spodoptera frugiperda*.

[0027] The recombinant expression vectors of in the invention may also be derived from an adenovirus. Suitable adenoviruses are described by Feldman and Steig (1996) or Ohno *et al.* (1994). Another preferred recombinant adenovirus is the human adenovirus type two or five (Ad 2 or Ad 5) or an adenovirus of animal origin (Patent Application WO 94/26914).

[0028] Particularly preferred retrovirus for the preparation or construction of retroviral *in vitro* or *in vivo* gene delivery vehicles include retroviruses selected from the group consisting of Mink-Cell Focus Inducing Virus, Murine Sarcoma Virus, and Ross Sarcoma Virus. Other preferred retroviral vectors are those described in Roth *et al.* (1996), in PCT Application WO 93/25234, in PCT Application WO 94/06920, and also in Roux *et al.* (1989), Julian *et al.* (1992) and Nada *et al.* (1991).

[0029] Yet, another viral vector system that is contemplated is the Adeno Associated Viruses (AAV) such as those described by Flotte *et al.* (1992), Samulski *et al.* (1989) and McLaughlin *et al.* (1996).

Host cells expressing pain associated polypeptides

[0030] Host cells that endogenously express pain associated polypeptides or have been transformed or transfected with one of the nucleic acid sequences described herein, or with one of the recombinant vector described above, particularly a recombinant expression vector, can be used in the present invention. Also included are host cells that are transformed (prokaryotic cells) or are transfected (eukaryotic cells) with a recombinant vector such as one of those described above.

[0031] Preferred host cells used as recipients for the expression vectors used in the invention are the following:

(a) prokaryotic host cells: *Escherichia coli*, strains. (i.e. DH5- α , strain) *Bacillus subtilis*, *Salmonella typhimurium* and strains from species like *Pseudomonas*, *Streptomyces* and *Staphylococcus* for the expression of up and down-regulated nucleic acid sequence modulated by pain, characterized by having at least 80% sequence identity with any of the nucleic acid sequences of Tables I - VI. Plasmid propagation in these host cells can provide plasmids for transfecting other cells.

(b) eukaryotic host cells: HeLa cells (ATCC N°CCL2; N°CCL2.1; N°CCL2.2), Cv 1 cells (ATCC N°CCL70), COS cells (ATCC N°CRL 1650; N°CRL 1651), Sf-9 cells (ATCC N°CRL 1711), C127 cells (ATCC N°CRL-1804), 3T3 cells (ATCC N°CRL-6361), CHO cells (ATCC N°CCL-61), human kidney 293 cells (ATCC N° 45504; N°CRL-1573), BHK (ECACC N°84100 501; N°84111301), PC12 (ATCC N° CRL-1721), NT2, SHSYSY (ATCC N° CRL-2266), NG108 (ECACC N°88112302) and F11, SK-N-SH (ATCC N° CRL-HTB-11), SK-N-BE(2) (ATCC N° CRL-2271), IMR-32 (ATCC N° CCL-127). A preferred system to which the nucleic acids of the invention can be expressed are

neuronal cell lines such as PC12, NT2, SHSY5Y, NG108 and F11, SK-N-SH, SK-N-BE(2), IMR-32 cell lines, COS cells, 3T3 cells, HeLa cells, 292 cells and CHO cells. The above cell lines could be used for the expression of any of the nucleic acid sequences of Tables I - VI.

[0032] When a nucleic acid sequence of any of Tables I - X is expressed using a neuronal cell line, the sequence can be expressed through an endogenous promoter or native neuronal promoter, or an exogenous promoter. Suitable exogenous promoters include SV40 and CMV and eukaryotic promoters such as the tetracycline promoter. The preferred promoter when pain associated molecules are endogenously expressed is an endogenous promoter. A preferred promoter in a recombinant cell line is the CMV promoter.

[0033] In a specific embodiment of the host cells described above, these host cells have also been transfected or transformed with a polynucleotide or a recombinant vector for the expression of a natural ligand of any of the nucleic acid sequences of any of Tables I - VI or a modulator of these expression products.

PROTEINS, POLYPEPTIDES AND FRAGMENTS

[0034] The expression products of the nucleic acid sequences of Tables I - VI or fragment(s) thereof can be prepared using recombinant technology, from cell lines or by chemical synthesis. Recombinant methods, chemical methods or chemical synthetic methods can be used to modify a gene in order to introduce into the gene product, or a fragment of the gene product, features such as recognition tags, cleavage sites or other modifications. For efficient polypeptide production, the endogenous expression system or recombinant expression system should allow the expression products to be expressed in a manner that will allow the production of a functional protein or fragment thereof which can be purified. Preferred cell lines are those that allow high levels of expression of polypeptide or fragments thereof. Such cell lines include cell lines which naturally express the nucleic acid sequence of Tables I - VI or common mammalian cell lines such as CHO cells or COS cells, etc, or more specific neuronal cell lines such as PC12. However, other cell types that are commonly used for recombinant protein production such as insect cells, amphibian cells such as oocytes, yeast and prokaryotic cell lines such as *E. coli* can also be used.

[0035] The expression products of Tables I - VI or fragments thereof can be utilized in screens to identify potential therapeutic ligands, either as a purified protein, as a protein chimera such as those produced in phage display, as a cell membrane (lipid or detergent) preparation, or in intact cells.

[0036] The invention also relates generally to the use of proteins, peptides and peptide fragments for the development of screening technologies for the identification of molecules for the prevention or treatment of pain, and the development of diagnostic tools for the identification and characterization of pain. These peptides include expression products of the nucleic acid sequences of Tables I - VI and purified or isolated polypeptides or fragments thereof having at least 90%, preferably 95%, more preferably 98% and most preferably 99% sequence identity with the any of the expression products of nucleic acid sequences of Tables I - VI. Expressed peptides and fragments of any of these nucleic acid sequences can be used to develop screening technologies for the identification of novel molecules for the prevention or treatment of pain. These screening technologies could also be used to ascribe new pain therapeutic indications to molecules, which have not previously been ascribed for the prevention or treatment of pain. Furthermore the said expressed peptides and fragments can be used as diagnostic tools and for the development of diagnostic tools.

SCREENING METHODS

[0037] As discussed above, we have identified nucleic acid sequences whose expression is regulated by pain, particularly chronic pain and more particularly diabetic pain. The expression products of these nucleic acids can be used for screening ligand molecules for their ability to prevent or treat pain, and particularly, but not exclusively, chronic pain. The main types of screens that can be used are described below. The test compound can be a peptide, protein or chemical entity, either alone or in combination(s), or in a mixture with any substance. The test compound may even represent a library of compounds.

[0038] The expression products of any of the nucleic acid sequences of Tables I - VI or fragments thereof can be utilized in a ligand binding screen format, a functional screen format or invivo format. Examples of screening formats are provided.

A) Ligand binding screen

[0039] In ligand binding screening a test compound with is contacted with an expression product of one of the sequences of Tables I - VI, and the ability of said test compound to interact with said expression product is determined, e.g. the ability of the test compound(s) to bind to the expression product is determined. The expression product can be a part of an intact cell, lipidic preparation or a purified polypeptide(s), optionally attached to a support, such as

beads, a column or a plate etc.

[0040] Binding of the test compound is preferably performed in the presence of a ligand to allow an assessment of the binding activity of each test compound. The ligand may be contacted with the expression product either before, simultaneously or after the test compound. The ligand should be detectable and/or quantifiable. To achieve this, the ligand can be labelled in a number of ways, for example with a chromophore, radioactive, fluorescent, phosphorescent, enzymatic or antibody label. Methods of labelling are known to those in the art. If the ligand is not directly detectable it should be amenable to detection and quantification by secondary detection, which may employ the above technologies. Alternatively the expression product or fragment thereof can be detectable or quantifiable. This can be achieved in a similar manner to that described above.

[0041] Binding of the test compound modifies the interaction of the ligand with its binding site and changes the affinity or binding of the ligand for/to its binding site. The difference between the observed amount of ligand bound relative to the theoretical maximum amount of ligand bound (or to the ligand bound in the absence of a test compound under the same conditions) is a reflection of the binding ability (and optionally the amount and/or affinity) of a test compound to bind the expression product.

[0042] Alternatively, the amount of test compound bound to the expression product can be determined by a combination of chromatography and spectroscopy. This can be achieved with technologies such as Biacore (Amersham Pharmacia). The amount of test compound bound to the expression product can also be determined by direct measurement of the change in mass upon compound or ligand binding to the expression product. Alternatively, the expression product, compound or ligand can be fluorescently labelled and the association of expression product with the test compound can be followed by changes in Fluorescence Energy Transfer (FRET).

[0043] The invention therefore includes a method of screening for pain alleviating compounds, comprising:

- a) contacting a test compound or test compounds in the presence of a ligand with an expression product of any of the nucleic acid sequences of Tables I - VI or with a cell expressing at least one copy of the expression product or with a lipidic matrix containing at least one copy of the expression product;
- b) determining the binding of the test compound to the expression product, and
- c) selecting test compounds on the basis of their binding abilities.

[0044] In the above method, the ligand may be added prior to, simultaneously with or after contact of the test compound with the expression product. Non limiting examples and methodology can be gained from the teachings of the *Molecular Probes handbook* and references therein (Molecular Probes, Inc., 4849 Pitchford Ave, Eugene, USA), *Methods in neurotransmitter receptor analysis* (Yamamura H.I., Enna, S.J., and Kuhar, M.J., Raven Press New York, the *Glaxo Pocket Guide to Pharmacology*, Dr. Michael Sheehan, Glaxo Group Research Ltd, Ware, Herts SG12 0DP), *Bylund DB and Murrin LC* (2000, Life Sciences, 67 (24) 2897-911), *Owrick JC* (2000, *J. biomol Screen* (5) 297-306), *Alberts et al* (1994, *Molecular Biology of the Cell*, 3rd Edn, Garland Publication Inc), *Butler JE*, (2000 *Methods* 22(1):4-23, *Sanberg SA* (2000, *Curr Opin Biotechnol* 11(1) 47-53), and *Christopoulos A* (1999, *biochem Pharmacol* 58(5) 735-48).

B) Functional screening

(a) Kinase assays

[0045] The expression product of any of the nucleic acid sequences of Tables I - VI which encode a kinase, and in particular the nucleic acid sequence listed in Table I, is amenable to screening using kinase assay technology.

[0046] Kinases have the ability to add phosphate molecules to specific residues in ligands such as binding peptides in the presence of a substrate such as adenosine triphosphate (ATP). Formation of a complex between the kinase, the ligand and substrate results in the transfer of a phosphate group from the substrate to the ligand. Compounds that modulate the activity of the kinase can be determined with a kinase functional screen. Functional screening for modulators of kinase activity therefore involves contacting one or more a test compounds with an expression product of one of the nucleic acid sequences of Tables I - VI which encodes a kinase, and determining the ability of said test compound to modulate the transfer of a phosphate group from the substrate to the ligand.

[0047] The expression product can be part of an intact cell or of a lipidic preparation or it can be a purified polypeptide (s), optionally attached to a support, for example beads, a column, or a plate. Binding is preferably performed in the presence of ligand and substrate to allow an assessment of the binding activity of each test compound.

[0048] The ligand should contain a specific kinase recognition sequence and it should not be phosphorylated at its phosphorylation site. The ligand and/or substrate may be contacted with the kinase either before, simultaneously or after the test compound. Optionally the substrate may be labelled with a kinase transferable labelled phosphate. The assay being monitored by the phosphorylation state of the substrate and/or the ligand. The ligand should be such that its phosphorylation state can be determined. An alternative method to do this is to label the ligand with a phosphor-

ylation-state-sensitive molecule. To achieve this, the ligand can be labelled in a number of ways, for example with a chromophore, radioactive, fluorescent, phosphorescent, enzymatic or antibody label. If the ligand is not directly detectable it should be amenable to detection and quantification by secondary detection, which may employ the above technologies. Such technologies are known to those in the art.

[0049] Binding of the test compound to the kinase modifies its ability to transfer a phosphate group from the substrate to the ligand. The difference between the observed amount of phosphate transfer relative to the theoretical maximum amount of phosphate transfer is a reflection of the modulatory effect of the test compound. Alternatively, the degree of phosphate transfer can be determined by a combination of chromatography and spectroscopy. The extent of phosphorylation of the ligand peptide or dephosphorylation of the substrate can also be determined by direct measurement. This can be achieved with technologies such as Biacore (Amersham Pharmacia).

[0050] The invention also provides a method for screening compounds for the ability to relieve pain, which comprises:

- (a) contacting one or more test compounds in the presence of ligand and substrate with an expression product of any of the sequences of Tables I - VI which is a kinase or with a cell containing at least 1 copy of the expression product or with a lipidic matrix containing at least 1 copy of an expression product;
- (b) determining the amount of phosphate transfer from the substrate to the ligand; and
- (c) selecting test compounds on the basis of their capacity to modulate phosphate transfer.

[0051] Optionally ligand, substrate and/or other essential molecules may be added prior to contacting the test compound with expression product of step (a) or after step (a). Non limiting examples and methodology can be gained from the teachings of the *Molecular Probes handbook* and references therein (Molecular Probes, Inc., 4849 Pitchford Ave, Eugene, USA), *Methods in Molecular Biology* 2000; 99: 191-201, *Oncogene* 2000 20; 19(49): 5690-701, and *FASAB Journal*, (10, 6, P55, P1458, 1996, Pocius D Amrein K *et al*).

b) Receptor assays

[0052] An expression product of any of the nucleic acid sequences of Tables I - VI which encodes a receptor, and in particular any of the nucleic acid sequences listed in Table II, is amenable to screening using receptor assay technology.

[0053] Receptors are membrane associated proteins that initiate intracellular signalling upon ligand binding. Therefore, the identification of molecules for the prevention and treatment of pain can be achieved with the use of a ligand binding assay, as outlined above. Such an assay would utilize an endogenous or non-endogenous ligand as a component of the ligand binding assay. The binding of this ligand to the receptor in the presence of one or more test compounds would be measured as described above. Such is the nature of receptors that the assay is usually, but not exclusively performed with a receptor as an intact cell or membraneous preparation.

[0054] The invention therefore includes a method of screening for pain alleviating compounds, comprising:

- a) contacting a test compound or test compounds in the presence of a ligand with a cell expressing at least one copy of the expression product of any of the sequences of Tables I - VI which is a receptor or with a lipidic matrix containing at least one copy of the expression product;
- b) determining the binding of the test compound to the expression product, and
- c) selecting test compounds on the basis of their binding abilities.

c) Transporter protein assays

[0055] An expression product of any of the nucleic acid sequences of Tables I - VI which encodes a transporter protein, and in particular any of the nucleic acid sequences listed in Table III, is amenable to screening using transporter protein assay technology. Non limiting examples of technologies and methodologies are given by *Carroll FI, et al* (1995, Medical Research Review, Sep15 (5) p419-444), *Veldhuis JD and Johnson MI* (1994, Neurosci. Biobehav Rep., winter 18(4) 605-12), *Hediger MA and Nussberger S* (1995, Expt Nephrol, July-Aug 3(4) p211-218, *Endou H and Kanai Y*, (1999, Nippon Yakurigaku Zasshi, Oct. 114 Suppl 1:1p-16p), *Olivier B et al* (2000, Prog. Drug Res., 54, 59-119), *Braun A et al* (2000, Eur J Pharm Sci, oct 11, Suppl 2 S51-60) and *Molecular Probes handbook and references therein* (Molecular Probes, Inc., 4849 Pitchford Ave, Eugene, USA).

[0056] The main function of transporter proteins is to facilitate the movement of molecules across a cellular membrane. Compounds that modulate the activity of transporter proteins can be determined with a transporter protein functional screen. Functional screening for modulators of transporter proteins comprises contacting at least one test compound with an expression product as aforesaid which is a transporter protein and determining the ability of said test compound to modulate the activity of said transporter protein. The expression product can be part of an intact cell,

or lipidic preparation, optionally attached to a support, for example beads, a column or a plate. Binding is preferably performed in the presence of the molecule to be transported, which should only be able to pass through a cell membrane or lipidic matrix with the aid of the transporter protein. The molecule to be transported should be able to be followed when it moves into a cell or through a lipidic matrix. Preferably the molecule to be transported is labelled to aid in characterization, e.g. with a chromophore, radioactive, fluorescent, phosphorescent, enzymatic or antibody label. If the molecule to be transported is not directly detectable it should be amenable to detection and quantification by secondary detection, which may employ the above technologies. The molecule to be transported may be contacted with the transporter protein before, simultaneously with or after the test compound. If binding of the test compound to the transporter protein modifies its ability to transport molecules through a membranous or lipidic matrix, then the difference between the observed amount of transported molecule in a cell/or through a lipidic matrix relative to the theoretical maximum amount is a reflection of the modulatory effect of the test compound.

[0057] The invention further provides a method for screening compounds for their ability to relieve pain, comprising

- a) contacting at least one test compound in the presence of transporter molecules with a cell containing at least one copy of an expression product of any of the sequences of Tables I - VI which is a transporter protein or with a lipidic matrix containing at least one copy of the expression product;
- c) measuring the movement of transported molecules into or from the cell, or across the lipidic matrix; and
- d) selecting test compounds on the basis of their ability to modulate the movement of transported molecules.

d) G-protein coupled receptor protein assays

[0058] An expression product of any of the nucleic acid sequences of Tables I - VI that encodes a G-protein coupled receptor protein, and in particular any of the nucleic acid sequences listed in Table IV, is amenable to screening using G-protein coupled receptor protein assay technology.

[0059] G-protein coupled receptor proteins (GPCRs) are membrane associated proteins whose main function is to transduce a signal through a cellular membrane. Upon ligand binding, GPCRs undergo a conformational change that allows complexing of the GPCRs with a G-protein. G-proteins possess a GTP/GDP binding site. The formation of the G-protein/ligand complex allows exchange of GTP for GDP, resulting in a conformational change of the G-protein. This conformational change initiates signal transduction.

[0060] Functional screening for modulators of GPCRs comprises contacting at least one test compound with an expression product as aforesaid which is a G-protein coupled receptor protein, and assessing the ability of the test compound(s) to modulate the exchange of GTP for GDP or the modulation of the GPCR signal transduction pathway. The expression product can be part of an intact cell or lipidic preparation, optionally attached to a support, for example beads, a column or a plate. Binding is preferably performed in the presence of a ligand, G-protein and GTP/GDP to allow an assessment of the binding activity of each test compound. Alternatively components of the signaling pathway are also included. In particular, in a preferred embodiment, a labeled GTP is used and the ability of the test compound(s) to modulate the exchange of GTP to GDP is determined. A further optional characteristic of the assay can be the inclusion of a reporter molecule that enables monitoring the regulation of the signaling pathway. The ligand may be contacted with the GPCR before, simultaneously with, or after the test compound. Binding of the test compound to the GPCR modifies its ability to modulate the exchange of GTP for GDP and hence the modulation of signal transduction. The difference between the observed amount of GTP exchanged for GDP relative to the theoretical maximum amount of GTP is a reflection of the modulatory effect of the test compound. Likewise the relative activities of signal transduction reporter molecules are also a reflection of the modulatory effect of the test compound. Non limiting examples of technologies and methodologies can be found in *Molecular Probes handbook* and references therein (Molecular Probes, Inc., 4849 Pitchford Ave, Eugene, USA), *Glaxo Pocket Guide to Pharmacology*, (Michael Sheehan, Pharmacology Division staff, Glaxo Group Research Ltd., Ware, Herts SG12 0DP) and *Xing et al* (2000, J. Recept. Signal. Transduct. Res. 20(40) 189-210).

[0061] The invention provides a method of screening compounds for their ability to relieve pain, comprising:

- a) contacting at least one test compound in the presence of a ligand, GTP/GDP, G-protein with a cell containing at least one copy of an expression product of a sequence of Tables I - VI as aforesaid which is a G-protein coupled receptor protein or with a lipidic matrix containing at least one copy of the expression product;
- b) measuring the exchange of GTP for GDP, and
- c) selecting test compounds on the basis of their ability to modulate said exchange.

In the above method, the ligand, GTP/GDP, G-protein and other essential molecules can be added before, simultaneously with or after the contacting of the test compound(s) with the cell line or lipidic matrix in step (a).

e) DNA-binding protein assays

[0062] An expression product of any of the nucleic acid sequences of Tables I - VI that encodes a DNA-binding protein, and in particular any of the nucleic acid sequences listed in Table V, is amenable to screening using DNA-binding protein assay technology.

[0063] DNA binding proteins are proteins that are able to complex with DNA. The complexing of the DNA binding protein with the DNA in some instances requires a specific nucleic acid sequence. Screens can be developed in a similar manner to ligand binding screens as previously indicated and will utilise DNA as the ligand. DNA-binding protein assays can be carried using similar principles described in ligand binding assays as described above. Non limiting examples of methodology and technology can be found in the teachings of *Haukanes BI and Kvam C* (Biotechnology, 1993 Jan 11 60-63), *Alberts B et al* (Molecular Biology of the Cell, 1994, 3rd Edn., Garland Publications Inc, *Kirigiti P and Machida CA* (2000 Methods Mol Biol, 126, 431-51) and *Molecular Probes handbook* and references therein (Molecular Probes, Inc., 4849 Pitchford Ave., Eugene, USA).

[0064] The invention therefore includes a method of screening for pain alleviating compounds, comprising:

a) contacting a test compound or test compounds in the presence of a plurality of nucleic acid sequences with an expression product of any of the nucleic acid sequences of Tables I - VI which is a DNA binding protein or with cells expressing at least one copy of the expression product or with a lipidic matrix containing at least one copy of the expression product;

b) determining the binding of the test compound to the expression product, and

c) selecting test compounds on the basis of their binding abilities.

In the above method, the plurality of nucleic acid sequence may be added prior to, simultaneously with or after contact of the test compound with the expression product.

f) Assays using other enzymes

[0065] Expression products of any of the nucleic acid sequences of Tables I - VI that encode other enzymes, e.g. ligases, lyases, oxidoreductases, transferases and hydrolases, and in particular any of the nucleic acid sequences listed in Table VI, is amenable to screening using appropriate assay technology.

[0066] Each class of enzyme has a defined function. Ligases have the property of being able to splice molecules together. This is achieved with the conversion of ATP substrate to AMP. Therefore, the activity of a ligase can be followed by monitoring the conversion of ATP to AMP. Such technologies are known to those in the art. Non limiting examples and methodologies are illustrated by *Ghee. T. Tan et al* (1996, Biochem J. 314, 993-1000, *Yang SW et al* (1992, 15: 89(6) 2227-31 and references therein, and in *Molecular Probes handbook* and references therein (Molecular Probes, Inc., 4849 Pitchford Ave, Eugene, USA).

[0067] The invention also provides a methods of screening for pain alleviating compounds, comprising;

a) contacting one or more test compounds in the presence of ATP with an expression product of any of the sequences of Tables I - VI which is a ligase or with a cell expressing at least 1 copy of a expression product or with a lipidic matrix containing at least 1 copy of an expression product which is a ligase;

b) determining the amount of ATP converted to AMP, and

c) selecting test compounds on the basis of their ability to modulate said conversion.

[0068] Lyases are enzymes which catalyse the cleavage of by reactions other than hydrolysis. These enzymes can be grouped into seven groups according to type of bond cleaved. These groups are carbon-carbon lyases (E.C. No 4.1), carbon-oxygene lyases (E.C. No 4.2), carbon-nitrogen lyases (E.C. No 4.3), carbon-sulphur lyase (E.C. No 4.4) carbon-halide lyases (E.C. No 4.5), phosphorous-oxygene lyases (E.C. No 4.6) and other lyases (E.C. No 4.99) (*Analytical Biochemistry* 3rd Edn, David J. Holme and Hazel Peck, Longman press). The enzyme commission number (E. C.) of the International Union of Biochemistry relates to the type of reaction catalysed by the enzyme. Further *teachings on how to develop assays and screens for lyases can be obtained from Methods in Enzymology* (Academic Press).

[0069] Oxidoreductases are enzymes that catalyse the transfer of hydrogen or oxygen atoms or electrons. These enzymes can be sub-grouped into twenty categories according to their specific mode of action. These groups are oxidoreductases acting on the CH-OH group of donors (E.C. No1.1 oxidoreductases acting on the aldehyde or oxo group of donors (E.C. No 1.2), oxidoreductases acting on the CH-CH group of the donor (E.C. No 1.3), oxidoreductases acting on the CH-NH₂ group of donors (E.C. 1.4), oxidoreductases acting on the CH-NH group of donor (E.C. 1.5), oxidoreductases acting on the NADH or NADPH (E.C. No 1.6), oxidoreductases acting on other nitrogen compounds as donors (E.C. No 1.7), oxidoreductases acting on a sulphur group of donors (E.C. No 1.8), oxidoreductases acting on a haem group of donors (E.C. No1.9), oxidoreductases acting on diphenols and related substances as donors (E.

C. 1.10), oxidoreductases acting on hydrogen peroxide as acceptor (E.C. No 1.11), oxidoreductases acting on hydrogen as donor (E.C. No 1.12), oxidoreductases acting on single donors with incorporation of molecular oxygen (E.C. No 1.13), oxidoreductases acting on paired donors with incorporation of molecular oxygen (E.C. No 1.14), oxidoreductases acting on superoxide radicals as acceptors (E.C. 1.15), oxidoreductases oxidizing metal ions (E.C. No 1.16), oxidoreductases acting on -CH₂ groups (E.C. No 1.17), oxidoreductases acting on reduced ferredoxin as donor (E.C. No 1.18), oxidoreductases acting on reduced flavodoxin as donor (E.C. No 1.19) and other oxidoreductases (E.C. No 1.97) (Analytical Biochemistry 3rd Edn, David J. Holme and Hazel Peck, Longman Press). The enzyme commission number (E.C.) of the International Union of Biochemistry relates to the type of reaction catalysed by the enzyme. Further teachings on how to develop assays and screens for oxidoreductases can be obtained from *Methods in Enzymology* (Academic Press) with special reference to volume 249.

[0070] Transferases are enzymes that catalyse the transfer of specific groups. They are classified into eight sub groups according to function, transferring one-carbon group (E.C. No 2.1), Transferring aldehyde or ketonic residues (E.C. No 2.2), Acetyltransferases (E.C. 2.3), glycosyltransferases (E.C. No 2.4), transferring alkyl or aryl groups other than methyl groups (E.C. No 2.5), transferring nitrogeous groups (E.C. No 2.6), transferring phosphorous-containing groups (E.C. No 2.7) and transferring sulphur-containing groups (E.C. No 2.8) (Analytical Biochemistry 3rd Edn, David J. Holme and Hazel Peck, Longman Press). The enzyme commission number (E.C.) of the International Union of Biochemistry relates to the type of reaction catalysed by the enzyme. Further teachings on how to develop assays and screens for transferases can be obtained from *Methods in Enzymology* (Academic Press).

[0071] Hydrolases are enzymes that catalyse hydrolytic reactions and are sub-grouped into eleven classes according to the type of reaction they carry out. Hydrolases acting on ester bonds (E.C. No 3.1), hydrolases acting on glycosyl compounds (E.C. No 3.2), hydrolases acting on ether bonds (E.C. No 3.3), hydrolases acting on peptide bonds (E.C. No 3.4), hydrolases acting on carbon-nitrogen bonds, other than peptide bonds (E.C. No 3.5), hydrolases acting on acid anhydrides (E.C. No 3.6), hydrolases acting on acid anhydrides (E.C. No 3.6), hydrolases acting on carbon-carbon bonds (E.C. No 3.7), hydrolases acting on halide bonds (E.C. No 3.8), hydrolases acting on phosphorous-nitrogen bonds (E.C. No 3.9), hydrolases acting on sulphur-nitrogen bonds (E.C. No 3.10) and hydrolases acting on carbon-phosphorous bonds (Analytical Biochemistry 3rd Edn, David J. Holme and Hazel Peck, Longman Press). The enzyme commission number (E.C.) of the International Union of Biochemistry relates to the type of reaction catalysed by the enzyme. Further teachings on how to develop assays and screens for hydrolases can be obtained from *Methods in Enzymology* (Academic Press) with special reference to volume 249.

C) In vivo functional screen

[0072] Any of the nucleotide sequences described in Tables I - VI or homologues thereof may be inserted by means of an appropriate vector into the genome of a lower vertebrate or of an invertebrate animal or may be inactivated or down regulated in the genome of said animal. The resulting genetically modified animal may be used for screening compounds for effectiveness in the regulation of pain. The invertebrate may, for example, be a nematode e.g. *Caenorhabditis elegans*, which is a favourable organism for the study of response to noxious stimuli. Its genome sequence has been determined, see *Science*, **282**, 2012 (1998), it can be bred and handled with the speed of a micro-organism (it is a self-fertilizing hermaphrodite) and can therefore be used in a high throughput screening format (WO 00/63424, WO 00/63425, WO 00/63426 and WO 00/63427), and it offers a full set of organ systems, including a simple nervous system and contains many similarly functioning genes and signaling pathways to mammals. A thermal avoidance model based on a reflexive withdrawal reaction to an acute heat stimulus has been described by Wittenburg *et al*, *Proc. Natl. Acad. Sci. USA*, **96**, 10477-10482 (1999), and allows the screening of compounds for the treatment of pain with the modulation of pain sensation as an endpoint.

[0073] The genome of *C. elegans* can be manipulated using homologous recombination technology which allows direct replacement of nucleic acids encoding *C. elegans* with their identified mammalian counterpart. Replacement of these nucleic acids with those nucleic acids outlined above would allow for the direct screening of test compound(s) with their expression products. Any of the pain-related genes described above may be ligated into a plasmid and introduced into oocytes of the worm by microinjection to produce germline transformants. Successful plasmid injection into *C. elegans* and expression of inserted sequences has been reported by Devgen B.V., Ghent, Belgium. It is also possible to produce by routine methods worms in which the target sequences are down-regulated or not expressed (knock-out worms). Further non limiting examples of methodology and technology can be found in the teachings of Hazendonk *et al* (1997, *Nat genet.* **17**(1) 119-21), Alberts *et al*, (1994, *Molecular Biology of the Cell* 3rd Ed. Garland Publishing Inc, *Caenorhabditis elegans* is anatomically and genetically simple), Broverman S *et al*, (1993, *PNAS USA* **15**;90(10) 4359-63) and Mello *et al* (1991, *10*(12)3959-70).

[0074] A further method for screening compounds for ability to modify response to pain, e.g. relieve pain, comprises:

- (a) contacting one or more test compounds with at least one *C. elegans* containing at least one copy of a sequence

as set out above;

(b) subjecting the *C. elegans* to a nociceptive stimulus;

(c) observing the response of the *C. elegans* to said stimulus; and

d) selecting test compounds on the basis of their ability to modify the response of *C. elegans* to said stimulus.

DIAGNOSTIC TOOLS AND KITS

Affinity peptides, ligands and substrates

[0075] Pain associated polypeptides and fragments thereof can be detected at the tissue and cellular levels with the use of affinity peptides, ligands and substrates, which will enable a skilled person to define more precisely a patient's ailment and help in the prescription of a medicament. Such affinity peptides are characterized in that firstly they are able to bind specifically to a pain associated polypeptide, and secondly that they are capable of being detected. Such peptides can take the form of a peptide or polypeptide for example an antibody domain or fragment, or a peptide/polypeptide ligand or substrate, or a polypeptide complex such as an antibody.

[0076] The preparation of such peptides and polypeptides are known to those in the art. Antibodies, these may be polyclonal or monoclonal, and include antibodies derived from immunized animals or from hybridomas, or derivatives thereof such as humanized antibodies, Fab or F(ab')₂ antibody fragments or any other antibody fragment retaining the antigen binding specificity.

[0077] Antibodies directed against pain-associated gene product molecules may be produced according to conventional techniques, including the immunization of a suitable mammal with the peptides or polypeptides or fragment thereof. Polyclonal antibodies can be obtained directly from the serum of immunized animals. Monoclonal antibodies are usually produced from hybridomas, resulting from a fusion between splenocytes of immunized animals and an immortalized cell line (such as a myeloma). Fragments of said antibodies can be produced by protease cleavage, according to known techniques. Single chain antibodies can be prepared according to the techniques described in US 4,946,778. Detection of these affinity peptides could be achieved by labeling technologies which allow detection of peptides, such as enzymatic labeling, fluorescence labeling or radio-labeling are well known to those in the art. Optionally these affinity peptides, ligands and substrates could themselves be detected with the use of a molecule that has specific affinity to the peptides, ligands and substrates and is itself labeled.

[0078] The invention further provides a kit comprising;

(a) affinity peptide and/or ligand and/or substrate for an expression product of a gene sequence that is down-regulated in the spinal cord of a mammal in response to first and second models of neuropathic or central sensitization pain; and

(b) a defined quantity of an expression product of a gene sequence that is down-regulated in the spinal cord of a mammal both in response to first and second models of neuropathic or central sensitization pain, for simultaneous, separate or sequential use in detecting and/or quantifying an expression product of a gene sequence that is down-regulated in the spinal cord of a mammal in response to first and second models of neuropathic or central sensitization pain.

Complimentary nucleic acids

[0079] Pain associated nucleic acid sequences can be characterized at the tissue and cellular levels with the use of complimentary nucleic acid sequences. Detection of the level of expression of pain associated nucleic acid sequences can help in the prognosis of a pain condition and the prescription of a medicament. These complimentary nucleic acids are characterized in that they can hybridize to a pain associated nucleic acid sequence and their presence can be detected through various techniques. Such techniques are known to those in the art and may include detection by polymerase chain reaction or detection by labeling of complimentary nucleic acid sequences by enzymatic labeling, affinity labeling fluorescent labeling or radio labeling. Complimentary strand nucleic acid sequences of this invention are 10 to 50 bases long, more preferably 15 to 50 bases long and most preferably 15 to 30 bases long, and hybridize to the coding sequence of the nucleic acid sequence.

[0080] A further aspect of this invention is a kit that comprises:

(a) nucleic acid sequences capable of hybridization to a nucleic acid sequence that is down-regulated in the spinal cord of a mammal in response to first and second models of neuropathic or central sensitization pain; and

(b) a defined quantity of one or more nucleic acid sequences capable of hybridization to a nucleic acid sequence that is down-regulated in the spinal cord of a mammal in response to first and second models of neuropathic or

central sensitization pain, for simultaneous, separate or sequential use in detecting and/or quantifying a gene sequence that is down-regulated in the spinal cord of a mammal in response to first and second models of neuropathic or central sensitization pain.

IDENTIFICATION AND VALIDATION

[0081] Subtractive hybridization enables the identification of nucleic acid sequences whose expression profiles are modified by a stimulus. Upon stimulation of a system (in the case of this invention a nociceptive stimulus on an animal model) all observed changes in the level of nucleic acid sequence expression are due to the reaction of the system to the stimulus. Characterization of these changes in expression by way of identification of nucleic acid sequence and level of expression is both identification and validation.

[0082] The inventors have developed a four step process which allows for the simultaneous identification and validation of nucleic acid sequences whose expression are regulated by a pain stimulus, preferably a chronic pain stimulus, and more preferably a diabetic pain stimulus. This process may comprise the following steps:

- (a) induction of a nociceptive stimulus in test animals;
- (b) extraction of nucleic acids from specific neuronal tissue of test and control animals;
- (c) selective amplification of differentially expressed nucleic acid sequences; and
- (d) identification and characterization of differentially expressed gene products that are modulated by a nociceptive stimulus.

[0083] The above process is described in more detail below.

(a) Induction of nociceptive stimulus

[0084] The effect of the selected nociceptive stimulus on the test animal needs to be confirmable. The test subjects are therefore a species that has a "developed" nervous system, preferably similar to that of humans, most preferably rats or mice. Advantageously, the nociceptive stimulus is analogous to known pain paradigms in humans. One such paradigm of pain is the pain associated with diabetes, which can be induced in rodents with the use of streptozotocin (STZ). The present application requires the sequences to be down-regulated in two pain models which may be, but are not limited to models of neuropathic pain and/or central sensitization, and in which diabetic pain provides the first model and mechanical damage e.g. to a nerve leading into the spine can provide an appropriate second model.

[0085] Streptozotocin (STZ) induces hyperglycemia and Type 1 diabetes mellitus in rats. In particular, STZ contains a glucose analogue that allows it to be taken up by the glucose transporter 2 present on the surface of pancreatic β cells, the site of insulin synthesis. Once inside the cell, STZ causes a reduction in the level of nicotinamide adenine dinucleotide (NAD^+). The decrease in NAD^+ levels eventually leads to necrosis of the pancreatic β cell, causing a reduction in insulin levels and then diabetes, leading to neuropathy (diabetic) and neuropathic pain (R. B. Weiss, *Cancer Treat. Rep.*, 66, 427-438 1982, Guy *et al*, *Diabetologica*, 28, 131-137 1985; Ziegler *et al*, *Pain*, 34, 1-10 1988; Archer *et al*, *J. Neural. Neurosurgeon. Psychiatry*, 46, 491-499 1983). The diabetic rat model has been shown to be a reliable model of hyperalgesia. We have used an STZ-induced diabetic rat model to create a state of hyperalgesia that can be compared with control animals (Courteix *et al*, *Pain*, 53, 81-88 1993).

[0086] Three models of neuropathic and/or central sensitization pain in rats, which involve nerve injury, may be used, see Ralston, DD (1998) Present models of neuropathic pain. *Pain Rev.* 5: 83-100. The injuries are caused by (1) loosely tying four chromic gut sutures around the sciatic nerve (CCI model developed by Bennett, GJ and Y-K Xie, A peripheral mononeuropathy in rat that produces disorders of pain sensation like those seen in man, *Pain* 33: 87-107 (1988), (2) tightly ligating one third to one half of the fibers in the sciatic nerve (model developed by Seltzer, Z, R Dubner, Y Shire, A novel behavioral model of neuropathic pain disorders produced in rats by partial sciatic nerve injury, *Pain* 43: 205-218, 1990), and (3) tightly ligating the dorsal spinal nerve of a rat at the L5 or L5 and L6 levels (L5 model developed by Kim, SH and JM Chung, An experimental model for peripheral neuropathy produced by segmental spinal nerve ligation in the rat, *Pain* 50:355-363, 1992).

(b) Extraction of nucleic acids from neuronal tissue of test and control animals

[0087] The inventors have determined that RNA extraction of whole spinal cord nervous tissue would provide a way of identifying nucleic acid sequences whose expression in spinal tissue is modulated by streptozotocin induced diabetes or by a mechanical nerve damage model for neuropathic and/or central sensitization pain e.g. CCI. Test (subjected to the nociceptive stimulus) and control animals were sacrificed, and the tissue to be studied e.g. neural tissue separated. Techniques for so doing vary widely from animal to animal and will be familiar to skilled persons.

[0088] A cDNA library can be prepared from total RNA extracted from neural tissue of the test and control animals. Where possible, however, it is preferred to isolate the mRNA from the total RNA of the test and control animals, by affinity chromatography on oligo (dT)-cellulose, and then reverse transcribe the mRNA from the test and control animals to give test and control cDNA. Converting mRNA from the test and control animals to corresponding cDNA may be carried out by any suitable reverse transcription method, e.g. a method as described by Gubler & Hoffman, *Gene*, 25, 263-269 (1983). If desired a proprietary kit may be used e.g. the CapFinder PCR cDNA Library Construction Kit (Life Technologies) which is based on long-distance PCR and permits the construction of cDNA libraries from nanograms of total RNA.

(c) Selective amplification of differentially expressed nucleic acids

[0089] The reverse transcribed cDNA of the test and control animals is subjected to subtractive hybridisation and amplification so that differentially expressed sequences become selectively amplified and commonly expressed sequences become suppressed, so as to over-produce DNA associated with said nociceptive stimulus. A wide range of subtractive hybridisation methods can be used, but the preferred method is so-called suppression subtractive hybridisation, see US-A-5565340 and Diatchenko *et al*, *Proc. Nat. Acad. Sci. USA*, 93, 6025-6030 (1996), the disclosures of which are herein incorporated by reference. Kits for carrying out this method are available from CLONTECH Laboratories, Inc.

(d) Cloning and Sequencing the differentially expressed cDNA

[0090] The differentially expressed cDNA is ligated into a cloning vector, after which cells of *E. coli* are transformed with the vector and cultured. Positive clones are selected and lysed to release plasmids containing the cDNA insert. The plasmids are primed using forward and reverse primers to either side of the cloning site and the cDNA insert is sequenced. Vector and adaptor sequences are then removed from the output data from the sequencer, leaving only the nucleotide sequence of the differentially expressed gene. The sequence is then checked against data held in a database for homology to known nucleotide sequences and genes, including expressed sequence tags (ESTs) and coding sequences for proteins.

(e) Validation of the above method

[0091] The importance of the sequences that we have identified in pain is confirmed by the fact that genes have been identified using this method that represent nucleic acid sequences which have previously been implicated in pain, including Calmodulin (pRCM1, Genebank X13933), Enkephalin (Genebank Y07503) and Neurotensin receptor type 2 (Genebank X97121).

[0092] The inventors have identified nucleic acid sequences of the MAP kinase pathway, a previously non pain-associated biological pathway. The inventors have subsequently shown that intra-spinal injection of a MEK inhibitor (MEK is part of the MAP kinase pathway) produces a powerful inhibition of pain (Patent application No US 60/144292). Subsequently, it has been shown that the MAP kinase is also implicated in acute inflammatory pain (Woolf *et al*, *Nature Neuroscience* 1999).

[0093] The invention will now be further described in the following Example.

EXAMPLE

Induction of diabetes

[0094] Diabetes was induced in adult (150-200g) male Sprague-Dawley rats (n=6) as described by Courteix *et al* (*supra*). Animals were injected intraperitoneally with streptozotocin (STZ) (50 mg/kg) dissolved in distilled water. Control or sham animals (age-matched animals, n=6) were injected with distilled water only.

Chronic Constrictive Injury (CCI)

[0095] Rats were anaesthetized with i.p. sodium phenobarbital, after which the common left sciatic nerve was exposed at the level of the middle of the thigh by blunt dissection through the biceps femoris and proximal to the sciatic trifurcation. Four ligatures (4.0 braided silk) were tied loosely around it with about 1mm spacing. The muscle was closed in layers and two wound clips were applied to close the skin incision. The wound was then covered with topical antibiotics.

Nociceptive testing

[0096] Static allodynia (a form of hyperalgesia) was measured using a method described by Chaplan *et al*, "Quantitative assessment of tactile allodynia in the rat paw", *J. Neurosci. Methods*, **53**, 55-63 (1994). A series of von Frey filaments of different buckling weight (i.e. the load required for the filament to bend) were applied to the plantar surface of the right hind paw. The starting filament had a buckling weight of 20g. Lifting of the paw was taken to be a positive result, in which case a filament with the next lowest buckling weight was used for the next measurement. The test was continued until a filament was found for which there was an absence of response for longer than 5 seconds whereas a re-test with the next heaviest filament gave a positive response. Animals were considered hyperalgesic if their thresholds were found to be <4g of those of comparable untreated rats, see Calcutt & Chaplan, "Spinal pharmacology of tactile allodynia in diabetic rats", *British J. Pharmacol*, **122**, 1478-1482 (1997).

Tissue Extraction

[0097] STZ-treated, CCI-treated and control animals were anaesthetized with 4% halothane and perfused with ice-cold 0.9% saline containing 1% citric acid (pH adjusted to 7.4 with NaOH). The animals were decapitated and the lumbar spinal cord exposed. A 2-centimetre length of spinal cord ending at L6 (lumbar-6 forward) was removed from the spinal column. Attached dorsal root ganglia and contaminating spinal connective tissues were removed. The spinal cord tissue was snap frozen in dry ice and isopentane. In the experiments that follow, procedures on the streptozocin-treated and control groups of animals are disclosed. It will be understood that for identification of CCI-treated animals the same experiments are performed, but using tissues from the CCI-treated animals and from control animals.

Total RNA Extraction

[0098] Total RNA was extracted from the pooled male rat tissues of the streptozocin-treated and control groups using the TRIZOL Reagent Kit (Life Technologies). Briefly, tissue samples were homogenised fully using a Polytron homogenizer in 1ml of TRIZOL reagent per 50-100mg of tissue. Homogenized samples were then incubated at room temperature for 5 minutes and phase separated using 0.2ml chloroform per 1ml TRIZOL reagent followed by centrifugation at 3,000g. The aqueous phase was transferred to a fresh tube and the RNA precipitated with an equal volume of isopropyl alcohol and followed by centrifugation at 10,000g. The RNA pellet was washed in 75% ethanol and re-centrifuged. The pellet was then air dried and re-suspended in water.

mRNA Extraction

[0099] In contrast to ribosomal RNA and transfer RNA, the vast majority of mRNAs of mammalian cells carry tracts of poly(A⁺) at their 3' termini. mRNAs can therefore be separated from the bulk of cellular RNA by affinity chromatography on oligo (dT)-cellulose. mRNA was extracted from Total RNA using the MESSAGEMAKER Kit (Life Technologies) in which mRNA (previously heated to 65°C in order to disrupt secondary structures and so expose the poly (A⁺) tails) was bound to oligo(dT) cellulose under high salt concentrations (0.5M NaCl) in a filter syringe. Unbound RNA was then washed away and the poly(A⁺) mRNA eluted in distilled water. A tenth of the volume of 7.5 M Ammonium Acetate, 50µg of glycogen/ml mRNA sample and 2 volumes of absolute alcohol were then added to the samples which were placed at -20°C overnight. Following precipitation, the mRNA was spun down at 12,000g for 30 minutes at 4°C. RNAase free water was used to re-suspend the pellets, which were then stored at -80°C.

PCR SELECT

[0100] The technique used was based on that of the CLONTECH PCR Select Subtraction Kit. The following protocol was performed using STZ-treated lumbar spinal cord Poly A⁺ RNA as the 'Tester' and Sham lumbar spinal cord poly A⁺ RNA as the 'Driver' (Forward Subtraction). A second subtraction experiment using the Sham lumbar spinal cord mRNA as the 'Tester' and STZ treated lumbar spinal cord mRNA as the 'Driver' (Reverse Subtraction) was performed in parallel using the same reagents and protocol. As a control for both experiments, the subtraction was also carried out using human skeletal muscle mRNA that had been provided by the manufacturer.

First-Strand cDNA Synthesis

[0101] 2 µg of PolyA⁺ RNA and 1 µl of cDNA synthesis primer (10 µM) were combined in a 0.5ml Eppendorf tube and sterile H₂O was added where necessary to achieve a final volume of 5 µl. The contents were mixed gently and incubated in a thermal cycler at 70°C for 2 min. The tubes were then cooled on ice for two minutes, after which 2 µl of

5X First-strand buffer, 1 µl of dNTP mix (10 mM each), sterile H₂O and 1 µl of AMV reverse transcriptase (20 units/µl) was also added. The tubes were then placed at 42°C for 1.5 hr in an air incubator. First-strand cDNA synthesis was terminated by placing the tubes on ice. (the human skeletal muscle cDNA produced by this step was used as the 'control driver' in later steps).

Second-Strand cDNA Synthesis

[0102] 48.4 µl of Sterile H₂O, 16.0 µl of 5X Second-strand buffer, 1.6 µl of dNTP mix (10 mM) and 4.0 µl of 20X Second-strand enzyme cocktail were added to each of the first-strand synthesis reaction tubes. The contents were then mixed and incubated at 16°C in a thermal cycler for 2 hr. 6 units (2 µl) of T4 DNA polymerase was then introduced and the tubes were incubated for a further 30 min at 16°C. In order to terminate second-strand synthesis, 4 µl of 20X EDTA/glycogen mix was added. A phenol:chloroform extraction was then carried out using the following protocol:-

[0103] 100 µl of phenol:chloroform:isoamyl alcohol (25:24:1) was added to the tubes which were then vortexed thoroughly and centrifuged at 14,000 rpm for 10 min at room temperature. The top aqueous layer was removed and placed in a fresh tube. 100 µl of chloroform:isoamyl alcohol (24:1) was then added to the aqueous layer and the tubes were again vortexed and centrifuged at 14,000 rpm for 10 min. 40 µl of 4 M NH₄OAc and 300 µl of 95% ethanol were then added and the tubes centrifuged at 14,000 rpm for 20 min. The supernatant was removed carefully, then 500 µl of 80% ethanol was added to the pellet. The tubes were centrifuged at 14,000 rpm for 10 min and the supernatant was removed so that the pellet could be air-dried. The precipitate was then dissolved in 50 µl of H₂O. 6 µl was transferred to a fresh microcentrifuge tube. The remainder of the sample was stored at -20°C until needed.

Rsa I Digestion

[0104] All products of the above procedures were subjected to a restriction digest, using the restriction endonuclease *Rsa* I, in order to generate ds cDNA fragments that are short and thus are optimal for subtraction hybridisation due to the standard kinetics of the hybridisation. Also, as *Rsa* I makes a double stranded cut in the middle of a recognition sequence, 'blunt ends' of a known nucleotide sequence are produced allowing ligation of adaptors onto these ends in a later step. The following reagents were added to the 6 µl product of the second hybridisation (see above): 43.5 µl of ds cDNA, 5.0 µl 10X *Rsa* I restriction buffer and 1.5 µl of *Rsa* I (10 units/ µl). The reaction mixture was incubated at 37°C for 1.5 hr. 2.5 µl of 20X EDTA/glycogen mix was used to terminate the reaction. A phenol:chloroform extraction was then performed as above (second-strand cDNA synthesis section). The pellet produced was then dissolved in 5.5 µl of H₂O and stored at -20°C until needed. The preparation of the experimental 'Driver' cDNAs and the control skeletal muscle cDNA was thus completed.

Adaptor Ligation

[0105] The adaptors were not ligated to the driver cDNA.

[0106] 1 µl of each *Rsa* I-digested experimental cDNA (from the *Rsa* I Digestion above) was diluted with 5 µl of sterile water. Preparation of the control skeletal muscle tester cDNA was then undertaken by briefly centrifuging the tube containing control DNA (*Hae* III-digest of φX174 DNA [3 ng/ µl]) and diluting 2 µl of the DNA with 38 µl of sterile water (to 150 ng/ml). 1 µl of control skeletal muscle cDNA (from the *Rsa* I Digestion) was then mixed with 5 µl of the diluted φX174/ *Hae* III DNA (150 ng/ml) in order to produce the control skeletal muscle tester cDNA.

Preparation of the adaptor-ligated tester cDNA

[0107] A ligation master mix was prepared by combining 3 µl of sterile water, 2 µl of 5X ligation buffer and 1 µl T4 DNA ligase (400 units/µl) per reaction. 2 µl of adaptor 1 (10 µM) was then added to 2 µl of the diluted tester cDNA. To this, 6 µl of the ligation master mix was also added. The tube was therefore labeled Tester 1-1. In a separate tube, 2 µl of the adaptor 2R (10 µM) was mixed with 2 µl of the diluted tester cDNA and 6 µl of the master mix. This tube was named Tester 1-2.

[0108] 2 µl of Tester 1-1 and 2 µl of Tester 1-2 were then placed into fresh tubes. These would later be used as the unsubtracted tester control. The remainder of the contents of Tester 1-1 and Tester 1-2 tubes were then centrifuged briefly and incubated at 16°C overnight. The ligation reaction was stopped by adding 1 µl of EDTA/glycogen mix and the samples were heated at 72°C for 5 min in order to inactivate the ligase. In doing so, preparation of the experimental and control skeletal muscle adaptor-ligated tester cDNAs was complete.

[0109] 1 µl from each unsubtracted tester control was then removed and diluted into 1 ml of water. These samples were set aside as they were to be used later for PCR (see below). All of the samples were stored at -20°C

Analysis of Ligation efficiency

[0110] 1 µl of each ligated cDNA was diluted into 200 µl of water and the following reagents were then combined in four separate tubes:

Component	Tube:	1	2	3	4
Tester 1-1 (ligated to Adaptor 1)		1	1	-	-
Tester 1-2 (ligated to Adaptor 2R)		-	-	1	1
G3PDH 3' primer (10 µM)		1	1	1	1
G3PDH 5' primer (10 µM)		-	1	-	1
PCR primer 1 (10 µM)		1	-	1	-
Total volume µl		3	3	3	3

[0111] A master mix for all of the reaction tubes plus one additional tube was made up by adding 18.5 µl of sterile H₂O, 2.5 µl of 10X PCR reaction buffer, 0.5 µl of dNTP mix (10 mM), and 0.5 µl of 50X Advantage cDNA Polymerase Mix, per reaction, into a fresh tube. 22 µl of this master mix was then aliquotted into each of the 4 reaction tubes prepared above. The contents of the tubes were overlaid with 50 µl of mineral oil. The reaction mix was incubated in a thermal cycler at 75°C for 5 min in order to extend the adaptors. The following protocol was then carried out immediately in a thermal cycler (Perkin-Elmer GeneAmp PCR Systems 2400): 94°C for 30 sec (1 cycle), 94°C 10 sec, 65°C 30 sec and then 68°C 2.5 min (25 cycles)

First Hybridisation

[0112] 1.5 µl of the Adaptor 1-ligated Tester 1-1 was combined with 1.5 µl of the *Rsa* I-digested driver cDNA, prepared earlier and 1 µl of 4X Hybridisation buffer. This process was then repeated combining the Adaptor 2R-ligated Tester 1-2 with the *Rsa* I-digested driver cDNA and 4X hybridisation buffer. The samples were incubated in a thermal cycler at 98°C for 1.5 min followed by incubation at 68°C for 8 hr.

Second Hybridisation

[0113] 1 µl of Driver cDNA (i.e. the *Rsa* I-digested cDNA (see above)), 1 µl 4X Hybridisation buffer and 2 µl Sterile H₂O were all combined in a fresh tube. 1 µl of this mix was then removed and placed in a new tube, overlaid with 1 drop of mineral oil and incubated at 98°C for 1.5 min in order to denature the driver. The following procedure was used to simultaneously mix the driver with hybridisation samples 1 and 2 (prepared in the first hybridisation), thus ensuring that the two hybridisation samples were mixed together only in the presence of freshly denatured driver: A micropipettor was set at 15 µl. The pipette tip was then touched onto the mineral oil/sample interface of the tube containing hybridisation sample 2. The entire sample was drawn partway into the tip before it was removed from the tube in order to draw a small amount of air into the tip. The pipette tip was then touched onto the interface of the tube containing the freshly denatured driver (i.e. the tip contained both samples separated by a small pocket of air) before the entire mixture was transferred to the tube containing hybridisation sample 1. The reaction was then incubated at 68°C overnight. 200 µl of dilution buffer was added to the tube, which was then heated in a thermal cycler at 68°C for 7 min. The product of this second hybridisation was stored at -20°C.

PCR Amplification

[0114] Seven PCR reactions were set up: (1) The forward-subtracted experimental cDNA, (2) the unsubtracted tester control (see preparation of the adaptor ligated tester cDNA), (3) the reverse-subtracted experimental cDNA, (4) the unsubtracted tester control for the reverse subtraction, (5) the subtracted control skeletal muscle cDNA, (6) the unsubtracted tester control for the control subtraction, and (7) the PCR control subtracted cDNA (provided in the kit). The PCR control subtracted cDNA was required to provide a positive PCR control as it contained a successfully subtracted mixture of *Hae* III-digested ϕ X174 DNA.

[0115] The PCR templates were prepared by aliquotting 1 µl of each diluted cDNA (i.e., each subtracted sample from the second hybridisation and the corresponding diluted unsubtracted tester control produced by the adaptor ligation see above) into an appropriately labeled tube. 1 µl of the PCR control subtracted cDNA was placed into a fresh tube. A master mix for all of the primary PCR tubes, plus one additional reaction, was then prepared by combining 19.5 µl of sterile water, 2.5 µl of 10X PCR reaction buffer, 0.5 µl of dNTP Mix (10 mM), 1.0 µl of PCR primer 1 (10 µM)

and 0.5 µl of 50X Advantage cDNA Polymerase Mix. 24 µl of Master Mix was then aliquotted into each of the 7 reaction tubes prepared above and the mixture was overlaid with 50 µl of mineral oil, before being incubated in a thermal cycler at 75°C for 5 min in order to extend the adaptors. Thermal cycling was then immediately started using the following protocol: 94°C 25 sec (1 cycle), 94°C 10 sec, 66°C 30 sec and 72°C 1.5 min (32 cycles).

[0116] 3 µl of each primary PCR mixture was then diluted in 27 µl of H₂O, 1 µl of each of these dilutions was then placed into a fresh tube.

[0117] A master mix for the secondary PCRs, (plus an additional reaction) was set up by combining 18.5 µl of sterile water, 2.5 µl of 10X PCR reaction buffer, 1.0 µl of Nested PCR primer 1 (10 µM), 1.0 µl of Nested PCR primer 2R (10 µM), 0.5 µl of dNTP Mix (10 mM) and 0.5 µl of 50X Advantage cDNA Polymerase Mix per reaction. 24 µl of this Master Mix was then added into each reaction tube containing the 1 µl diluted primary PCR mixture. The following PCR protocol was then carried out: 94°C 10 sec, 68°C 30 sec and 72°C 1.5 min (12 cycles). The reaction products were then stored at -20°C.

Ligation into a Vector/ Transformation & PCR

[0118] The products of the PCR amplification (enriched for differentially expressed cDNAs) were ligated into the pCR2.1-TOPO vector using a T/A cloning kit (Invitrogen), transformed into TOPO One Shot competent cells according to the manufacturers protocol and grown up on LB (Luria-Bertani) Agar plates overnight at 37°C. 1,000 colonies were then individually picked (using fresh sterile tips) and dipped into 5 µl of sterile water which had been aliquotted previously into 96 well PCR plates. The water/colonies were heated in a thermal cycler at 100°C for 10 minutes in order to burst the cells, thus releasing the plasmids containing a differentially expressed cDNA insert. The 5 µl of water/plasmid was then used as a template in a PCR reaction (see below) using M13 Forward and Reverse primers (10 ng/µl), complementary to the M13 site present on either side of the cloning site on the vector. 5 µl of the PCR product was then run on a 2% agarose gel and stained by ethidium bromide. PCR products of an amplified insert were identified and 5 µl of the remainder of the PCR product (i.e. from the 15 µl that had not been run on the gel) was diluted 1/10 with water. 5 µl of the diluted PCR product was then used as a template in a sequencing reaction.

Sequencing

[0119] A sequencing reaction containing M13 primer (3.2 pmol/µl), 'BigDye' reaction mix (i.e. AmpliTaq® DNA polymerase, MgCl₂ buffer and fluorescent dNTPs [each of the four deoxynucleoside triphosphates is linked to a specific fluorescent donor dye which in turn is attached to a specific acceptor dye]) and cDNA template (diluted PCR product) was set up. The reaction was carried out on a thermal cycler for 25 cycles of 10 seconds at 96°C, 20 seconds at 50°C and 4 minutes at 60°C. Each reaction product was then purified through a hydrated Centri-Sep column, and lyophilised. The pellets were resuspended in Template Suppression Reagent and sequenced on an ABI Prism 310 Genetic Analyser. The analyser uses an ion laser to excite the specific donor dye that transfers its energy to the acceptor dye, which emits a specific energy spectrum that can be read by the sequencer.

[0120] The differentially expressed genes of the streptozocin-induced diabetes experiment and of the CCI experiment were sequenced at Parke-Davis, Cambridge and at the applicant's core sequencing facility in Ann Arbor, MI, USA.

Bioinformatics

[0121] The sequencing results were analysed using the computer program CHROMAS in which the vector and adaptor sequences were clipped off, leaving only the nucleotide sequence of the differentially expressed gene. Each sequence was then checked for homology to known genes, Expressed Sequence Tags (ESTs) and Proteins using various Basic Local Alignment Search Tool (BLAST) searches against the Genbank sequence database at the National Centre for Biotechnology Information, Bethesda, Maryland, USA (NCBI).

[0122] Lists were derived called STZup and STZdown and CClup and CClidown that contain the nucleic acid sequences from the forward and back subtracted libraries respectively. In each list there are given accession numbers and descriptions for the known rat genes identified, and where available corresponding mouse or human genes. Sequences that are considered to be of interest and that are down-regulated both in a streptozocin-induced diabetes model and in a chronic constrictive injury pain model are identified in Tables I - VI above and are listed below.

[0123] References have been given where available for the sequences that have been found, and sequence listings have been given in the form in which they currently appear in publicly searchable databases e.g. the NCBI database (National Center for Biotechnology Information, National Library of Medicine, National Institutes of Health, Bethesda, Maryland, MD 20894, USA, www.ncbi.nlm.nih.gov). These sequence listings are given for the purposes of identification only. The invention includes the use of subsequently revised versions of the above sequences (which may incorporate small differences to the version set out herein) and homologous sequences or similar proteins in other species as

determined by a high percentage identity (e.g. above 50%, preferably above 90%), length of alignment and functional equivalence.

1. Noguchi, T., Inoue, H. and Tanaka, T., The M-1- and M-2-type isozymes of rat pyruvate kinase are produced from the same gene by alternative RNA splicing, *J. Biol. Chem.* **261**, 13807-13812 (1986).
2. Takenaka, M., Noguchi, T., Inoue, H., Yamada, K., Matsuda, T. and Tanaka, T., Rat pyruvate kinase M gene: Its complete structure and characterization of the 5'-flanking region, *J. Biol. Chem.* **264**, 2363-2367 (1989).
3. Zhou, Q.Y., Grandy, D.K., Thambi, L., Kushner, J.A., Van Tol, H.H., Cone R., Pribnow, D., Salon, J., Bunzow, J. R. and Civelli, O., Cloning and expression of human and rat D1 dopamine receptors, *Nature*, **347** (6288), 76-80 (1990).
4. Sullivan, R., Chateauneuf, A., Coulombe, N., Kolakowski, L.F. Jr., Johnson, M.P., Hebert, T.E., Ethier, N., Belley, M., Metters, K., Abramovitz, M., O'Neill, G.P. and Ng, G.Y.K., Coexpression of full-length gamma-aminobutyric acid(B) (GABA(B)) receptors with truncated receptors and metabotropic glutamate receptor 4 supports the GABA (B) heterodimer as the functional receptor, *J. Pharmacol. Exp. Ther.* **293** (2), 460-467 (2000).
5. Premont, R.T., Claing, A., Vitale, N., Freeman, J.L., Pitcher, J.A., Patton, W.A., Moss, J., Vaughan, M. and Lefkowitz, R.J., beta2-Adrenergic receptor regulation by G1T1, a G protein-coupled receptor kinase-associated ADP ribosylation factor GTPase-activating protein, *Proc. Natl. Acad. Sci. U.S.A.*, **95** (24), 14082-14087 (1998).
6. Wells, D. and Kedes, L., Structure of a human histone cDNA: evidence that basally expressed histone genes have intervening sequences and encode polyadenylylated mRNAs, *Proc. Natl. Acad. Sci. U.S.A.*, **82** (9), 2834-2838 (1985).
7. Ayte, J., Gil-Gomez, G. and Hegardt, F.G., Nucleotide sequence of a rat liver cDNA encoding the cytosolic 3-hydroxy-3-methylglutaryl coenzyme A synthase, *Nucleic Acids Res.*, **18** (12), 3642 (1990).
8. Teruya, J.H., Kutsunai, S.Y., Spear, D.H., Edwards, P.A. and Clarke, C.F., Testis-specific transcriptional initiation sites of rat farnesyl pyrophosphate synthetase mRNA, *Mol. Cell. Biol.*, **10**, 2315-2326 (1990).
9. Beck, K.F., Schreglmann, R., Stathopoulos, I., Klein, H., Hoch, J. and Schweizer, M., The fatty acid synthase (FAS) gene and its promoter in *Rattus norvegicus*, *DNA Seq.*, **2** (6), 359-386 (1992).
10. Mill, J.F., Mearow, K.M., Purohit, H.J., Haleem-Smith, H., King, R. and Freese, E., Cloning and functional characterization of the rat glutamine synthetase gene, *Brain Res. Mol. Brain Res.*, **9** (3), 197-207 (1991).
11. Vincent, C., Tarbouriech, N. and Hartlein, M., Genomic organization, cDNA sequence, bacterial expression, and purification of human seryl-tRNA synthase, *Eur. J. Biochem.*, **250** (1), 77-84 (1997).
12. Giallongo, A., Feo, S., Moore, R., Croce, C.M. and Showe, L.C., Molecular cloning and nucleotide sequence of a full-length cDNA for human alpha enolase, *Proc. Natl. Acad. Sci. U.S.A.*, **83** (18), 6741-6745 (1986).
13. Carper, D., Nishimura, C., Shinohara, T., Dietzchold, B., Wistow, G., Craft, C., Kador, P. and Kinoshita, J.H., Aldose reductase and p-crystallin belong to the same protein superfamily as aldehyde reductase, *FEBS Lett.* **220** (1), 209-213 (1987).
14. Ku, C.Y., Lu, Q., Ussuf, K.K., Weinstock, G.M. and Sanborn, B.M., Hormonal regulation of cytochrome oxidase subunit messenger RNAs in rat Sertoli cells, *Mol. Endocrinol.* **5** (11), 1669-1676 (1991).
15. Tsuji, S., Qureshi, M.A., Hou, E.W., Fitch, W.M. and Li, S.S.-L., Evolutionary relationships of lactate dehydrogenases from mammals, birds, an amphibian, fish, barley, and bacteria: LDH cDNA sequences from *Xenopus*, pig and rat, *Proc. Natl. Acad. Sci. U.S.A.* **91**, 9392-9396 (1994).
16. Taanman, J.W., Schrage, C., Ponne, N., Bolhuis, P., de Vries, H. and Agsteribbe, E., Nucleotide sequence of cDNA encoding subunit VIb of human cytochrome c oxidase, *Nucleic acids research.* **17** (4), 1766 (1989).

17. Triepels, R., van den Heuvel, L., Loeffen, J., Smeets, R., Trijbels, F. and Smeitink, J., The nuclear-encoded human NADH: ubiquinone oxidoreductase NDUFA8 subunit: cDNA cloning, chromosomal localization, tissue distribution, and mutation detection in complex-I-deficient patients, *Hum. Genet.* **103** (5), 557-563 (1998).

18. Hosokawa, Y., Suzuki, H., Toda, H., Nishikimi, M. and Ozawa, T. Complementary DNA encoding core protein II of human mitochondrial cytochrome bc-1 complex: Substantial diversity in deduced primary structure from its yeast counterpart, *J. Biol. Chem.* **264**, 13483-13488 (1989).

19. Harnik-Ort, V., Prakash, K., Marcantonio, E., Colman, D.R., Rosenfeld, M.G., Adesnik, M., Sabatini, D.D. and Kreibich, G. Isolation and characterization of cDNA clones for rat ribophorin I: complete coding sequence and in vitro synthesis and insertion of the encoded product into endoplasmic reticulum membranes, *J. Cell Biol.* **104**(4), 855-863 (1987).

20. Falany, C.N., Xie, X., Wang, J., Ferrer, J. and Falany, J.L., Molecular cloning and expression of novel sulpho-transferase-like cDNAs from human and rat brain, *Biochem. J.* **346** Pt 3, 857-864 (2000).

21. Pan, W., Ko, Y.H. and Pedersen, P.L., Delta subunit of rat liver mitochondrial ATP synthase: molecular description and novel insights into the nature of its association with the F1-moiety, *Biochemistry* **37** (19), 6911-6923 (1998).

22. Hamajima, N., Matsuda, K., Sakata, S., Tamaki, N., Sasaki, M. and Nonaka, M., A novel gene family defined by human dihydropyrimidinase and three related proteins with differential tissue distribution, *Gene* **180** (1-2), 157-163 (1996).

23. McGuire, J.A., Poellinger, L., Wikstrom, A.C. and Gustafsson, J.A., Cloning and regulation by glucocorticoid receptor ligands of a rat hsp90 *J. Steroid Biochem. Mol. Biol.* **42** (8), 813-822 (1992).

24. Roach, A., Boylan, K.B., Horvath, S., Prusiner, S.B. and Hood, L.E., Characterization of cloned cDNA representing rat myelin basic protein: absence of expression in brain of shiverer mutant mice, *Cell* **34**, 799-806 (1983).

25. Hoshino, A., Hisayasu, S. and Shimada, T., Complete sequence analysis of rat transferrin and expression of transferrin but not lactoferrin in the digestive glands, *Comp. Biochem. Physiol. B* **113**, 491-497 (1996).

26. Chin, S.S. and Liem, R.K., Expression of rat neurofilament proteins NF-L and NF-M in transfected non-neuronal cells, *Eur. J. Cell Biol.* **50** (2), 475-490 (1989).

27. Lai, C., Brow, M.A.D., Nave, K.-A., Noronha, A.B., Quarles, R.H., Bloom, F.E., Milner, R.J. and Sutcliffe, J.G., Two forms of IB236/myelin-associated glycoprotein, a cell adhesion molecule for postnatal neural development, are produced by alternative splicing, *Proc. Natl. Acad. Sci. U.S.A.* **84**, 4337-4341 (1987).

28. Napolitano, E.W., Chin, S.S.M., Colman, D.R. and Liem, R.K.H., Complete amino acid sequence and in vitro expression of rat NF-M, the middle molecular weight neurofilament protein, *J. Neurosci.* **7**, 2590-2599 (1987).

29. Nakayama, M., Miyake, T., Gahara, Y., Ohara, O. and Kitamura, T., A novel RING-H2 motif protein downregulated by axotomy: its characteristic localization at the postsynaptic density of axosomatic synapse, *J. Neurosci.* **15** (7 Pt 2), 5238-5248 (1995).

30. Kuwano, R., Usui, H., Maeda, T., Fukui, T., Yamanari, N., Ohtsuka, E., Ikehara, M. and Takahashi, Y., Molecular cloning and the complete nucleotide sequence of cDNA to mRNA for S-100 protein of rat brain, *Nucleic Acids Res.* **12** (19), 7455-7465 (1984).

31. Zauner, W., Kratz, J., Staunton, J., Feick, P. and Wiche, G., Identification of two distinct microtubule binding domains on recombinant rat MAP 1B, *Eur. J. Cell Biol.* **57** (1), 66-74 (1992).

32. Ozaki, T., Irie, K. and Sakiyama, S., Molecular cloning and cell cycle-dependent expression of a novel gene that is homologous to cdc37, *DNA Cell Biol.* **14** (12), 1017-1023 (1995).

33. Albertsen, H.M., Smith, S.A., Mazoyer, S.S., Fujimoto, E., Stevens, J., Williams, B., Rodriguez, P., Cropp, C. S., Slijepcevic, P. and Carlson, M., A physical map and candidate genes in the BRCA1 region on chromosome

17q12-21, *Nature Genet.* **7** (4), 472-479 (1994).

34. Dieffenbach, C.W., SenGupta, D.N., Krause, D., Sawzak, D. and Silverman, R.H., Cloning of murine gelsolin and its regulation during differentiation of embryonal carcinoma cells, *J. Biol. Chem.* **264**, 13281-13288 (1989).

35. Geisert, E.E. Jr., Murphy, T.P., Irwin, M.H. and Larjava, H., A novel cell adhesion molecule, G-CAM, found on cultured rat glia, *Neurosci. Lett.* **133** (2), 262-266 (1991); Irwin, M.H. and Geisert, E.E. Jr., The upregulation of a glial cell surface antigen at the astrocytic scar in the rat, *Neurosci. Lett.* **154** (1-2), 57-60 (1993); Geisert, E.E. Jr., Yang, L. and Irwin, M.H., Astrocyte growth, reactivity, and the target of the antiproliferative antibody, TAPA, *J. Neurosci.* **16** (17), 5478-5487 (1996).

36. Holz, A., Schaeren-Wiemers, N., Schaefer, C., Pott, U., Colello, R.J. and Schwab, M.E., Molecular and developmental characterization of novel cDNAs of the myelin-associated/oligodendrocytic basic protein, *J. Neurosci.* **16** (2), 467-477 (1996).

37. Ching, G.Y. and Liem, R.K.H., Structure of the gene for the neuronal intermediate filament protein alpha-internexin and functional analysis of its promoter, *J. Biol. Chem.* **266**, 19459-19468 (1991).

38. Lai, C.H., Chou, C.Y., Ch'ang, L.Y., Liu, C.S. and Lin, Wc., Identification of novel human genes evolutionarily conserved in *Caenorhabditis elegans* by comparative proteomics, *Genome Res.* **10** (5), 703-713 (2000).

39. Nagase, T., Seki, N., Tanaka, A., Ishikawa, K. and Nomura, N., Prediction of the coding sequences of unidentified human genes. IV. The coding sequences of 40 new genes (KIAA0121-KIAA0160) deduced by analysis of cDNA clones from human cell line KG-1, *DNA Res.* **2** (4), 167-174 (1995).

40. Wendel, M., Sommarin, Y., Bergman, T. and Heinegard, D., Isolation, characterization, and primary structure of a calcium-binding 63-kDa bone protein, *J. Biol. Chem.* **270** (11), 6125-6133 (1995).

41. Welcher, A.A., Suter, U., De Leon, M., Snipes, G.J. and Shooter, E.M., A myelin protein is encoded by the homologue of a growth arrest-specific gene, *Proc. Natl. Acad. Sci. U.S.A.* **88**, 7195-7199 (1991).

42. Nudel, U., Zakut, R., Shani, M., Neuman, S., Levy, Z. and Yaffe, D., The nucleotide sequence of the rat cytoplasmic beta-actin gene, *Nucleic Acids Res.* **11** (6), 1759-1771 (1983).

43. Miwa, J.M., Ibanez-Tallon, I., Crabtree, G.W., Sanchez, R., Sali, A., Role, L.W. and Heintz, N., lynx1, an endogenous toxin-like modulator of nicotinic acetylcholine receptors in the mammalian CNS, *Neuron* **23** (1), 105-114 (1999).

44. Rothmel, E., Detzler, E., Walter, L., Levan, G. and Gunther, E., Characterization and mapping of a highly conserved processed pseudogene and an intron-carrying gene of the heat shock cognate protein 70 (Hsc70) gene family in the rat, *Mamm. Genome* **6** (9), 602-606 (1995).

45. Sadot, E., Marx, R., Barg, J., Behar, L. and Ginzburg, I., Complete sequence of 3'-untranslated region of Tau from rat central nervous system. Implications for mRNA heterogeneity, *J. Mol. Biol.* **241** (2), 325-331 (1994).

46. Lemke, G. and Axel, R., Isolation and sequence of a cDNA encoding the major structural protein of peripheral myelin, *Cell* **40**, 501-508 (1985).

EP 1 284 298 A2

SEQUENCE LISTING

5 <110> Warner-Lambert Company
Lee, Kevin
Dixon, Alistair
Brooksbank, Robert
Pinnock, Robert

10 <120> Identification and Use of Molecules Implicated in Pain

<130> WL-A-018199

<150> GB 0118354.0

15 <151> 2001-07-27

<160> 117

<170> PatentIn Ver. 2.1

20 <210> 1
<211> 531
<212> PRT
<213> Rattus norvegicus

25 <220>
<223> Pyruvate kinase M1 subunit

<400> 1
Met Pro Lys Pro Asp Ser Glu Ala Gly Thr Ala Phe Ile Gln Thr Gln
1 5 10 15
30 Gln Leu His Ala Ala Met Ala Asp Thr Phe Leu Glu His Met Cys Arg
20 25 30
Leu Asp Ile Asp Ser Ala Pro Ile Thr Ala Arg Asn Thr Gly Ile Ile
35 35 40 45
Cys Thr Ile Gly Pro Ala Ser Arg Ser Val Glu Met Leu Lys Glu Met
50 55 60
40 Ile Lys Ser Gly Met Asn Val Ala Arg Leu Asn Phe Ser His Gly Thr
65 70 75 80
His Glu Tyr His Ala Glu Thr Ile Lys Asn Val Arg Ala Ala Thr Glu
85 90 95
45 Ser Phe Ala Ser Asp Pro Ile Leu Tyr Arg Pro Val Ala Val Ala Leu
100 105 110
Asp Thr Lys Gly Pro Glu Ile Arg Thr Gly Leu Ile Lys Gly Ser Gly
115 120 125
50 Thr Ala Glu Val Glu Leu Lys Lys Gly Ala Thr Leu Lys Ile Thr Leu
130 135 140
Asp Asn Ala Tyr Met Glu Lys Cys Asp Glu Asn Ile Leu Trp Leu Asp
145 150 155 160
55 Tyr Lys Asn Ile Cys Lys Val Val Glu Val Gly Ser Lys Ile Tyr Val
165 170 175

EP 1 284 298 A2

Asp Asp Gly Leu Ile Ser Leu Gln Val Lys Glu Lys Gly Ala Asp Tyr
 180 185 190
 5 Leu Val Thr Glu Val Glu Asn Gly Gly Ser Leu Gly Ser Lys Lys Gly
 195 200 205
 Val Asn Leu Pro Gly Ala Ala Val Asp Leu Pro Ala Val Ser Glu Lys
 210 215 220
 10 Asp Ile Gln Asp Leu Lys Phe Gly Val Glu Gln Asp Val Asp Met Val
 225 230 235 240
 Phe Ala Ser Phe Ile Arg Lys Ala Ala Asp Val His Glu Val Arg Lys
 245 250 255
 15 Val Leu Gly Glu Lys Gly Lys Asn Ile Lys Ile Ile Ser Lys Ile Glu
 260 265 270
 Asn His Glu Gly Val Arg Arg Phe Asp Glu Ile Leu Glu Ala Ser Asp
 275 280 285
 20 Gly Ile Met Val Ala Arg Gly Asp Leu Gly Ile Glu Ile Pro Ala Glu
 290 295 300
 Lys Val Phe Leu Ala Gln Lys Met Met Ile Gly Arg Cys Asn Arg Ala
 305 310 315 320
 25 Gly Lys Pro Val Ile Cys Ala Thr Gln Met Leu Glu Ser Met Ile Lys
 325 330 335
 Lys Pro Arg Pro Thr Arg Ala Glu Gly Ser Asp Val Ala Asn Ala Val
 340 345 350
 30 Leu Asp Gly Ala Asp Cys Ile Met Leu Ser Gly Glu Thr Ala Lys Gly
 355 360 365
 Asp Tyr Pro Leu Glu Ala Val Arg Met Gln His Leu Ile Ala Arg Glu
 370 375 380
 35 Ala Glu Ala Ala Val Phe His Arg Leu Leu Phe Glu Glu Leu Ala Arg
 385 390 395 400
 40 Ala Ser Ser Gln Ser Thr Asp Pro Leu Glu Ala Met Ala Met Gly Ser
 405 410 415
 Val Glu Ala Ser Tyr Lys Cys Leu Ala Ala Ala Leu Ile Val Leu Thr
 420 425 430
 45 Glu Ser Gly Arg Ser Ala His Gln Val Ala Arg Tyr Arg Pro Arg Ala
 435 440 445
 Pro Ile Ile Ala Val Thr Arg Asn Pro Gln Thr Ala Arg Gln Ala His
 450 455 460
 50 Leu Tyr Arg Gly Ile Phe Pro Val Leu Cys Lys Asp Ala Val Leu Asp
 465 470 475 480
 Ala Trp Ala Glu Asp Val Asp Leu Arg Val Asn Leu Ala Met Asn Val
 485 490 495
 55 Gly Lys Ala Arg Gly Phe Phe Lys Lys Gly Asp Val Val Ile Val Leu

EP 1 284 298 A2

	500	505	510
	Thr Gly Trp Arg Pro Gly Ser Gly Phe Thr Asn Thr Met Arg Val Val		
5	515	520	525
	Pro Val Pro		
	530		
10	<210> 2		
	<211> 531		
	<212> PRT		
	<213> Rattus norvegicus		
15	<220>		
	<223> Pyruvate kinase M2 subunit		
	<400> 2		
20	Met Pro Lys Pro Asp Ser Glu Ala Gly Thr Ala Phe Ile Gln Thr Gln		
	1 5 10 15		
	Gln Leu His Ala Ala Met Ala Asp Thr Phe Leu Glu His Met Cys Arg		
	20 25 30		
25	Leu Asp Ile Asp Ser Ala Pro Ile Thr Ala Arg Asn Thr Gly Ile Ile		
	35 40 45		
	Cys Thr Ile Gly Pro Ala Ser Arg Ser Val Glu Met Leu Lys Glu Met		
	50 55 60		
30	Ile Lys Ser Gly Met Asn Val Ala Arg Leu Asn Phe Ser His Gly Thr		
	65 70 75 80		
	His Glu Tyr His Ala Glu Thr Ile Lys Asn Val Arg Ala Ala Thr Glu		
	85 90 95		
35	Ser Phe Ala Ser Asp Pro Ile Leu Tyr Arg Pro Val Ala Val Ala Leu		
	100 105 110		
	Asp Thr Lys Gly Pro Glu Ile Arg Thr Gly Leu Ile Lys Gly Ser Gly		
	115 120 125		
40	Thr Ala Glu Val Glu Leu Lys Lys Gly Ala Thr Leu Lys Ile Thr Leu		
	130 135 140		
	Asp Asn Ala Tyr Met Glu Lys Cys Asp Glu Asn Ile Leu Trp Leu Asp		
	145 150 155 160		
45	Tyr Lys Asn Ile Cys Lys Val Val Glu Val Gly Ser Lys Ile Tyr Val		
	165 170 175		
	Asp Asp Gly Leu Ile Ser Leu Gln Val Lys Glu Lys Gly Ala Asp Tyr		
	180 185 190		
50	Leu Val Thr Glu Val Glu Asn Gly Gly Ser Leu Gly Ser Lys Lys Gly		
	195 200 205		
	Val Asn Leu Pro Gly Ala Ala Val Asp Leu Pro Ala Val Ser Glu Lys		
	210 215 220		
55	Asp Ile Gln Asp Leu Lys Phe Gly Val Glu Gln Asp Val Asp Met Val		

EP 1 284 298 A2

	225		230		235		240									
	Phe	Ala	Ser	Phe	Ile	Arg	Lys	Ala	Ala	Asp	Val	His	Glu	Val	Arg	Lys
				245						250					255	
5	Val	Leu	Gly	Glu	Lys	Gly	Lys	Asn	Ile	Lys	Ile	Ile	Ser	Lys	Ile	Glu
				260					265						270	
	Asn	His	Glu	Gly	Val	Arg	Arg	Phe	Asp	Glu	Ile	Leu	Glu	Ala	Ser	Asp
10			275					280					285			
	Gly	Ile	Met	Val	Ala	Arg	Gly	Asp	Leu	Gly	Ile	Glu	Ile	Pro	Ala	Glu
			290					295					300			
	Lys	Val	Phe	Leu	Ala	Gln	Lys	Met	Met	Ile	Gly	Arg	Cys	Asn	Arg	Ala
15			305			310					315					320
	Gly	Lys	Pro	Val	Ile	Cys	Ala	Thr	Gln	Met	Leu	Glu	Ser	Met	Ile	Lys
					325					330					335	
	Lys	Pro	Arg	Pro	Thr	Arg	Ala	Glu	Gly	Ser	Asp	Val	Ala	Asn	Ala	Val
20				340					345					350		
	Leu	Asp	Gly	Ala	Asp	Cys	Ile	Met	Leu	Ser	Gly	Glu	Thr	Ala	Lys	Gly
			355					360						365		
	Asp	Tyr	Pro	Leu	Glu	Ala	Val	Arg	Met	Gln	His	Leu	Ile	Ala	Arg	Glu
25			370				375						380			
	Ala	Glu	Ala	Ala	Ile	Tyr	His	Leu	Gln	Leu	Phe	Glu	Glu	Leu	Arg	Arg
						390					395					400
30	Leu	Ala	Pro	Ile	Thr	Ser	Asp	Pro	Thr	Glu	Ala	Ala	Ala	Val	Gly	Ala
					405					410					415	
	Val	Glu	Ala	Ser	Phe	Lys	Cys	Cys	Ser	Gly	Ala	Ile	Ile	Val	Leu	Thr
				420					425					430		
35	Lys	Ser	Gly	Arg	Ser	Ala	His	Gln	Val	Ala	Arg	Tyr	Arg	Pro	Arg	Ala
			435					440					445			
	Pro	Ile	Ile	Ala	Val	Thr	Arg	Asn	Pro	Gln	Thr	Ala	Arg	Gln	Ala	His
				450			455					460				
40	Leu	Tyr	Arg	Gly	Ile	Phe	Pro	Val	Leu	Cys	Lys	Asp	Ala	Val	Leu	Asp
						470					475				480	
	Ala	Trp	Ala	Glu	Asp	Val	Asp	Leu	Arg	Val	Asn	Leu	Ala	Met	Asn	Val
45					485				490						495	
	Gly	Lys	Ala	Arg	Gly	Phe	Phe	Lys	Lys	Gly	Asp	Val	Val	Ile	Val	Leu
					500				505					510		
	Thr	Gly	Trp	Arg	Pro	Gly	Ser	Gly	Phe	Thr	Asn	Thr	Met	Arg	Val	Val
50				515				520					525			
	Pro	Val	Pro													
				530												
55	<210>	3														
	<211>	11788														

EP 1 284 298 A2

<212> DNA
<213> Rattus norvegicus

<220>
<223> Pyruvate kinase

<400> 3

	cccgggagcag	cgccgggagc	gtggagagtc	accggggcggg	gctggaggaa	tgtccggggac	60
10	ctataaatct	gggcaacgcc	ctggttaggcc	agggcagatg	gggcacctgg	gcagaattcc	120
	aaaatgggat	tatgtagcct	ctgaggtcct	aaagcaacag	gtggcggacc	accgggggat	180
	ctaggggtgg	tggcggcggt	ggaccgcagg	gcggttcctg	cctcctcacc	acttccccat	240
	tggccatcag	aalgacccat	gcgcaatttt	ggtttgcaat	gtccttccgc	cacggaaggt	300
	agtccccctc	aaaagggcaa	cctgcttgct	ccgcctaccc	tgcgactctc	tcagaaggtg	360
	cgggtgcctg	ttgagaggcg	gggctctgct	agctgctgcc	cggattgggc	gaggggcggg	420
15	gctgcggagg	gattgcggcg	gcccgcagca	gtgataacct	tgaggcccag	tctgcgcagc	480
	cccgcacagc	agcgacccgt	cctaagtcga	cagacgtcct	ctttaggtat	tgcaacagga	540
	tctgaagtac	gcccgcagg	agcggggaga	acctttgcca	ttctgtggcc	cagagccaat	600
	gccatagtgg	atcactagt	ggtggctgca	atgtcagggt	gcagagccag	gcttgggtgc	660
	atgttcttta	ggtatccaga	aaagccgatg	tccagggtag	agtgcgggtc	tttgggaagg	720
	cagggaagag	caaggagatg	tggagtgcag	gctgtgtgct	caggagtgtg	aaaggagcct	780
20	cgtggcctga	aaattgattc	aagtctctgg	tattctgtga	ggtacatccc	aggttctcgc	840
	ttactcagcc	aactatccag	ctcagtgagt	gcttagctgt	aagtcgtaat	aaagtaaaag	900
	caaaggtcag	gacagctgtt	gggattgtga	cctgggtgat	taattgcctg	gaacagatgt	960
	tcagactact	gtgtcgtgg	ccctatcaga	cagagaaggga	gactctagat	agccagaact	1020
	ggggctggga	aagctgggtc	taatgtcagc	tcttgggaag	agtagtgact	ttcaaggtca	1080
25	acctcggttg	cacagtggat	ttcaggccag	catagactag	ctactgtgtg	tgattccatc	1140
	tcctaggtta	ctgaagactc	ccttggtagg	ttgtaatgac	tttggagcca	tttcaatgtc	1200
	cttgtgcaaa	atttgccttg	tgtgtcctgt	acatgggtgc	gcttttttgc	ttcttgtcca	1260
	gaaaaaaact	tgttgcctgt	aatttggacc	ttattcctgt	gtcggataga	ggctaaggaa	1320
	tacatttagg	tgatacctca	aacctaggac	tttaaaaaga	aaggacttgg	gacaggggtc	1380
	gtctcttggc	agcaggatcg	tttaggtcat	ggcgaacatg	ataaagaggc	tatgtcagtg	1440
30	ccaaagcagg	tttgacattg	togtgategg	cttcccagat	gttcgtgtgc	tgacacatta	1500
	gtcacgtgct	ctgcaggagt	ggggagggtt	ccttgtgtgg	gaaggatgtg	tctctctagg	1560
	ggttgggtga	agctcttcaa	tagatggcag	ccgttgttaag	aagctctgct	taaaactggc	1620
	gccaggggtg	gtatgtgcac	tgggaaggaa	gctacttttg	ttcaccaagg	tctttgctgt	1680
	tcgttcacag	tcacaggagc	cctttgcccc	atcttagtag	taccacata	accagcacgt	1740
35	gccaggcctc	tgagtacttt	gtgcacaaag	cagctcttatt	gggttaattg	gtaagcggga	1800
	gacagtctcc	tatgccaaat	ggttcattaa	gcactgccta	gtctaattga	actcttcaaa	1860
	tctccgggat	ccaggatctc	agaaaccatg	cccaagccag	acagcgaagc	agggactgcc	1920
	ttcatccaga	cccagcagct	ccatgcagcc	atggctgaca	ccttccctga	acacatgtgc	1980
	cgcttgga	ttgactccgc	acctatcacg	gcccgcacaa	ctgggatcat	ctgtaccatt	2040
40	ggtgagtga	tgtggcccc	ttcgcagggc	ttctgcctgg	tttgaaaggc	gtaataacca	2100
	ttgcagggtc	aacctagggt	ctgagagaca	tgtccacact	tttagaggaa	cgtattgggtg	2160
	tacttcttct	gcacttggtg	aggttcaggg	tggctctagt	gcctttgcag	gagtagttca	2220
	gggacttcag	atctttttcc	tgtgctgtca	ctccactttc	tgcagaattt	atagaaaatg	2280
	atagtgtcct	tccttacata	taaatataga	gagtccttcc	ttacataata	atcaagagag	2340
	ttgactagca	cagtactctt	tctggacttt	ggaaagacct	ttctctaaat	ttgtggaggt	2400
45	attaaaaaca	aaggacaagg	agttgccttt	gatagtagca	gatttcatat	actttcctac	2460
	ctgagaatca	tgattttctt	cctgtggctc	taaatgtttc	ttggtagggc	ctgcttcccc	2520
	atctgtggag	atgctgaagg	agatgattaa	gtctgggatg	aatgtggctc	ggctgaattt	2580
	ctctcatgga	acctatgagg	tgagtggcag	cttgatccag	gaggttccgg	acttgcctgt	2640
	gctgtgctcc	aggcttctca	gtgaatggac	gttgctctac	ttacatttag	atcccccttc	2700
	tcctcttctc	cctctggcca	acttcattgg	catcaacaac	ctgcctgctt	tgtcgcgggc	2760
50	caggttatcc	ctaccatcaa	gcttcaccag	ggctttctta	ttctatgtgc	accttcgatg	2820
	aggggctgtg	gctgtctgtc	ttggatgagg	ggctgtggct	gtctgtcttg	gttttaacca	2880
	ttctcggaga	cgggtggaatg	aatcgtagct	ccctcgagct	cttggcctaa	ttgatcatct	2940
	ttggctccag	ggtggctcag	ggcatgggaa	ctggacttgg	gtgtggagaa	cacctacctg	3000
	tcaatctccc	cttctttctc	tccagtacca	tgcagagact	atcaagaatg	tccgtgcagc	3060
	cacagaaagc	tttgcatctg	atcccattct	ctaccgacct	gttgccgggtg	ctctggatgc	3120
55	aaagggacct	gagatccgga	ctggactcat	caagggcggtg	agtatccagg	agtttaggtc	3180
	tttaaatgag	aatatttttc	atctgcctgg	taggaattat	tatagatgca	catttttggt	3240

EP 1 284 298 A2

	atgtgaataa	cataacttaag	tctcactctg	gggacctggg	ttgttgtttg	ttttgtttgt	3300
	ttccctcaat	aaacaaattc	aggattttaca	gaaaggtgat	cggtttcttg	gggctttgag	3360
	ccagagtttg	agcgccgcca	tcagggtggt	ggcgteccaca	gtcacacgcc	tctgtctgtct	3420
5	ttaatctaga	gcggcaccgc	agaggtggag	ctgaagaagg	gagccacact	gaagatcacc	3480
	ctggacaacg	cctacatgga	gaagtgcgac	gagaacatcc	tgtggctgga	ctataagaac	3540
	atctgcaagg	tgggtggagg	gggcagcaag	atctacgtgg	acgatgggct	catctccctg	3600
	cagggtgaagg	agaaaggtat	gtgtggtgta	cagtcacggg	cccaatgccca	ctccccatccc	3660
	cagaactctg	gtaagcactt	aacctagcat	gtatgaattg	gtctcccaag	gtcaaaagtt	3720
	taagggtggt	gttggtctgc	atccctggcc	tgtctgaaac	actgcctgag	aaaaaataga	3780
10	caaataacct	acaaaggcct	atgtgtacac	ctctaccctt	tagttccagc	actcgggaat	3840
	cagcagggtg	gtgagttctc	atgtgtaagg	actactcctg	tatgcctaga	atgagctag	3900
	agttctcttg	gcttctcaca	aactgagata	tagtgtcttg	atccctttca	cacagggtgct	3960
	gactacctgg	tgacagaagt	ggaaaalgg	ggctcccttg	gcagcaagaa	ggcggtgaac	4020
	ctgcctgggtg	ctgctgtgga	cctccctgct	gtgtcagaaa	aggacatcca	ggacctgaag	4080
	tttgggggtg	agcaggagct	ggacatgggtg	tttgcgtctt	tcacccgcaa	ggcggtgac	4140
15	gtgcattgagg	ttaggaaggt	cctgggagag	aaggggcaaga	acatcaagat	catcagcaaa	4200
	atcgagaacc	atgaaggtgt	ccgcagggtga	agggtccactc	ctaccgtgtg	cctgggggtgt	4260
	ggccttgagg	gcacctctgt	cagggcccag	gaaagctctg	tccattcttt	ggttgtactt	4320
	cctgttctat	agcatctttc	tttttatcag	gtttgatgag	attttggagg	ccagcgatgg	4380
	aatcatggta	gctcgtgggtg	acctgggcat	tgagattccg	gcagagaagg	tcttccatagc	4440
20	tcagaagatg	atgattggac	gatgcaaccg	agctgggaag	ccagtcactc	gcgcaccacca	4500
	ggcatgtgct	atcccttctc	tctgtgttct	ccacctagga	gacctggctc	tgacctggcc	4560
	tttaggtaca	cgtacccgca	catagctatg	acctgcgtac	ctgtgcaagc	ttcggggaat	4620
	tgccctggaa	tcataactga	agatgtcctg	ctcttccatt	atttagtac	tttcatttag	4680
	cgggtggctc	tactttaata	aaaacccttg	tttgtccctc	cctagatgct	ggagagcatg	4740
	atcaagaagc	cacgccccac	ccgtgctgaa	ggcagtgacg	tgccaatgc	agtcctagat	4800
25	ggagctgact	gcacatgct	gtccggagaa	acagccaaag	gggactacc	tctggaggct	4860
	gttcgcatgc	agcacctgg	gagtaagtc	tcagagtcct	ggggtagaag	agctctgctg	4920
	gagaggcctc	tgtccagctc	tggtacattg	ctcccgctac	agcaaggaga	gtgaggtttg	4980
	tggagtgtgc	ttgagtttca	ttgtgcttcc	actgcctgca	cctgcccctt	tgtcctgctc	5040
	tggggattac	ataggccaca	tctggctaaa	atatcaaggt	cctaggatgc	agtcaaggga	5100
	tgccttccct	gtggacaccc	agagggcctg	ggtacctcta	ttctaaagga	gccaagagtt	5160
30	tgttcagcta	ttcgccctgt	tacctctcat	ttggtctcct	gtggtctgcc	catgggcaat	5220
	gcttctctcc	actgcagctg	tagccatact	gagctgcttt	aagctggccg	tgcatggtgc	5280
	ctgtgacatg	ggagcttctc	ccttgctgtg	ccagacccaa	ctcggggcta	caaatagctc	5340
	tgggggtggg	gaatgggtgc	taatttagca	ggtctgtctc	ggtctaggaa	ttataaagac	5400
	ttctcaggca	tattatgtgc	tcttttgatt	aagtcttctg	gtttcagtaa	gattaggtct	5460
	ggcgcaagct	tgtaattcca	acaatcaaat	caagcctgcg	gcaggaagat	ggcttgagat	5520
35	taggctggac	tagaatgaga	catctttag	aagcaacagg	cgtcagtgac	ctgtccctgc	5580
	ggactttcca	cccaggctc	cgtcttctgt	gttctgctcc	agaacttctt	ccggagcaga	5640
	acaattatct	ggggcatcag	ttagggaccg	tgccctgata	aaggcatggt	ggattagctt	5700
	tttgggggtt	ttctattccc	ttttcagcca	acaaagaacc	acagtatctt	ttgtggctcc	5760
	agtttcccac	aagccccccc	aaacttaaga	caagtgaag	aaaagaagga	agcccttctc	5820
40	gggttaggca	tcttaccttg	ctttatatgt	atatgagagt	tgagtagatt	ccatgatctt	5880
	tccatggatt	tatctgaatt	atagctgtag	ccagatgttt	gcctatatgt	aaacagacca	5940
	gcgctttgac	tccgctgggtc	atgacctgtt	ctgattggaa	ttgtgactgg	tcctcatagc	6000
	ttctcatagc	tgcaggcatt	ctctcccaga	agacttttcc	cttccctcaa	tctccccac	6060
	agtagctgcc	ttcctgggtt	acacccaaaac	cccttttcta	cttacctggc	ctcacagtgg	6120
45	tcaggaacag	gactttgacc	aggatattcta	aagcatgtag	tcacataaat	gtatttttgg	6180
	atagctcaag	aagaccttgc	ccaaagtggc	ggttgatgag	attaattaca	attaattata	6240
	tgtgtatgag	ttagttttgg	tgtcctgtcc	ttttctcatg	ccctgggtctt	tcctatgaac	6300
	agacacctta	gaacctcgag	gctgggattg	catggccctg	ctcagaagat	gagtcacaga	6360
	gtccgggtta	gactgtggct	acccccctag	ggatacaaat	ttctctatca	gttaacactt	6420
	aggacagctt	ctcccccttc	tttatctgtt	tgctgtttcc	tcctgtgtct	aactgattca	6480
	gttcaaaaacc	tgtaattaaa	agctagacat	cccagctgtg	gttgcttcc	gtccatgcct	6540
50	cttgtccttt	gggcttgcc	gcattccatg	cttaaccaaa	agattacttt	ccacttgcaa	6600
	atctgctaatt	gtaccaata	aaatcgagtg	ctgggttcat	atcattccctg	gaattgcact	6660
	ctctaaaact	ttatttcttt	atttctaattg	cttgggttta	cttgaacagg	tgggtctgtat	6720
	ataacacatt	tgctalcctg	laaccgtttt	aattattgca	gtttgaatct	gtgtcttgaa	6780
	aggcctgtgt	gctttcccag	gcgtctgctt	cctcacatgg	ctgttcagtg	taccgtgttc	6840
55	aagtgaacca	gtcgaccact	gttctgttta	gaacttgtgc	actgcaactt	tggctctttt	6900
	gaccttcacc	cccagctttc	agagctgccc	gagtgtttcc	actgtaagcc	aagtgaagcc	6960

EP 1 284 298 A2

5

10

15

20

25

30

35

40

45

50

55

gctcactctt gtgtgttaggc ggagttggat gccttgtaac cacatagcca tgtgaggagg 7020
ggaagccttt ttcttcctgt aagctgtgtc agggaggcagt gtggtcaagc ggaagtgtag 7080
ttggctccac cttagcatct ttccatgccca ggggtcccttt ctccagcttta atcaaaaaca 7140
aaagaaatga tggatggtgc atgcctagca cttagggaggc tgaggcaaag aaaatagtgg 7200
tgtttttagg ctgaccatgg caagttcaag gccagtaggt gctatggtaa gatcctatct 7260
caaacctgtg tgggggttag aattggcttt tttgtttgt ttgtttttag aaacaggaaa 7320
tcccaaaagg atactatctt tccagaaggg aaggaaggat ctgtccgtgt gtttgaacag 7380
aaaagagagc caccacaaat cccacatata ataccattcc aggctttgac catcctgcct 7440
ctgtatctgc atggagaaga aaagattaac ctaagagtcc ctccctctca ttagttccct 7500
gtctttccat gtgttgtctc ttgtttttgc ctccatcctt ctcccttacc ctccctaccc 7560
taaaccttac agatagctcg agaggctgag gcagccgtgt tccaccgcct gctgtttgaa 7620
gagcttgctc gagcctccag tcaatccaca gacccctgg aggccatggc catgggcagg 7680
gtggaggcct ctataaaatg tttagcagca gctttgatag ttctgacgga gtccggcagg 7740
tagggccctg agggcaggta tcatataaag ataaccagct tctcacacaa ctagggccca 7800
ctgtgtgcct gagcctgggc atagcctctc tccctgcagga aggcagccaa ggaggtcacg 7860
ataggggcagg accaaaggat tccctagtgg gtacagtggg agtcacaggc actggttcag 7920
gatggttccc tgtggagttt ctaatcttgc tcaagtttca gaaacgtgtt agtgaactca 7980
tctttctcct ggctttttgt gccaggaca tgttccctcc cagttgctg tgactcttct 8040
ccttcatttg tgacaaagct ctgacaaagc cctgtccccc tccctcgtcc ctctggacgg 8100
atgtgtctcc cttagattgc ccgagaggca gaggctgcca tctaccactt gcagttattc 8160
gaggaactcc gccgctggc gccattacc agcgacccca cagaagctgc cgccgtggg 8220
gccgtggagg cctccttcaa gtgtctgagc gggggcatta tctgtctcac caagtctggc 8280
aggtaggagg cggcagtgcc tccctgggga tcccagagca actctgggct gattttaaga 8340
cccttggtcg ccatcaaagg actccaggaa gcactcccag gtacatcaga ttaggtggct 8400
ccagtggcag tcagtgcagg cctgcctcag ggcctgaagc atatatacag ttttgcttag 8460
ttacggtgtg gaagctgggc atgggtacat gcctttaatc ctcccagcat tccggcagaa 8520
gaggtgggca aatgltctgca ttclggaca gtgtgtgtct acaaagcaag ttccaggaca 8580
gagccctagc tcacaaaaat taactcagct ggtaataact acttgctaca ccaagttaga 8640
cggatggagg agggagaaag gtaacttagc aagcgtgccc aaggacatat acagtaaac 8700
ttttctcat cccacttgga gggagctcaa tggataaagt gttggcaatc tggatttggg 8760
tctggcacct gtgggttttt gtgtgtgttt ggggttttgt tttttttttt ttttttaagt 8820
cacctggaga agtactgttag gcctttagga gcatggggtt ttggttttta agatttattt 8880
attatatatg aactacactc tccctatctt cagtcgcacc agaagagggt gattacagat 8940
gattgtgtaa gccaccatgt ggttgctggg agttgaactc aggacctctg gaagagcagt 9000
tagtgctctt aaccactgag ccatctctcc agccagcact gttctttcag aagcccaaca 9060
catacatgac agctcacact atctaactgc agtctgggg ggaatctaact gccctcttct 9120
aacttccagc cgtacatggt tatatgatgc atgtgtgtgc ctgtaatccc agcactcatg gtacagagg 9180
gaaaggaagg tgcccaacac acctgtgtgc ctaatctgag caaattctgc aacagcctag atacagaaag 9240
agaaagatca agaatcaggt gtgggctgag gatgttgacc tttgtgtgaa ttggccatga 9300
ccaaacacat aaaaatcagc gtgggctgag gatgttgacc tttgtgtgaa ttggccatga 9360
acattgtatg cagctggaag caaggggatgg ggtgctgaaa aatggggacc ttaaaactaa 9420
ttttctgaag tccctgaagt tcccttcaaa gcccatgtag gccagctaga agcagggtat 9480
tttctctgaa gacttccctg ttcttccaaa gcccatgtag gccagctaga agcagggtat 9540
tttctgctg tggaaatggc acatccccta atacctgtg tgtcctcaag atgcctagtt 9600
aattcagtaa gctgaaaca gatctgatag aagtaaacad atcatttgct atcggttgag 9660
gagagagggg ctccctacat tcccaaagga tcttgattgg ccagatatta accatgcctg 9720
gtcacaccta gattttccaa aaaaccatag aaattcagag gtttctttta gcaccaagt 9780
cagctgataa gactcccaaa ggagcagtat agtactctct ggcaataact gtccactcca 9840
gggtctctgc agataccaga agtcaggagc taggcacatg gtgcttgat tgtaaaagt 9900
gctggcagct acaggatggg tctgggtgaga ttaggccaga gctgcctcac tgctgatgg 9960
aagggttcac agtggtgggag ggatcctgcc agccgtggtc ctatgggact gccacactg 10020
agatcaggac aatgagttaa aaaggacagc acaggtctga ggggggtggc aggcactaaa 10080
cagtaattgt aagtgggcaa acctgtggcc tagaggtgaa ttagagggtg ctcccttggc 10140
tgactgaaag ggtctcgtga cacaatggcc attcttccca ccttctcagg agtgctcacc 10200
aagtgggccg gtaccgcca agggctccta tcattgctgt gacacgcaat cccagacag 10260
cccgccaggc ccatctgtac cgtggcatct tccctgtgct gtgtaaggat gccgtactgg 10320
atgcctgggc tgaggacgtt gatcttctgt tgaacttggc catgaatgtt ggtatgtagg 10380
tggaagcaag ggatgggggt ctgggaaatg gggagcctaa aactaccatt tccctgaagc 10440
ctcaccacat tttgggcca aggcaaaatt aattgcctca ttaggctctt gtaagattaa 10500
ttggagctac tgcctgtggg ggtggggcac acaagctgtt gtgggtcttt tccctatata 10560
aggttgata tcaagagaca aggaagcagc tgaccctgaa ctggggcaag gctggccact 10620
ctagagtcta aactgaatgg tgtccaaagg tccctgcagt ctgagttttg cctcagccct 10680

EP 1 284 298 A2

5
10
15
20
25
30
35
40
45
50
55

tggtttaagct agggagacttg caccaccttg tggtaaaaaag aagtaactgg caacctgctc 10740
tcctacctga attagaagca atagggcatt tgttatectg cctgggttagg cttgtgtctg 10800
ggctgggaga aagcaccacc ttgtggtagg agagagtact gggtgctcag ttaggactgg 10860
gtaggctttt gcagttatcc ccaagtgtta tatacctcta ctcaccaacc tccttctccc 10920
ctcaggcaag gcccagggtt tcttcaagaa gggagatgtg gtcattgtgc tgactggatg 10980
gcgccctggc tctggcttca ccaacaccat gcggtgtagt cctgtaccat gatgatcctc 11040
tggagcttct cttctagccc ctgtcccctc cctccccta tcctatccat taggccagca 11100
acgttgtagt gctcactctg ggccatagtg tggcgctggg gggctgggac accaggaaaa 11160
attaatgcct ctgaaacatg caatagagcc cagctatttt tcatggccct acttgagcca 11220
ggggtgaagg aggaatgcag gattggaaac cctctgactt tatcacagaa gggcagcatt 11280
atctctgtgt tctttgctcc tgtagaaagt tttccagaga attcccagcc ctggcctgga 11340
atcaggagac agcaagaaca gaggctgggg gccagggtt cccatgtaga tgacttttgg 11400
ccctgtccct gacttgcttt cccaacagct ttggcctctc tctcgtgca ctccactgct 11460
gtccctgcag atgttccact ctccacctcg tactctgcag cgtctccagg cctgttgcta 11520
tagtgccac ctgaatgtca ataaacagca gcggaacgac ctgtgttctt ttcttcctgg 11580
ggggcggtgt tgaggctatc ctctgagcag tcgaaaatga caaccggcct aaaggctcag 11640
cctggagccg agtatatagg ttgcctcctc caacagcacc aagtggggct atctatgtgt 11700
tggaagctc actgttttat ttcaggacag actggaaagg tctgggacag gttcagctag 11760
cacctgtaat ggtgggtaga cggagggg 11788

<210> 4
<211> 446
<212> PRT
<213> Rattus norvegicus

<220>
<223> Dopamine receptor D1

<400> 4
Met Ala Pro Asn Thr Ser Thr Met Asp Glu Ala Gly Leu Pro Ala Glu
1 5 10 15
Arg Asp Phe Ser Phe Arg Ile Leu Thr Ala Cys Phe Leu Ser Leu Leu
20 25 30
Ile Leu Ser Thr Leu Leu Gly Asn Thr Leu Val Cys Ala Ala Val Ile
35 40 45
Arg Phe Arg His Leu Arg Ser Lys Val Thr Asn Phe Phe Val Ile Ser
50 55 60
Leu Ala Val Ser Asp Leu Leu Val Ala Val Leu Val Met Pro Trp Lys
65 70 75 80
Ala Val Ala Glu Ile Ala Gly Phe Trp Pro Phe Gly Ser Phe Cys Asn
85 90 95
Ile Trp Val Ala Phe Asp Ile Met Cys Ser Thr Ala Ser Ile Leu Asn
100 105 110
Leu Cys Val Ile Ser Val Asp Arg Tyr Trp Ala Ile Ser Ser Pro Phe
115 120 125
Gln Tyr Glu Arg Lys Met Thr Pro Lys Ala Ala Phe Ile Leu Ile Ser
130 135 140
Val Ala Trp Thr Leu Ser Val Leu Ile Ser Phe Ile Pro Val Gln Leu
145 150 155 160
Ser Trp His Lys Ala Lys Pro Thr Trp Pro Leu Asp Gly Asn Phe Thr
165 170 175

EP 1 284 298 A2

	Ser	Leu	Glu	Asp	Thr	Glu	Asp	Asp	Asn	Cys	Asp	Thr	Arg	Leu	Ser	Arg	
				180					185					190			
5	Thr	Tyr	Ala	Ile	Ser	Ser	Ser	Leu	Ile	Ser	Phe	Tyr	Ile	Pro	Val	Ala	
			195					200					205				
	Ile	Met	Ile	Val	Thr	Tyr	Thr	Ser	Ile	Tyr	Arg	Ile	Ala	Gln	Lys	Gln	
		210					215					220					
10	Ile	Arg	Arg	Ile	Ser	Ala	Leu	Glu	Arg	Ala	Ala	Val	His	Ala	Lys	Asn	
	225					230					235					240	
	Cys	Gln	Thr	Thr	Ala	Gly	Asn	Gly	Asn	Pro	Val	Glu	Cys	Ala	Gln	Ser	
					245					250					255		
15	Glu	Ser	Ser	Phe	Lys	Met	Ser	Phe	Lys	Arg	Glu	Thr	Lys	Val	Leu	Lys	
				260					265					270			
	Thr	Leu	Ser	Val	Ile	Met	Gly	Val	Phe	Val	Cys	Cys	Trp	Leu	Pro	Phe	
			275					280					285				
20	Phe	Ile	Ser	Asn	Cys	Met	Val	Pro	Phe	Cys	Gly	Ser	Glu	Glu	Thr	Gln	
	290						295					300					
	Pro	Phe	Cys	Ile	Asp	Ser	Ile	Thr	Phe	Asp	Val	Phe	Val	Trp	Phe	Gly	
25	305					310					315					320	
	Trp	Ala	Asn	Ser	Ser	Leu	Asn	Pro	Ile	Ile	Tyr	Ala	Phe	Asn	Ala	Asp	
					325					330					335		
	Phe	Gln	Lys	Ala	Phe	Ser	Thr	Leu	Leu	Gly	Cys	Tyr	Arg	Leu	Cys	Pro	
30				340					345					350			
	Thr	Thr	Asn	Asn	Ala	Ile	Glu	Thr	Val	Ser	Ile	Asn	Asn	Asn	Gly	Ala	
			355					360					365				
	Val	Val	Phe	Ser	Ser	His	His	Glu	Pro	Arg	Gly	Ser	Ile	Ser	Lys	Asp	
35		370					375					380					
	Cys	Asn	Leu	Val	Tyr	Leu	Ile	Pro	His	Ala	Val	Gly	Ser	Ser	Glu	Asp	
	385					390					395					400	
	Leu	Lys	Lys	Glu	Glu	Ala	Gly	Gly	Ile	Ala	Lys	Pro	Leu	Glu	Lys	Leu	
40					405					410					415		
	Ser	Pro	Ala	Leu	Ser	Val	Ile	Leu	Asp	Tyr	Asp	Thr	Asp	Val	Ser	Leu	
				420					425					430			
45	Glu	Lys	Ile	Gln	Pro	Val	Thr	His	Ser	Gly	Gln	His	Ser	Thr			
		435						440					445				
	<210>	5															
	<211>	960															
50	<212>	PRT															
	<213>	Mus musculus															
	<220>																
	<223>	GABA-Bla receptor															
55	<400>	5															

EP 1 284 298 A2

	Met	Leu	Leu	Leu	Leu	Leu	Leu	Leu	Phe	Leu	Arg	Pro	Leu	Gly	Ala		
	1				5				10					15			
5	Gly	Gly	Ala	Gln	Thr	Pro	Asn	Val	Thr	Ser	Glu	Gly	Cys	Gln	Ile	Ile	
				20					25					30			
	His	Pro	Pro	Trp	Glu	Gly	Gly	Ile	Arg	Tyr	Arg	Gly	Leu	Ile	Arg	Asp	
			35					40					45				
10	Gln	Val	Lys	Ala	Ile	Asn	Phe	Leu	Pro	Val	Asp	Tyr	Glu	Ile	Glu	Tyr	
		50					55					60					
	Val	Cys	Arg	Gly	Glu	Arg	Glu	Val	Val	Gly	Pro	Lys	Val	Arg	Lys	Cys	
	65					70					75					80	
15	Leu	Ala	Asn	Gly	Ser	Trp	Thr	Asp	Met	Asp	Thr	Pro	Ser	Arg	Cys	Val	
					85					90					95		
	Arg	Ile	Cys	Ser	Lys	Ser	Tyr	Leu	Thr	Leu	Glu	Asn	Gly	Lys	Val	Phe	
				100					105					110			
20	Leu	Thr	Gly	Gly	Asp	Leu	Pro	Ala	Leu	Asp	Gly	Ala	Arg	Val	Asp	Phe	
			115					120					125				
	Arg	Cys	Asp	Pro	Asp	Phe	His	Leu	Val	Gly	Ser	Ser	Arg	Ser	Ile	Cys	
	130						135					140					
25	Ser	Gln	Gly	Gln	Trp	Ser	Thr	Pro	Lys	Pro	His	Cys	Gln	Val	Asn	Arg	
	145					150					155					160	
	Thr	Pro	His	Ser	Glu	Arg	Arg	Ala	Val	Tyr	Ile	Gly	Ala	Leu	Phe	Pro	
					165					170					175		
30	Met	Ser	Gly	Gly	Trp	Pro	Gly	Gly	Gln	Ala	Cys	Gln	Pro	Ala	Val	Glu	
				180					185					190			
	Met	Ala	Leu	Glu	Asp	Val	Asn	Ser	Arg	Arg	Asp	Ile	Leu	Pro	Asp	Tyr	
			195					200					205				
35	Glu	Leu	Lys	Leu	Ile	His	His	Asp	Ser	Lys	Cys	Asp	Pro	Gly	Gln	Ala	
		210					215					220					
	Thr	Lys	Tyr	Leu	Tyr	Glu	Leu	Leu	Tyr	Asn	Asp	Pro	Ile	Lys	Ile	Ile	
	225					230					235					240	
40	Leu	Met	Pro	Gly	Cys	Ser	Ser	Val	Ser	Thr	Leu	Val	Ala	Glu	Ala	Ala	
				245						250				255			
	Arg	Met	Trp	Asn	Leu	Ile	Val	Leu	Ser	Tyr	Gly	Ser	Ser	Ser	Pro	Ala	
45				260					265					270			
	Leu	Ser	Asn	Arg	Gln	Arg	Phe	Pro	Thr	Phe	Phe	Arg	Thr	His	Pro	Ser	
			275					280					285				
	Ala	Thr	Leu	His	Asn	Pro	Thr	Arg	Val	Lys	Leu	Phe	Glu	Lys	Trp	Gly	
50							295					300					
	Trp	Lys	Lys	Ile	Ala	Thr	Ile	Gln	Gln	Thr	Thr	Glu	Val	Phe	Thr	Ser	
	305					310					315					320	
55	Thr	Leu	Asp	Asp	Leu	Glu	Glu	Arg	Val	Lys	Glu	Ala	Gly	Ile	Glu	Ile	
					325					330					335		

EP 1 284 298 A2

	Thr	Phe	Arg	Gln	Ser	Phe	Phe	Ser	Asp	Pro	Ala	Val	Pro	Val	Lys	Asn	
				340					345					350			
5	Leu	Lys	Arg	Gln	Asp	Ala	Arg	Ile	Ile	Val	Gly	Leu	Phe	Tyr	Glu	Thr	
			355					360					365				
	Glu	Ala	Arg	Lys	Val	Phe	Cys	Glu	Val	Tyr	Lys	Glu	Arg	Leu	Phe	Gly	
		370					375					380					
10	Lys	Lys	Tyr	Val	Trp	Phe	Leu	Ile	Gly	Trp	Tyr	Ala	Asp	Asn	Trp	Phe	
	385					390					395					400	
	Lys	Thr	Tyr	Asp	Pro	Ser	Ile	Asn	Cys	Thr	Val	Glu	Glu	Met	Thr	Glu	
				405						410					415		
15	Ala	Val	Glu	Gly	His	Ile	Thr	Thr	Glu	Ile	Val	Met	Leu	Asn	Pro	Ala	
				420					425					430			
	Asn	Thr	Arg	Ser	Ile	Ser	Asn	Met	Thr	Ser	Gln	Glu	Phe	Val	Glu	Lys	
			435					440					445				
20	Leu	Thr	Lys	Arg	Leu	Lys	Arg	His	Pro	Glu	Glu	Thr	Gly	Gly	Phe	Gln	
	450						455					460					
	Glu	Ala	Pro	Leu	Ala	Tyr	Asp	Ala	Ile	Trp	Ala	Leu	Ala	Leu	Ala	Leu	
	465					470					475					480	
25	Asn	Lys	Thr	Ser	Gly	Gly	Gly	Gly	Arg	Ser	Gly	Val	Arg	Leu	Glu	Asp	
					485				490						495		
	Phe	Asn	Tyr	Asn	Asn	Gln	Thr	Ile	Thr	Asp	Gln	Ile	Tyr	Arg	Ala	Met	
				500					505					510			
30	Asn	Ser	Ser	Ser	Phe	Glu	Gly	Val	Ser	Gly	His	Val	Val	Phe	Asp	Ala	
			515					520					525				
	Ser	Gly	Ser	Arg	Met	Ala	Trp	Thr	Leu	Ile	Glu	Gln	Leu	Gln	Gly	Gly	
	530						535					540					
35	Ser	Tyr	Lys	Lys	Ile	Gly	Tyr	Tyr	Asp	Ser	Thr	Lys	Asp	Asp	Leu	Ser	
	545				550					555						560	
	Trp	Ser	Lys	Thr	Asp	Lys	Trp	Ile	Gly	Gly	Ser	Pro	Pro	Ala	Asp	Gln	
				565					570						575		
40	Thr	Leu	Val	Ile	Lys	Thr	Phe	Arg	Phe	Leu	Ser	Gln	Lys	Leu	Phe	Ile	
				580					585					590			
45	Ser	Val	Ser	Val	Leu	Ser	Ser	Leu	Gly	Ile	Val	Leu	Ala	Val	Val	Cys	
		595						600					605				
	Leu	Ser	Phe	Asn	Ile	Tyr	Asn	Ser	His	Ala	Arg	Tyr	Ile	Gln	Asn	Ser	
		610					615					620					
50	Gln	Pro	Asn	Leu	Asn	Asn	Leu	Thr	Ala	Val	Gly	Cys	Ser	Leu	Ala	Leu	
	625				630						635					640	
	Ala	Val	Val	Phe	Pro	Leu	Gly	Leu	Asp	Gly	Tyr	His	Ile	Gly	Arg	Ser	
				645					650					655			
55	Gln	Phe	Pro	Phe	Val	Cys	Gln	Ala	Arg	Leu	Trp	Leu	Leu	Gly	Leu	Gly	

EP 1 284 298 A2

	660	665	670
5	Phe Ser Leu Gly Tyr Gly Ser Met	Phe Thr Lys Ile Trp	Trp Val His
	675	680	685
	Thr Val Phe Thr Lys Lys Glu Glu Lys Lys Glu Trp Arg Lys Thr Leu		
	690	695	700
10	Glu Pro Trp Lys Leu Tyr Ala Thr Val Gly Leu Leu Val Gly Met Asp		
	705	710	715
	Val Leu Thr Leu Ala Ile Trp Gln Ile Val Asp Pro Leu His Arg Thr		
	725	730	735
15	Ile Glu Thr Phe Ala Lys Glu Glu Pro Lys Glu Asp Ile Asp Val Ser		
	740	745	750
	Ile Leu Pro Gln Leu Glu His Cys Ser Ser Lys Lys Met Asn Thr Trp		
	755	760	765
20	Leu Gly Ile Phe Tyr Gly Tyr Lys Gly Leu Leu Leu Leu Leu Gly Ile		
	770	775	780
	Phe Leu Ala Tyr Glu Thr Lys Ser Val Ser Thr Glu Lys Ile Asn Asp		
	785	790	795
25	His Arg Ala Val Gly Met Ala Ile Tyr Asn Val Ala Val Leu Cys Leu		
	805	810	815
	Ile Thr Ala Pro Val Thr Met Ile Leu Ser Ser Gln Gln Asp Ala Ala		
	820	825	830
30	Phe Ala Phe Ala Ser Leu Ala Ile Val Phe Ser Ser Tyr Ile Thr Leu		
	835	840	845
	Val Val Leu Phe Val Pro Lys Met Arg Arg Leu Ile Thr Arg Gly Glu		
	850	855	860
35	Trp Gln Ser Glu Thr Gln Asp Thr Met Lys Thr Gly Ser Ser Thr Asn		
	865	870	875
	Asn Asn Glu Glu Glu Lys Ser Arg Leu Leu Glu Lys Glu Asn Arg Glu		
	885	890	895
40	Leu Glu Lys Ile Ile Ala Glu Lys Glu Glu Arg Val Ser Glu Leu Arg		
	900	905	910
	His Gln Leu Gln Ser Arg Gln Gln Leu Arg Ser Arg Arg His Pro Pro		
	915	920	925
45	Thr Pro Pro Asp Pro Ser Gly Gly Leu Pro Arg Gly Pro Ser Glu Pro		
	930	935	940
	Pro Asp Arg Leu Ser Cys Asp Gly Ser Arg Val His Leu Leu Tyr Lys		
	945	950	955
50			960
55	<210> 6		
	<211> 4365		

EP 1 284 298 A2

<212> DNA

<213> Mus musculus

<220>

<223> GABA-B1a receptor

<400> 6

	taacttcg	cgcgcgtc	cccgggga	gagagacg	gggtgggt	gctgggtg	60
10	atcgcaag	ggagagacc	cggccggg	ggagcctg	ttcctgtg	agaagaac	120
	ggggaggga	agctggagg	ccgggagg	gaacgggg	ccgcggcc	gcctgggc	180
	ttgaggccc	gggagagcc	cggagcgga	ccggccg	agatgctg	gctgctgt	240
	ctgcttct	tcctccgcc	cctgggcgt	ggcggggc	agaccccaa	cgtcacct	300
	gaaggttgc	agattatca	tcgcctctg	gaaggtgg	tcaggtacc	tggcttgat	360
	cgcgaccag	tgaaggcc	caatttctg	cctgtggac	atgagattg	atatgtgtg	420
15	cgggcgga	gcaggtggt	ggggcccaa	gtgcycaag	gcctggcca	cggctcctg	480
	acggatatg	acacaccag	tcgctgtgt	cgaatctgt	ccaagtctt	tttgacctg	540
	gaaaaatgg	aggttttct	gacgggtgg	gacctccag	ctctggatg	agcccggtg	600
	gatttccga	gtgacctga	cttccatct	gtgggcagc	cccgagcat	ctgtagtca	660
	ggccagtga	gcaccccaa	gccccactg	caggtgaat	gaacgccca	ctcagaacg	720
	cgtgcagta	acatcgggc	gctgtttcc	atgagcggg	gctggccgg	gggcccagg	780
20	tgccagcct	cggtggag	ggcgctgg	gacgttaac	gcccgagag	catcctgcc	840
	gactacgag	tcaagctta	ccaccacga	agcaagtgc	acccaggga	agccacca	900
	tacttgtat	aactactct	caacgaccc	atcaagatc	tcctcatgc	cggctgcag	960
	tctgtgtcc	cactggtag	cgaggctgc	cggatgtgg	accttattg	gctctcat	1020
	ggctccagc	caccagcct	gtcaaaccg	cagcggttc	caacgttct	tcggacac	1080
25	ccatccgca	cactccaaa	tcccaccgg	gtgaaactc	tcgaaaagt	gggctgga	1140
	aagattgca	ccatccagc	gactaccag	gtcttcac	caacactgg	tgacctgg	1200
	gagcagtg	aagaggctg	gattgagac	acttttcga	agagtttct	ctcagatcc	1260
	gctgtgcct	ttaaaaacc	gaagcgtca	gatgctcga	tcacgtggg	acttttct	1320
	gagaccga	cccggaaag	tttttgtg	gtctataag	aacggctct	tgggaaga	1380
	tatgtctgt	ttctcatcg	gtggtatgt	gacaactgt	tcaaaacct	tgaccgtca	1440
30	atcaattgt	cagtagaag	gatgactga	gcggtggag	gccatatca	cacggagat	1500
	gtcatgctg	accctgcca	caccgaagc	atttccaac	tgacatcac	ggaatttgt	1560
	gagaaacta	ccaagcggt	gaaaagac	cctgaggag	ctggaggct	ccaggagg	1620
	ccactggc	atgatgct	ttgggcctg	gctttggc	tgaacaag	ctctggagg	1680
	gggtggcgt	caggagtgc	cctggagg	tttaactac	acaaccag	cattacag	1740
35	caaatctac	gggcatgaa	ctctcctcc	tttgagggt	tttctggcc	cgtggctct	1800
	gatgccagc	gctcccgat	ggcatggac	cttatcgag	agctacagg	cggcagct	1860
	aagaagatc	gctactacg	cagcaccag	gatgatctt	cctggtcca	aacagaca	1920
	tggatcgg	gggtctcccc	agccgacc	accttggtc	tcaagacat	ccgtttcct	1980
	tcacagaa	tctttatct	cgtctcagt	ctctccagc	tgggcattg	tctgtgtgt	2040
	gtctgtctg	cctttaaac	ctacaactc	cacgctcgt	atatccaga	ttcccagcc	2100
40	aacctgaac	atctgactg	tgtgggctg	tcactggc	tggctgtgt	cttccctct	2160
	gggctggat	gttaccac	agggagaag	cagttcccg	ttgtctgca	ggcccgctt	2220
	tggctcttg	gcttgggct	tagtctggc	tatggctct	tggtcacc	gatctggtg	2280
	gtccacac	tcttcacga	gaaggagg	aagaaggag	ggaggaag	cctagagcc	2340
	tggaaactc	atgccactg	gggcctgct	gtgggcatt	atgtcctga	tcttgccat	2400
	tggcagatt	tggacccct	gcaccgaac	attgagact	ttgccaagg	ggaaccaa	2460
45	gaagacatc	atgtctcca	tctgcccc	ttggagc	gcagctcca	gaagatgat	2520
	acgtggctt	gcattttct	tggttaca	gggctgctg	tgctgtggg	aatctttct	2580
	gcttacgaa	ccaagagcg	gtccactga	aagatcaat	accacaggg	cgtgggcat	2640
	gctatctac	atgtcgcgt	cctgtgtct	atcactgct	ctgtgacct	gatcctttc	2700
	agtcagcag	acgcagcct	tgcttttgc	tctctggcc	tcgtgttct	ttcctacat	2760
	actctggtg	tgctctttg	gccaagatg	cgcaggctg	tcacccgag	ggaatggc	2820
50	tctgaaacg	aggacacat	gaaaacagg	tcattccac	acaacaacg	ggaagaga	2880
	tcccgaact	tggagaagg	aaaccgaga	ctggaaaag	tcacgtctg	gaaagagg	2940
	cgcgtctct	aactgcgca	tcagctccg	tctcggcag	aactccgct	acggcccc	3000
	cccccaaac	ccccagatc	ctctggggg	cttcccagg	gacctctga	gccccctga	3060
	cggcttagc	tcgatggg	tcgagtac	ttgctttac	agtgaaggg	catggaga	3120
	gatcaagca	gtaggggag	gaagggtct	ggaagagg	gggggcctg	gaggagggt	3180
55	aggactcct	tctccaacc	ggagagcac	cgctccaat	cccctctta	aaatacatg	3240

EP 1 284 298 A2

5 cgctctgtgc atctgggggtt atttgggtct ccagtactct gggaaacaga ctgttttctt 3300
 tctcccctat aattttatat ctccacttca caggttttgt ttgaacctg cttggagtta 3360
 ttattcactc atggctccag aggggcatct catTTTTtctc cggtagcctg tcttgtagag 3420
 ttaccacagc aactcctgtc atttcagcag caggggtctt cctacactag caggggtctc 3480
 gctctctcca tttttcagcc tcagaatctc cttccattat tcttctcctt ctacatgtct 3540
 ccatggcttc ctctcccagg ggactcgttc tacacacata cacacacaca cacacacaca 3600
 cacacacaca cacacacaca cacacccgc atcctgccct ctccaggca gctgcatgtc 3660
 gtccgtgtaca aatgtgctcg cttctgagtg ctttgtgagg ccgttcactt gtgctgtctg 3720
 cataagctgc gtctgtgagt gcacgggtgt ttgtgggtgc gtgaagtggc atgctccggg 3780
 10 aggtgtgtgt gtgtgtgccc acgctgtgcg ccgtgtgcat gcgttcgtgt tgccttgact 3840
 ggctgtctca gccttctgag taattgggat tccagttgtc tgtctagctc atgtcctgtc 3900
 ttcttccagt agagccgtga acacccaaca cacacagtta atcgggctcc cccagtgcca 3960
 tgttttctga gccatccaaa aactctcctt gcccttaggt tcatctgcaa atgttccctc 4020
 tgttctttgc tctcgtgctg ccaccttcat tctcttcagt catttctcag atctgctgctg 4080
 tctgtgggttc ctttcccttca ttatcatcgt cattattttt cagaacttaa gggaaaaaga 4140
 15 aatgggggaca ggttggaggc tgtttccagt ggaatagtgg gtgcgcgtcc tgaccaaagt 4200
 aaggcacgga cagatggact gacggggcgg gaggcggcgt ccctttcaca ccgtggtgtc 4260
 tcttgggggg gaaggatctc cctgaatctc aataaagcag tgaacagtaa aaaaaaaaaa 4320
 aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaa 4365

20 <210> 7
 <211> 582
 <212> PRT
 <213> Rattus norvegicus

25 <220>
 <223> Differentiation-associated Na-dependent inorganic phosphate
 cotransporter

30 <400> 7
 Met Glu Ser Val Lys Gln Arg Ile Leu Ala Pro Gly Lys Glu Gly Ile
 1 5 10 15
 Lys Asn Phe Ala Gly Lys Ser Leu Gly Gln Ile Tyr Arg Val Leu Glu
 20 25 30
 35 Lys Lys Gln Asp Asn Arg Glu Thr Ile Glu Leu Thr Glu Asp Gly Lys
 35 40 45
 Pro Leu Glu Val Pro Glu Lys Lys Ala Pro Leu Cys Asp Cys Thr Cys
 50 55 60
 40 Phe Gly Leu Pro Arg Arg Tyr Ile Ile Ala Ile Met Ser Gly Leu Gly
 65 70 75 80
 Phe Cys Ile Ser Phe Gly Ile Arg Cys Asn Leu Gly Val Ala Ile Val
 85 90 95
 45 Asp Met Val Asn Asn Ser Thr Ile His Arg Gly Gly Lys Val Ile Lys
 100 105 110
 Glu Lys Ala Lys Phe Asn Trp Asp Pro Glu Thr Val Gly Met Ile His
 115 120 125
 50 Gly Ser Phe Phe Trp Gly Tyr Ile Ile Thr Gln Ile Pro Gly Gly Tyr
 130 135 140
 Ile Ala Ser Arg Leu Ala Ala Asn Arg Val Phe Gly Ala Ala Ile Leu
 145 150 155 160
 55

EP 1 284 298 A2

	Leu Thr Ser Thr	Leu Asn Met Leu Ile Pro Ser Ala Ala Arg Val His	165	170	175
5	Tyr Gly Cys Val	Ile Phe Val Arg Ile Leu Gln Gly Leu Val Glu Gly	180	185	190
	Val Thr Tyr Pro	Ala Cys His Gly Ile Trp Ser Lys Trp Ala Pro Pro	195	200	205
10	Leu Glu Arg Ser	Arg Leu Ala Thr Thr Ser Phe Cys Gly Ser Tyr Ala	210	215	220
	Gly Ala Val Ile	Ala Met Pro Leu Ala Gly Ile Leu Val Gln Tyr Thr	225	230	235
15	Gly Trp Ser Ser	Val Phe Tyr Val Tyr Gly Ser Phe Gly Met Val Trp	245	250	255
	Tyr Met Phe Trp	Leu Leu Val Ser Tyr Glu Ser Pro Ala Lys His Pro	260	265	270
20	Thr Ile Thr Asp	Glu Glu Arg Arg Tyr Ile Glu Glu Ser Ile Gly Glu	275	280	285
	Ser Ala Asn Leu	Leu Gly Ala Met Glu Lys Phe Lys Thr Pro Trp Arg	290	295	300
25	Lys Phe Phe Thr	Ser Met Pro Val Tyr Ala Ile Ile Val Ala Asn Phe	305	310	315
	Cys Arg Ser Trp	Thr Phe Tyr Leu Leu Leu Ile Ser Gln Pro Ala Tyr	325	330	335
30	Phe Glu Glu Val	Phe Gly Phe Glu Ile Ser Lys Val Gly Met Leu Ser	340	345	350
	Ala Val Pro His	Leu Val Met Thr Ile Ile Val Pro Ile Gly Gly Gln	355	360	365
35	Ile Ala Asp Phe	Leu Arg Ser Lys Gln Ile Leu Ser Thr Thr Thr Val	370	375	380
	Arg Lys Ile Met	Asn Cys Gly Gly Phe Gly Met Glu Ala Thr Leu Leu	385	390	395
40	Leu Val Val Gly	Tyr Ser His Thr Arg Gly Val Ala Ile Ser Phe Leu	405	410	415
	Val Leu Ala Val	Gly Phe Ser Gly Phe Ala Ile Ser Gly Phe Asn Val	420	425	430
45	Asn His Leu Asp	Ile Ala Pro Arg Tyr Ala Ser Ile Leu Met Gly Ile	435	440	445
	Ser Asn Gly Val	Gly Thr Leu Ser Gly Met Val Cys Pro Ile Ile Val	450	455	460
50	Gly Ala Met Thr	Lys Asn Lys Ser Arg Glu Glu Trp Gln Tyr Val Phe	465	470	475
	Leu Ile Ala Ala	Leu Val His Tyr Gly Gly Val Ile Phe Tyr Ala Leu	485	490	495

EP 1 284 298 A2

Phe Ala Ser Gly Glu Lys Gln Pro Trp Ala Asp Pro Glu Glu Thr Ser
500 505 510

5 Glu Glu Lys Cys Gly Phe Ile His Glu Asp Glu Leu Asp Glu Glu Thr
515 520 525

Gly Asp Ile Thr Gln Asn Tyr Ile Asn Tyr Gly Thr Thr Lys Ser Tyr
530 535 540

10 Gly Ala Thr Ser Gln Glu Asn Gly Gly Trp Pro Asn Gly Trp Glu Lys
545 550 555 560

Lys Glu Glu Phe Val Gln Glu Ser Ala Gln Asp Ala Tyr Ser Tyr Lys
565 570 575

15 Asp Arg Asp Asp Tyr Ser
580

<210> 8
20 <211> 3982
<212> DNA
<213> Rattus norvegicus

<220>
25 <223> Differentiation-associated Na-dependent inorganic phosphate
cotransporter

<400> 8
30 agacagtaag gttcttttgc ttttttccct tacacaagga ttcgatgacg ttttttggtca 60
atctgattaa aagacagcgg atttggttgc gtttaagactt caaaaccggg aatttacgtt 120
gtttttcggg gaggtgactt ccagaacggg gactcatcag caccgcgcca aataccacgg 180
cactgcgcgc gccctcggcc accggatcct ccccttccaa tgagactttg tgactgtgtg 240
taccaattct cctattagga aaccctggg ctgaatgcag ctattccgtt gtactctctt 300
tctcgctctc cctccccctc ccaactcaca gccttgctga aaagctcatc tctgctgaga 360
agaaaacggt ctaccttaac ctattaagac tatgcgcaga actcgccttt catagccatc 420
35 acaatttaaa tctggtaagg ctggacacga gtctttacaa gaatggagtc ggtaaaacaa 480
aggattttgg ccccggggaa agaggggata aagaattttg ctggaaaatc cctcggacag 540
atctacaggg tgctggagaa gaagcaggat aaccgagaga ccatcgagct gacagaggac 600
ggcaagcccc tggaggtgcc tgagaagaag gctccgctat ggcactgtac gtgcttcggc 660
ctgccgcgcc gctacatcat agccatcat agcggcctcg gcttctgcat ctctttggtg 720
40 atccgctgta acctgggtgt ggccattgtg gacatgggtca acaacagcac catccaccgg 780
ggtggcaaag ttatcaagga gaaagccaag tttaactggg accccgagac tgtggggatg 840
attcacgggt cgttcttctg ggcttatatc atcacgcaga ttccgggagg atacatcgca 900
tcgcgactgg ctgctaaccg ggtctttggg gctgccatac tgcttacctc taccctcaat 960
atgctgatcc catctgcagc cagagtgcag tatggatgag tcatctttgt tagaatattg 1020
caaggacttg tggagggcgt cacctaccca gcctgtcacg ggatatggag caagtgggccc 1080
45 cctcctttgg agaggagtag gttggctacc acctccttct gtgggttccta tgctggagca 1140
gtcattgcaa tgcccctagc tgggtatcctg gtgcagtcac ctggatggtc ttcagtattt 1200
tacgtatatg gaagctttgg tatggctctg tatatgtctt ggcttctggt gtcttacgag 1260
agccccgcaa agcatccaac cataacagac gaagaacgta ggtacataga agagagcatc 1320
ggggagagcg caaatctgtt aggagcaatg gagaaattca agaccccatg gaggaagttt 1380
ttcacatcca tgcccgtcta tgcgataatt gttgcaaact tctgcaggag ttggactttt 1440
50 tatttactgc tcatcagtc accagcttat ttcgaggagg tttttggatt tgaaatcagc 1500
aagggttgga tgttgctctg ggtcccacac ctggtcatga caatcattgt gcctatcggg 1560
gggcaaattg cagactttct aaggagcaag caaattcttt caacaactac agtgcgaaag 1620
atcatgaact gcgggggttt tggcatggaa gccacactgc ttctggttgt tggctactct 1680
catactagag ggggtggccat ctcttctctg gtgcttgtag tgggattcag tggatttgct 1740
atctctgggt tcaatgtgaa ccacttggat attgccccga gatatgccag tatcttaag 1800
55 ggcatttcaa atggtgttgg cacgctgtcg ggaatggtct gccgatcat tgttggtgca 1860

EP 1 284 298 A2

```

atgacgaaga acaagtcoccg tgaagaatgg cagtattgtct tcctcatcgc tgcactgggc 1920
cactatgggtg gagtcatatt ttatgcacta ttgcctcag gagagaagca accttgggca 1980
gaccttgagg aaacaagcga agaaaagtgt ggcttcattc atgaagatga actggatgaa 2040
gaaacggggg acatcactca gaattacata aattacggta ccaccaaatc ctacggcgcc 2100
acctcacagg agaacggagg ctggcctaac ggctgggaga aaaaggaaga atttgtgcaa 2160
gaaagcgcgc aagacgcgta ctctataag gaccgagatg attattcata acgaagctag 2220
ttgctggatt cctttgtagt gtttgtgatt aaattaattg tgattgcaca aaatcatttt 2280
aagaaatgtg gtgtaaacat gtaaacacat caaccaagca agtcttgctg ttcaaaaaat 2340
aataataata tgaattcaaa acagaccgtg agagtcccat caagtgcaat ctgtggcggc 2400
agtcacgtga cgccatttcc attcaggcca ttcgtccttt tcgtttgtga tttaaagggt 2460
tcctgtagaa ataagtaggt attcgttggg tccatcacca cgtagagag tacaactaca 2520
acagttggca catgtcatcc tacggaagtt aggaagccaa agctactgga ttatgtgaac 2580
tgcatltatt latltallac actggactgc aaaaatccc agggaaatcc tgtctagaga 2640
catagtagaa ctggaaagat ggctagattg ggtactgacg ataatacttg tgtgtatatc 2700
atggagtggt tatatctttt aattggagaa ctatattgta tagctagcaa aattgtactg 2760
aattattact aggagtgcac agtgtgtgat attttgtgat ctccaaaag cttatcttgc 2820
agtgttttgt gaaacgcttg ggcacaaaca cttattttta tgaacaagag cttgtaaagg 2880
gaggagtatg ctccatgctc tcccattcac tacctgacag tatcaaacct tcacatttca 2940
atgaaatcca acgtccatgt aacatatcac atgacttttt ttgcaaaaaa gaataataaga 3000
agaaatagac ttcaatgtat tttttattac aactttgtac tggttgtaac ttgcattagg 3060
aaaaatgatt aatatatgta taatcgtaaa gaatctaata aaaatttact atgaagatat 3120
agcccttaaa atgcaatatt aacaacaaaa atatatagaa aatttagata atcttccttg 3180
ataactagag actatatgga actcacacca caaagctata tataatatga aaagataaac 3240
aatagagatt gtatatgtag acgattttat gacctaatgt cccattttaag aggtatttgt 3300
cttgagtata tagtacaaag tatattaaaa ttatatctac atccctgtat atcttataca 3360
tatccactca cacaacata acaataactt ttcacacaga accaaaaaca agcatacacc 3420
taatgttggg tttggggatt gcaatttcta ctttcataga gtcatagaat tttagatggg 3480
aaaaaaaaag gcatttttgc ctgcatttct taatataatt aattcaacag gaactgcaac 3540
atttgtgtac caagcaataa gtgcgaagca taaacctgct gtgtgtaaac tatccccata 3600
ctgcttgtgg tagcactgat ttctttcttt taaagaactt aacatcggag ctctttacaa 3660
tgttttgctg tgataagaat gcacatccca atttaacgca aagtgtcacc tgggtgtgtt 3720
acctgtctgt tttgggtatt tgggtctgtt ggtgtcctgt gctcttgact ggaggccctg 3780
ctactgcgaa tataaacgt gaagtttgtt tctaaatgca aaccactcct gaccttaaga 3840
aactaaagtc cctctctgct ttgtgtctcc aagtactatc atgtgacct aaccttgc 3900
gtgctgagta aaaagatgtg aactgtcatt ttgttgctgc gaagcaagt ttaataaaat 3960
gttctattta aaaaaaaaaa aa 3982

```

35 <210> 9
 <211> 854
 <212> PRT
 <213> Homo sapiens

40 <220>
 <223> Vacuolar assembly protein VSP41 gene

45 <400> 9
 Met Ala Glu Ala Val Glu Gln Glu Thr Gly Ser Leu Glu Glu Ser Thr
 1 5 10 15
 Asp Glu Ser Glu Glu Glu Glu Ser Glu Glu Glu Pro Lys Leu Lys Tyr
 20 25 30
 Glu Arg Leu Ser Asn Gly Val Thr Ile Leu Gln Lys Asp Ala Ala
 35 40 45
 Ser Cys Met Thr Val His Asp Lys Phe Leu Ala Leu Gly Thr His Tyr
 50 55 60
 Gly Lys Val Tyr Leu Leu Asp Val Gln Gly Asn Ile Thr Gln Lys Phe
 55 65 70 75 80

EP 1 284 298 A2

	Asp	Val	Ser	Pro	Val	Lys	Ile	Asn	Gln	Ile	Ser	Leu	Asp	Glu	Ser	Gly	
					85					90					95		
5	Glu	His	Met	Gly	Val	Cys	Ser	Glu	Asp	Gly	Lys	Val	Gln	Val	Phe	Gly	
				100					105					110			
	Leu	Tyr	Ser	Gly	Glu	Glu	Phe	His	Glu	Thr	Phe	Asp	Cys	Pro	Ile	Lys	
			115					120					125				
10	Ile	Ile	Ala	Val	His	Pro	His	Phe	Val	Arg	Ser	Ser	Cys	Lys	Gln	Phe	
		130					135					140					
	Val	Thr	Gly	Gly	Lys	Lys	Leu	Leu	Leu	Phe	Glu	Arg	Ser	Trp	Met	Asn	
	145					150					155					160	
15	Arg	Trp	Lys	Ser	Ala	Val	Leu	His	Glu	Gly	Glu	Gly	Asn	Ile	Arg	Ser	
					165					170					175		
	Val	Lys	Trp	Arg	Gly	His	Leu	Ile	Ala	Trp	Ala	Asn	Asn	Met	Gly	Val	
				180					185					190			
20	Lys	Ile	Phe	Asp	Ile	Ile	Ser	Lys	Gln	Arg	Ile	Thr	Asn	Val	Pro	Arg	
			195					200					205				
	Asp	Asp	Ile	Ser	Leu	Arg	Pro	Asp	Met	Tyr	Pro	Cys	Ser	Leu	Cys	Trp	
25		210					215					220					
	Lys	Asp	Asn	Val	Thr	Leu	Ile	Ile	Gly	Trp	Gly	Thr	Ser	Val	Lys	Val	
	225					230					235					240	
	Cys	Ser	Val	Lys	Glu	Arg	His	Ala	Ser	Glu	Met	Arg	Asp	Leu	Pro	Ser	
30					245					250					255		
	Arg	Tyr	Val	Glu	Ile	Val	Ser	Gln	Phe	Glu	Thr	Glu	Phe	Tyr	Ile	Ser	
				260					265					270			
	Gly	Leu	Ala	Pro	Leu	Cys	Asp	Gln	Leu	Val	Val	Leu	Ser	Tyr	Val	Lys	
35			275					280					285				
	Glu	Ile	Ser	Glu	Lys	Thr	Glu	Arg	Glu	Tyr	Cys	Ala	Arg	Pro	Arg	Leu	
	290						295					300					
	Asp	Ile	Ile	Gln	Pro	Leu	Ser	Glu	Thr	Cys	Glu	Glu	Ile	Ser	Ser	Asp	
40						310					315					320	
	Ala	Leu	Thr	Val	Arg	Gly	Phe	Gln	Glu	Asn	Glu	Cys	Arg	Asp	Tyr	His	
					325					330					335		
	Leu	Glu	Tyr	Ser	Glu	Gly	Glu	Ser	Leu	Phe	Tyr	Ile	Val	Ser	Pro	Arg	
45				340					345					350			
	Asp	Val	Val	Val	Ala	Lys	Glu	Arg	Asp	Gln	Asp	Asp	His	Ile	Asp	Trp	
			355					360					365				
	Leu	Leu	Glu	Lys	Lys	Lys	Tyr	Glu	Glu	Ala	Leu	Met	Ala	Ala	Glu	Ile	
50							375					380					
	Ser	Gln	Lys	Asn	Ile	Lys	Arg	His	Lys	Ile	Leu	Asp	Ile	Gly	Leu	Ala	
	385					390					395					400	
55	Tyr	Ile	Asn	His	Leu	Val	Glu	Arg	Gly	Asp	Tyr	Asp	Ile	Ala	Ala	Arg	

EP 1 284 298 A2

	405	410	415
5	Lys Cys Gln Lys Ile Leu Gly Lys Asn Ala Ala Leu Trp Glu Tyr Glu 420 425 430		
	Val Tyr Lys Phe Lys Glu Ile Gly Gln Leu Lys Ala Ile Ser Pro Tyr 435 440 445		
10	Leu Pro Arg Gly Asp Pro Val Leu Lys Pro Leu Ile Tyr Glu Met Ile 450 455 460		
	Leu His Glu Phe Leu Glu Ser Asp Tyr Glu Gly Phe Ala Thr Leu Ile 465 470 475 480		
15	Arg Glu Trp Pro Gly Asp Leu Tyr Asn Asn Ser Val Ile Val Gln Ala 485 490 495		
	Val Arg Asp His Leu Lys Lys Asp Ser Gln Asn Lys Thr Leu Leu Lys 500 505 510		
20	Thr Leu Ala Glu Leu Tyr Thr Tyr Asp Lys Asn Tyr Gly Asn Ala Leu 515 520 525		
	Glu Ile Tyr Leu Thr Leu Arg His Lys Asp Val Phe Gln Leu Ile His 530 535 540		
25	Lys His Asn Leu Phe Ser Ser Ile Lys Asp Lys Ile Val Leu Leu Met 545 550 555 560		
	Asp Phe Asp Ser Glu Lys Ala Val Asp Met Leu Leu Asp Asn Glu Asp 565 570 575		
30	Lys Ile Ser Ile Lys Lys Val Val Glu Glu Leu Glu Asp Arg Pro Glu 580 585 590		
	Leu Gln His Val Tyr Leu His Lys Leu Phe Lys Arg Asp His His Lys 595 600 605		
35	Gly Gln Arg Tyr His Glu Lys Gln Ile Ser Leu Tyr Ala Glu Tyr Asp 610 615 620		
	Arg Pro Asn Leu Leu Pro Phe Leu Arg Asp Ser Thr His Cys Pro Leu 625 630 635 640		
40	Glu Lys Ala Leu Glu Ile Cys Gln Gln Arg Asn Phe Val Glu Glu Thr 645 650 655		
	Val Tyr Leu Leu Ser Arg Met Gly Asn Ser Arg Ser Ala Leu Lys Met 660 665 670		
45	Ile Met Glu Glu Leu His Asp Val Asp Lys Ala Ile Glu Phe Ala Lys 675 680 685		
	Glu Gln Asp Asp Gly Glu Leu Trp Glu Asp Leu Ile Leu Tyr Ser Ile 690 695 700		
50	Asp Lys Pro Pro Phe Ile Thr Gly Leu Leu Asn Asn Ile Gly Thr His 705 710 715 720		
	Val Asp Pro Ile Leu Leu Ile His Arg Ile Lys Glu Gly Met Glu Ile 725 730 735		
55			

EP 1 284 298 A2

Pro Asn Leu Arg Asp Ser Leu Val Lys Ile Leu Gln Asp Tyr Asn Leu
740 745 750

5 Gln Ile Leu Leu Arg Glu Gly Cys Lys Lys Ile Leu Val Ala Asp Ser
755 760 765

Leu Ser Leu Leu Lys Lys Met His Arg Thr Gln Met Lys Gly Val Leu
770 775 780

10 Val Asp Glu Glu Asn Ile Cys Glu Ser Cys Leu Ser Pro Ile Leu Pro
785 790 795 800

Ser Asp Ala Ala Lys Pro Phe Ser Val Val Val Phe His Cys Arg His
805 810 815

15 Met Phe His Lys Glu Cys Leu Pro Met Pro Ser Met Asn Ser Ala Ala
820 825 830

Gln Phe Cys Asn Ile Cys Ser Ala Lys Asn Arg Gly Pro Gly Ser Ala
835 840 845

20 Ile Leu Glu Met Lys Lys
850

<210> 10
<211> 770
25 <212> PRT
<213> Rattus norvegicus

<220>
<223> Git 1

30 <400> 10
Met Ser Arg Lys Gly Pro Arg Ala Glu Val Cys Ala Asp Cys Ser Ala
1 5 10 15

35 Pro Asp Pro Gly Trp Ala Ser Ile Ser Arg Gly Val Leu Val Cys Asp
20 25 30

Glu Cys Cys Ser Val His Arg Ser Leu Gly Arg His Ile Ser Ile Val
35 40 45

40 Lys His Leu Arg His Ser Ala Trp Pro Pro Thr Leu Leu Gln Met Val
50 55 60

His Thr Leu Ala Ser Asn Gly Ala Asn Ser Ile Trp Glu His Ser Leu
65 70 75 80

45 Leu Asp Pro Ala Gln Val Gln Ser Gly Arg Arg Lys Ala Asn Pro Gln
85 90 95

Asp Lys Val His Pro Ile Lys Ser Glu Phe Ile Arg Ala Lys Tyr Gln
100 105 110

50 Met Leu Ala Phe Val His Lys Leu Pro Cys Arg Asp Asp Asp Gly Val
115 120 125

Thr Ala Lys Asp Leu Ser Lys Gln Leu His Ser Ser Val Arg Thr Gly
130 135 140

55 Asn Leu Glu Thr Cys Leu Arg Leu Leu Ser Leu Gly Ala Gln Ala Asn

EP 1 284 298 A2

	145		150		155		160
	Phe Phe His Pro Glu Lys Gly Thr Thr Pro Leu His Val Ala Ala Lys						
		165			170		175
5	Ala Gly Gln Thr Leu Gln Ala Glu Leu Leu Val Val Tyr Gly Ala Asp						
		180			185		190
	Pro Gly Ser Pro Asp Val Asn Gly Arg Thr Pro Ile Asp Tyr Ala Arg						
		195			200		205
10	Gln Ala Gly His His Glu Leu Ala Glu Arg Leu Val Glu Cys Gln Tyr						
		210			215		220
	Glu Leu Thr Asp Arg Leu Ala Phe Tyr Leu Cys Gly Arg Lys Pro Asp						
		225			230		235
15	His Lys Asn Gly His Tyr Ile Ile Pro Gln Met Ala Asp Arg Ser Arg						
		245			250		255
	Gln Lys Cys Met Ser Gln Ser Leu Asp Leu Ser Glu Leu Ala Lys Ala						
		260			265		270
20	Ala Lys Lys Lys Leu Gln Ala Leu Ser Asn Arg Leu Phe Glu Glu Leu						
		275			280		285
	Ala Met Asp Val Tyr Asp Glu Val Asp Arg Arg Glu Asn Asp Ala Val						
		290			295		300
25	Trp Leu Ala Thr Gln Asn His Ser Thr Leu Val Thr Glu Arg Ser Ala						
		305			310		315
	Val Pro Phe Leu Pro Val Asn Pro Glu Tyr Ser Ala Thr Arg Asn Gln						
		325			330		335
30	Gly Arg Gln Lys Leu Ala Arg Phe Asn Ala Arg Glu Phe Ala Thr Leu						
		340			345		350
	Ile Ile Asp Ile Leu Ser Glu Ala Lys Arg Arg Gln Gln Gly Lys Ser						
		355			360		365
35	Leu Ser Ser Pro Thr Asp Asn Leu Glu Leu Ser Ala Arg Asn Gln Ser						
		370			375		380
	Asp Leu Asp Asp Gln His Asp Tyr Asp Ser Val Ala Ser Asp Glu Asp						
		385			390		395
40	Thr Asp Gln Glu Pro Leu Pro Ser Ala Gly Ala Thr Arg Asn Asn Arg						
		405			410		415
	Ala Arg Ser Met Asp Ser Ser Asp Leu Ser Asp Gly Ala Val Thr Leu						
		420			425		430
45	Gln Glu Tyr Leu Glu Leu Lys Lys Ala Leu Ala Thr Ser Glu Ala Lys						
		435			440		445
50	Val Gln Gln Leu Met Lys Val Asn Ser Ser Leu Ser Asp Glu Leu Arg						
		450			455		460
	Lys Leu Gln Arg Glu Ile His Lys Leu Gln Ala Glu Asn Leu Gln Leu						
		465			470		475
55							480

EP 1 284 298 A2

[illegible]

<220>
 <223> Git 1

5
 <400> 11
 gcccgcgccc cccacgctgg cccagagggc tgcggccgct tcgcccgtga ggatgtcccg 60
 gaagggggcg cgagcggagg tgtgtgcgga ctgcagcgcc cctgaccctg gctggggcatc 120
 tatcagcaga ggtgtgctgg tttgtgacga gtgctgcagt gtgcaccgga gcctgggacg 180
 10 acacatctcc attgtcaaac accttcgcca cagcgcctgg cctcctacgc tgctacagat 240
 ggtgcacacg cttgccagca acgggggcca ctctatctgg gagcattccc tgctggacce 300
 tgcacaagtg caaagtggcc ggcgcaaaagc caaccccaa gacaaagtcc accccatcaa 360
 gtcagagttc atcagggcaa agtaccagat gctggcggtt gtgcacaagc tccctgccc 420
 tgatgatgat ggggtcaccg ccaaagacct cagcaagcaa ctgcactcga gtgtgcgaac 480
 aggcaacctg gagacctgtc tgcgcctgct tccctgggt gccaggcca acttcttcca 540
 15 cccagaaaag ggcactacac ctctacacgt ggctgccaaag gcagggcaga cactgcaggc 600
 tgagctgcta gtagtgatg gggctgaccc aggtccccc gatgtcaatg gccgcacacc 660
 cattgactat gccaggcagg cggggcacca tgaactggca gaaaggctag ttgagtgcga 720
 gtatgagctc actgaccggt tggccttcta cctctgtgga cggaagcctg atcacaagaa 780
 tgggcattac atcataccac agatggctga cagatctcgg caaaagtga tgtctcagag 840
 20 tttggaatctg tctgaattgg ccaaagctgc caagaagaag ctacaagcac tcagcaaccg 900
 gctctttgag gagctcgcca tggatgtgta tgacgaagtg gaccggagag aaaatgatgc 960
 agtgtggcta gctacccaga atcatagcac cctggtgaca gaacgcagtg ctgtgccctt 1020
 cctgccagtc aacctgaat actcagccac tcggaatcag ggacgacaga aattggctcg 1080
 ttttaatgcc cgagagtttg ccaccttgat catcgacatc ctcaagtagg ccaaaccgag 1140
 gcagcagggc aagagtctga gcagccccc agacaacctc gagctgtctg cacggaacca 1200
 25 aagtgcactg gacgaccagc acgactacga tagtgtggct tctgacgaag acacagacca 1260
 ggagcccttg cccagtgtctg ggcgccacgc gaacaatcgt gccaggagca tggactcctc 1320
 agatctgtcg gatggggctg tgacgtgca ggagtacctg gagctgaaga aggtctctggc 1380
 tacctccgag gccaaagtgc agcagctcat gaaagtcaac agcagtctga gtgacgagct 1440
 tcggaagctg cagagggaga tccacaaact gcaggcagag aacctgcagc tccggcagcc 1500
 accaggacca gtgcctgtac cctcacttcc cagtgaacgc gcagaacaca cactcatggg 1560
 30 ccttgggtga agtaccatc gcagggaccg ccaggccttc tctatgtatg agccaggctc 1620
 cgccctgaag ccctttggag gtgcacctgg gtagtgagtc gccacacgpc tccagccttt 1680
 ccacagcaca gagctggaag atgatgccat ctattcagta catgtccctg ctggccttta 1740
 cgggatccgg aagggggtgt ctgcctcttc tgtgaccttc actccctcct cccactgct 1800
 gtcaagctcc caagaaggaa gtcgccatgc gagcaagctt tcacgccacg gcagtggcgc 1860
 agagagtgc tatgagaaca cacagagtgg agagcctctg ctgggacttg aagggaagcg 1920
 35 attcctagag ctgagcaagg aggatgagct gcacgctgag ctggagagct tagatggaga 1980
 cccagacccc gggctcccca gcacagaaga tgtatccta aagacagagc aggtcaccac 2040
 gaacattcag gagctattgc gggcagccca ggagttaaaa catgacagct ttgtgccctg 2100
 ttcagaaaag atccatttgg ctgtgactga gatggcctct ctcttcccaa agaggccagc 2160
 cctggagcct gtgcgcagtt cactgcggct gctcaacgcc agcgcctacc ggctgcagag 2220
 40 tgaatgccgg aagacagtgc ctccagaacc tggcgccct gtggacttcc agctactgac 2280
 tcagcaggtg atccagtgcg cctatgacat cgccaaggct gccaaagcagc tggtcaccat 2340
 caccaccgga gagaagaaac agtgaccact tccctgccc ttaccacac cctgggacct 2400
 cactggccat gggagctggg ccactccaga cactaaccac ccccaacag agccactggc 2460
 acaagtgcct ttagtgccac cattctcctc tggcatccag gtgccctggg gtccacaccc 2520
 45 ccttaagccc caaggatggg aatgtgaggt gacaggacca tctgtcccc acattccacg 2580
 cccctccctc tgtacatagc atccctgccc tgctgatacg caggagcctc aaggagtccc 2640
 tcccagctct tcacctgct tccaggggccc cctcagcaaa ggggtgggaca gggacactcc 2700
 aagtggggca gcccgccta ctgcacctc tccccatgag ccagttcagc cctggggggg 2760
 cgagcagagg caccacctcc tttgtgcatt atctmtgggt gtytytgccc cgtagccagc 2820
 agcccccccg ctgctcttcc atgacaaatg gcccctgcca gagcacaggc cccaacttgt 2880
 50 gtgccagggt cccagcagc aaacactgga acgtcttct cccccctacc ccttaatttt 2940
 aactttgtgg taactgagt tccctgcgtt cttacaactg agtgtgtgag cggcagtgcc 3000
 gtgccagaga cctgggtcac ctggagctct gaggggcagg ggaaccagag tagtgggacc 3060
 agcattggaa gtcagcttcc ctctacccaa cctggggcgg ggactgtcag ggtcaccagc 3120
 tgtgggtccag ttgtacccc tacttgtatc cctatcctat aaacttaaaa ggaaaaccac 3180
 55 ttcctcccat ctctcccat cccctgtggg aagtgtgctg accaggcaga ggacag 3236

EP 1 284 298 A2

<210> 12
 <211> 136
 <212> PRT
 <213> Homo sapiens
 5
 <220>
 <223> Histone H3.3
 10
 <400> 12
 Met Ala Arg Thr Lys Gln Thr Ala Arg Lys Ser Thr Gly Gly Lys Ala
 1 5 10 15
 Pro Arg Lys Gln Leu Ala Thr Lys Ala Ala Arg Lys Ser Ala Pro Ser
 20 25 30
 15
 Thr Gly Gly Val Lys Lys Pro His Arg Tyr Arg Pro Gly Thr Val Ala
 35 40 45
 Leu Arg Glu Ile Arg Arg Tyr Gln Lys Ser Thr Glu Leu Leu Ile Arg
 50 55 60
 20
 Lys Leu Pro Phe Gln Arg Leu Val Arg Glu Ile Ala Gln Asp Phe Lys
 65 70 75 80
 Thr Asp Leu Arg Phe Gln Ser Ala Ala Ile Gly Ala Leu Gln Glu Ala
 85 90 95
 25
 Ser Glu Ala Tyr Leu Val Gly Leu Phe Glu Asp Thr Asn Leu Cys Ala
 100 105 110
 Ile His Ala Lys Arg Val Thr Ile Met Pro Lys Asp Ile Gln Leu Ala
 115 120 125
 30
 Arg Arg Ile Arg Gly Glu Arg Ala
 130 135
 35
 <210> 13
 <211> 1039
 <212> DNA
 <213> Homo sapiens
 40
 <220>
 <223> Histone H3.3
 <400> 13
 45
 tggttcgcagc cgccgcgcgc cgccgcgcgc tctccaacgc cagcgccgcc tctcgctcgc 60
 gtaagtaagg. aggtctctgc gagctccagc cgaagagaag ggggtaccat ggctcgtaca 120
 aagcagactg cccgcaaadc gaccggtggt aaagcaccca ggaagcaact ggctacaaaa 180
 gccgctcgca agagtgcgcc ctctactgga ggggtgaaga aacctcatcg ttacaggcct 240
 ggtactgtgg cgctccgtga aattagacgt tatcagaagt ccactgaact tctgattcgc 300
 aaacttcctt tccagcgtct ggtgcgagaa attgctcagg actttaaaac agatctgcgc 360
 ttccagagcg cagctatcgg tgctttgcag gaggcaagtg aggcctatct gggtggcctt 420
 50
 tttgaagaca ccaacctgtg tgctatccat gccaaacgtg taacaattat gccaaaagac 480
 atccagctag cagcccgcat acgtggagaa cgtgcttaag aatccactat gatgggaaac 540
 atttcattct caaaaaaaaaa aaaaaaattt ctcttcttcc tggtattggt agttctgaac 600
 gttagatatt ttttttccat ggggtcaaag gtacctaagt atatgattgc gaggggaaaa 660
 ataggggaca gaaatcaggt attggcagtt tttccatttt catttggtgtg tgaattttta 720
 atataaatgc ggagacgtaa agcattaatg caagttaaaa tgtttcagtg aacaagtttc 780
 55
 agcgggtcaa ctttataata attataaata aacctgttaa attttcttg acaatgccag 840

EP 1 284 298 A2

catttggatt tctttaaaac aagtaaattt cttattgatg gcaactaaat ggtgtttgta 900
gcatttttat catacagtag attccatcca ttactatac ttttctaact gagttgtcct 960
acatgcaagt acatgttttt aatgttgtct gtcttctgtg ctgttctctgt aagtttgcta 1020
ttaaaataca ttaaactat 1039

<210> 14
<211> 520
<212> PRT
<213> Rattus norvegicus

<220>
<223> Cytosolic 3-hydroxy 3-methylglutaryl coenzyme A synthase

<400> 14
Met Pro Gly Ser Leu Pro Leu Asn Ala Glu Ala Cys Trp Pro Lys Asp
1 5 10 15
Val Gly Ile Val Ala Leu Glu Ile Tyr Phe Pro Ser Gln Tyr Val Asp
20 25 30
Gln Ala Glu Leu Glu Lys Tyr Asp Gly Val Asp Ala Gly Lys Tyr Thr
35 40 45
Ile Gly Leu Gly Gln Ala Arg Met Gly Phe Cys Thr Asp Arg Glu Asp
50 55 60
Ile Asn Ser Leu Cys Leu Thr Val Val Gln Lys Leu Met Glu Arg Asn
65 70 75 80
Ser Leu Ser Tyr Asp Cys Ile Gly Arg Leu Glu Val Gly Thr Glu Thr
85 90 95
Ile Ile Asp Lys Ser Lys Ser Val Lys Ser Asn Leu Met Gln Leu Phe
100 105 110
Glu Glu Ser Gly Asn Thr Asp Ile Glu Gly Ile Asp Thr Thr Asn Ala
115 120 125
Cys Tyr Gly Gly Thr Ala Ala Val Phe Asn Ala Val Asn Trp Ile Glu
130 135 140
Ser Ser Ser Trp Asp Gly Arg Tyr Ala Leu Val Val Ala Gly Asp Ile
145 150 155 160
Ala Ile Tyr Ala Ser Gly Asn Ala Arg Pro Thr Gly Gly Val Gly Ala
165 170 175
Val Ala Leu Leu Ile Gly Pro Asn Ala Pro Val Ile Phe Asp Arg Gly
180 185 190
Leu Arg Gly Thr His Met Gln His Ala Tyr Asp Phe Tyr Lys Pro Asp
195 200 205
Met Leu Ser Glu Tyr Pro Val Val Asp Gly Lys Leu Ser Ile Gln Cys
210 215 220
Tyr Leu Ser Ala Leu Asp Arg Cys Tyr Ser Val Tyr Arg Lys Lys Ile
225 230 235 240
Arg Ala Gln Trp Gln Lys Glu Gly Lys Asp Lys Asp Phe Thr Leu Asn

EP 1 284 298 A2

	245	250	255
5	Asp Phe Gly Phe Met Ile Phe His Ser Pro Tyr Cys Lys Leu Val Gln 260	265	270
	Lys Ser Leu Ala Arg Met Phe Leu Asn Asp Phe Leu Asn Asp Gln Asn 275	280	285
10	Arg Asp Lys Asn Ser Ile Tyr Ser Gly Leu Glu Ala Phe Gly Asp Val 290	295	300
	Lys Leu Glu Asp Thr Tyr Phe Asp Arg Asp Val Glu Lys Ala Phe Met 305	310	315
15	Lys Ala Ser Ala Glu Leu Phe Asn Gln Lys Thr Lys Ala Ser Leu Leu 325	330	335
	Val Ser Asn Gln Asn Gly Asn Met Tyr Thr Ser Ser Val Tyr Gly Ser 340	345	350
20	Leu Ala Ser Val Leu Ala Gln Tyr Ser Pro Gln Gln Leu Ala Gly Lys 355	360	365
	Arg Ile Gly Val Phe Ser Tyr Gly Ser Gly Leu Ala Ala Thr Leu Tyr 370	375	380
25	Scr Leu Lys Val Thr Gln Asp Ala Thr Pro Gly Ser Ala Leu Asp Lys 385	390	395
	Ile Thr Ala Ser Leu Cys Asp Leu Lys Ser Arg Leu Asp Ser Arg Thr 405	410	415
30	Cys Val Ala Pro Asp Val Phe Ala Glu Asn Met Lys Leu Arg Glu Asp 420	425	430
	Thr His His Leu Ala Asn Tyr Ile Pro Gln Cys Ser Ile Asp Ser Leu 435	440	445
35	Phe Glu Gly Thr Trp Tyr Leu Val Arg Val Asp Glu Lys His Arg Arg 450	455	460
	Thr Tyr Ala Arg Arg Pro Ser Thr Asn Asp His Ser Leu Asp Glu Gly 465	470	475
40	Val Gly Leu Val His Ser Asn Thr Ala Thr Glu His Ile Pro Ser Pro 485	490	495
	Ala Lys Lys Val Pro Arg Leu Pro Ala Thr Ser Gly Glu Pro Glu Ser 500	505	510
45	Ala Val Ile Ser Asn Gly Glu His 515	520	

50	<210> 15 <211> 3275 <212> DNA <213> Rattus norvegicus
55	<220> <223> Cytosolic 3-hydroxy 3-methylglutaryl coenzyme A synthase

<400> 15

	cccagggtcc	gatcgcgttt	ggtgcctgaa	ggaggaaaccg	gtgacagacc	tggagactac	60
	agttctctgt	ccttcacaca	gctctttcac	catgcctggg	tcacttcctt	tgaatgcaga	120
5	ggcttgctgg	ccaaaagatg	tgggaatcgt	tgcccttgaa	atctactttc	cttctcagta	180
	tgttgatcaa	gctgagttgg	aaaaatacga	tgggtgtagat	gctggaaaagt	ataccattgg	240
	cctggggccag	gccaggatgg	gcttctgcac	ggatcgcgaa	gacatcaact	ctctctgcct	300
	gactgtgggt	cagaaaactga	tggagagaaa	tagcctttcc	tatgactgca	ttgggcggct	360
	ggaagtccgg	acagagacaa	tcacgcacaa	atcaaaatcc	gtgaagtcta	at ttgatgca	420
10	gctgtttgag	gagtctggga	atacagatat	agaagggaata	gatacaacta	atgcatgcta	480
	tgggggcaca	gccgcagctc	tcaatgctgt	gaactggatc	gaatccagct	cttgggatgg	540
	acgatacgct	ttggtagttg	caggagacat	cgctatata	gcctcaggaa	acgccaggcc	600
	tacaggtagg	gttggagctg	tggctctgct	aattgggcca	aatgctcctg	taatttttga	660
	ccgagggcct	cgtgggacac	acatgcagca	tgcttacgac	ttttacaagc	ctgacatgct	720
	ctctgaatac	cctgtggtag	atggaaaact	ctccatacag	tgctacctca	gcgcattgga	780
15	ccgctgctat	tctgtctacc	gcaaaaagat	ccggggcccag	tggcagaaa	agggaaaagga	840
	taaagatttt	accctgaatg	at ttgtggct	catgatcttt	cactcgccat	actgtaaact	900
	ggtgcagaaa	tctctagcta	ggatgttctc	gaatgacttt	cttaacgatc	aaaacagaga	960
	caaaaacagt	at ttacagt	ggctggaagc	ctttggggat	gtgaaattag	aagatactta	1020
	cttcgacaga	gatgtgga	aggcatttat	gaaggctagt	gctgagctat	tcaaccagaa	1080
20	aacaaaggca	tctttgcttg	tatcgaatca	aaatggaaac	atgtacacat	cctctgtata	1140
	cggttccctt	gcttctgttc	tggcacagta	ctcacctcaa	cagttggccg	ggaagagatt	1200
	tggagtgttc	tcttacggtt	ctggcttggc	tgccacactc	tactccctta	aagtcacaca	1260
	agatgccaca	ccaggatctg	ctcttgacaa	aataacagca	agtttatgtg	accttaagtc	1320
	aaggcttgac	tcaagaacgt	gtgtggcacc	agacgtcttt	gctgaaaaca	tgaagctcag	1380
	agaggacaca	catcacttag	ccaactatat	tcccagtg	tcaatagatt	cactcttcga	1440
25	aggaacatgg	tatctagtga	gagtggatga	aaagcacaga	agaacttacg	cccggcgtcc	1500
	ctccacaaat	gaccacagtt	tggatgaagg	agtgggactt	gtgcattcaa	acacagctac	1560
	agagcatatt	ccaagcccgg	ctaagaaagt	gccaaagact	cctgcgacct	cgggcgaacc	1620
	tgagtccggc	gtcatcagta	acggggagca	ctgagagccg	tggccttcac	agaggctcgg	1680
	ggctggatgg	ggtatgggaa	acgttagagg	aatggatgtc	ttgggacaat	tttacagatt	1740
	acgtgttgct	taaaaatgta	atgtaactga	cacagagccc	agaaaactgt	tgtgtttttg	1800
30	gagaagtctc	gctgagctcc	taacacactt	cctgctgtgg	gctggccaat	ggtgaatgta	1860
	ctgcgatggt	gttaagggct	ctgcagaacg	tcatacctcg	ctgcatgttt	acacgcagtc	1920
	gggttaggct	tcaaaactcg	tctgaactga	gtgcttctga	ctgcaaaggg	agaggtactg	1980
	ctgtccagtt	taaaaaattg	tttttttttt	ttttaatgtg	taagaatttt	tatacttaaa	2040
	taaaaaaaag	tacctgtagc	ttttggggga	aaaaaaaaaa	cctttttcta	ggttggggat	2100
	tgtggaattt	aatgtttaca	cataaactct	gcttaatggc	aaggcaaaaca	tttatctttt	2160
35	tcgaagattt	ataaatcctg	aagagaaaaa	aagagggtat	ggttcttaga	tctggatgaa	2220
	ccatcagtga	gaaagggttag	tcataatcaa	gtgagcagaa	ggatgctggc	gttgagcagg	2280
	cctctgtcac	agcaaccagg	gctctgtggg	cacagctgag	ggaactttct	ggccagggtg	2340
	ccgtgactgc	tgctcagctg	cactgagatg	cagtggagct	gctgcacgga	agcttgctgt	2400
	ggtgctgaac	gccttacctg	cggataaagt	gtaaatgagg	agggatgggc	agggcactat	2460
40	taggttacag	tgttacagac	ccaggttata	gacttgacag	ctcaaaactca	ccagacacct	2520
	ttttcccttt	gtggtttggt	tattttttgt	gttttggttt	ttttttttta	tattgttcaa	2580
	tttaaaaaat	ttagaaaatt	ttaaccttac	gttttcacat	agtgtgatta	gccaaaagga	2640
	at ttcacttc	aagatctaga	aatagaattc	ataacatttt	ttcctaaact	ttgactttta	2700
	aaacaacgaa	aattaccaca	tgagatgaac	aagaaaattc	attagaaagt	tctctgggtg	2760
	at ttttggtg	ctgaactgac	atgagcctca	tagactgtaa	aacagaggta	gttgaaacta	2820
45	atgtacagaa	ctacattttt	taattttatt	tgcatttaat	tctgtgaagt	ttcagttatc	2880
	taaaataaac	acataaacgt	gtaatgtttc	agattgcaag	gtgagatgta	atgtagcatt	2940
	tgtaagatat	tcttgtcaat	attaactggg	aggattttga	tttgtacagt	tttaattggg	3000
	taaaatgatc	tcattttaac	atccactgct	atagatgaat	gatgtaagct	cagatttaat	3060
	gaatggtggg	gaaatggtgc	atgtaatttt	ttcgcaagta	tcgagagtcc	tgtatgtttt	3120
	gaaaagaata	at ttaacgtt	tgggttgcca	ggaagggggc	tttcccagag	tccattgcca	3180
50	ggcgttgggc	aagcctcgca	atgttggcac	ggagcgttaa	ccacacctta	ctaatagcaa	3240
	ggggaataac	tttgaaataa	agtttttagac	aaata			3275

<210> 16

<211> 353

<212> PRT

EP 1 284 298 A2

<213> Rattus norvegicus

<220>

<223> farnesyl pyrophosphate synthetase

<400> 16

Met Asn Gly Asp Gln Lys Leu Asp Val His Asn Gln Glu Lys Gln Asn
1 5 10 15

Phe Ile Gln His Phe Ser Gln Ile Val Lys Val Leu Thr Glu Asp Glu
20 25 30

Leu Gly His Pro Glu Lys Gly Asp Ala Ile Thr Arg Ile Lys Glu Val
35 40 45

Leu Glu Tyr Asn Thr Val Gly Gly Lys Tyr Asn Arg Gly Leu Thr Val
50 55 60

Val Gln Thr Phe Gln Glu Leu Val Glu Pro Arg Lys Gln Asp Ala Glu
65 70 75 80

Ser Leu Gln Arg Ala Leu Thr Val Gly Trp Cys Val Glu Leu Leu Gln
85 90 95

Ala Phe Phe Leu Val Leu Asp Asp Ile Met Asp Ser Ser His Thr Arg
100 105 110

Arg Gly Gln Ile Cys Trp Tyr Gln Lys Pro Gly Ile Gly Leu Asp Ala
115 120 125

Ile Asn Asp Ala Leu Leu Leu Glu Ala Ala Ile Tyr Arg Leu Leu Lys
130 135 140

Phe Tyr Cys Arg Glu Gln Pro Tyr Tyr Leu Asn Leu Leu Glu Leu Phe
145 150 155 160

Leu Gln Ser Ser Tyr Gln Thr Glu Ile Gly Gln Thr Leu Asp Leu Ile
165 170 175

Thr Ala Pro Gln Gly Gln Val Asp Leu Gly Arg Tyr Thr Glu Lys Arg
180 185 190

Tyr Lys Ser Ile Val Lys Tyr Lys Thr Ala Phe Tyr Ser Phe Tyr Leu
195 200 205

Pro Ile Ala Ala Ala Met Tyr Met Ala Gly Ile Asp Gly Glu Lys Glu
210 215 220

His Ala Asn Ala Leu Lys Ile Leu Leu Glu Met Gly Glu Phe Phe Gln
225 230 235 240

Ile Gln Asp Asp Tyr Leu Asp Leu Phe Gly Asp Pro Ser Val Thr Gly
245 250 255

Lys Val Gly Thr Asp Ile Gln Asp Asn Lys Cys Ser Trp Leu Val Val
260 265 270

Gln Cys Leu Leu Arg Ala Thr Pro Gln Gln Arg Gln Ile Leu Glu Glu
275 280 285

Asn Tyr Gly Gln Lys Asp Pro Glu Lys Val Ala Arg Val Lys Ala Leu
290 295 300

EP 1 284 298 A2

Tyr Glu Glu Leu Asp Leu Arg Ser Val Phe Phe Lys Tyr Glu Glu Asp
 305 310 315 320
 5 Ser Tyr Asn Arg Leu Lys Ser Leu Ile Glu Gln Cys Ser Ala Pro Leu
 325 330 335
 Pro Pro Ser Ile Phe Leu Glu Leu Ala Asn Lys Ile Tyr Lys Arg Arg
 340 345 350
 10 Lys
 <210> 17
 15 <211> 1271
 <212> DNA
 <213> Rattus norvegicus
 <220>
 20 <223> farnesyl pyrophosphate synthetase
 <400> 17
 ttatatattg gttctgccta ctgagccggg agtctgggaa ctacaactcc cagagtgcctg 60
 agcggatgca cgctctgctt ttaggtgtaa gccgcaaaca tcttggaacc cgggagaatc 120
 cgcggttgag cacagagcat ttagctcctc tgtcagaatg aatggggacc agaaactgga 180
 25 tggttcataac caagaaaagc agaatttcat ccagcacttc tcccagattg tcaagggtgct 240
 gactgaggat gaactgggac acccagagaa gggagatgct attaccggga tcaaagaggt 300
 cctggagtac aacactgtag gaggcaagta caatcggggg ctgacgggtg tacagacctt 360
 ccaggaactg gtggaaccaa ggaaacagga tgctgagagc ctacagcggg ccctgacggg 420
 gggctggtgt gtagaactgc tccaggcttt cttcctcgtg ttagatgaca tcatggactc 480
 ttcccacact cgccgggggc agatctgctg gtatcagaag ccgggcatag gcttggatgc 540
 30 catcaacgat gctctgcttc tggaagccgc tatctaccgc ctgcttaagt tctactgcag 600
 ggagcagccc tactacctca acctgctgga gctctttcta cagagtacct atcagactga 660
 gatcgggcag actctcgacc tcatcacagc acccagggc caagtggatc ttggtagata 720
 cactgaaaag aggtacaaat ctatcgtcaa gtacaagaca gctttctact ctttctacct 780
 gcctatcgcg gctgccatgt acatggctgg aattgatggg gagaaggaac acgctaattc 840
 cctgaagatc ctgctggaga tgggcgagtt cttccagatc caggacgact accttgatct 900
 35 ctttggagac ccagtggtga ccggaaaggt cggcactgac atccaggaca acaaatgcag 960
 ctggctgggtg gttcagtgtc tgctacgagc cactcctcag cagcgccaga tcttagagga 1020
 gaattatggg cagaaggacc cagaaaaagt ggcgcggtgt aaagcactgt acgaggagct 1080
 ggatctgcgg agtgtgttct tcaagtacga ggaagacagt tacaaccgcc tcaagagtct 1140
 catagagcag tgctccgcgc ccctgcccc atccatcttc ctggaactag caaacaagat 1200
 40 ctacaagcgg agaaagtaac ctgaattgt agaggctgcg agggaggggt ctcaataaat 1260
 tattgttcaa c 1271
 <210> 18
 <211> 152
 45 <212> PRT
 <213> Rattus norvegicus
 <220>
 <223> Bendless protein
 50 <400> 18
 Met Ala Gly Leu Pro Arg Arg Ile Ile Lys Glu Thr Gln Arg Leu Leu
 1 5 10 15
 55 Ala Glu Pro Val Pro Gly Ile Lys Ala Glu Pro Asp Glu Ser Asn Ala
 20 25 30

EP 1 284 298 A2

Arg Tyr Phe His Val Val Ile Ala Gly Pro Gln Asp Ser Pro Phe Glu
 35 40 45
 5 Gly Gly Thr Phe Lys Leu Glu Leu Phe Leu Pro Glu Glu Tyr Pro Met
 50 55 60
 Ala Ala Pro Lys Val Arg Phe Met Thr Lys Ile Tyr His Pro Asn Val
 65 70 75 80
 10 Asp Lys Leu Gly Arg Ile Cys Leu Asp Ile Leu Lys Asp Lys Trp Ser
 85 90 95
 Pro Ala Leu Gln Ile Arg Thr Val Leu Leu Ser Ile Gln Ala Leu Leu
 100 105 110
 15 Ser Ala Pro Asn Pro Asp Asp Pro Leu Ala Asn Asp Val Ala Glu Gln
 115 120 125
 Trp Lys Ser Asn Glu Ala Gln Ala Ile Glu Thr Ala Arg Ala Trp Thr
 130 135 140
 20 Arg Leu Tyr Ala Met Asn Asn Ile
 145 150
 25 <210> 19
 <211> 459
 <212> DNA
 <213> Rattus norvegicus
 30 <220>
 <223> Bendless protein
 <400> 19
 atggccgggc tgccccgcag gatcatcaag gaaaccacgc gtttgctggc agaaccagtt 60
 35 cctggcatta aagcagaacc agatgagagc aacgcccgtt attttcatgt ggtcattgct 120
 ggtccccagg attccccctt tgagggaggg acttttaaac ttgaactatt ccttccagaa 180
 gaatacccaa tggcagcacc taaagtacgt ttcattgacca aaatttatca tcctaattga 240
 gacaagttgg gaagaatatg tttagatatt ttgaaagata agtgggtcccc agcactgcag 300
 atccgaacag ttctgctatc aatccaggct ttgctaagtg ctcctaatacc agatgatcca 360
 ttagcaaatg atgtagctga gcagtgggaag agcaacgaag cccaagccat agaaacagca 420
 40 agagcatgga ctaggctata tgccatgaat aatattttaa 459
 <210> 20
 <211> 2505
 <212> PRT
 45 <213> Rattus norvegicus
 <220>
 <223> Fatty acid synthase
 50 <400> 20
 Met Glu Glu Val Val Ile Ala Gly Met Ser Gly Lys Leu Pro Glu Ser
 1 5 10 15
 Glu Asn Leu Gln Glu Phe Trp Ala Asn Leu Ile Gly Gly Val Asp Met
 20 25 30
 55

EP 1 284 298 A2

	Val	Thr	Asp	Asp	Asp	Arg	Arg	Trp	Lys	Ala	Gly	Leu	Tyr	Gly	Leu	Pro	
			35					40					45				
5	Lys	Arg	Ser	Gly	Lys	Leu	Lys	Asp	Leu	Ser	Lys	Phe	Asp	Ala	Ser	Phe	
			50				55					60					
	Phe	Gly	Val	His	Pro	Lys	Gln	Ala	His	Thr	Met	Asp	Pro	Gln	Leu	Arg	
	65					70					75					80	
10	Leu	Leu	Leu	Glu	Val	Ser	Tyr	Glu	Ala	Ile	Val	Asp	Gly	Gly	Ile	Asn	
					85					90					95		
	Pro	Ala	Ser	Leu	Arg	Gly	Thr	Asn	Thr	Gly	Val	Trp	Val	Gly	Val	Ser	
				100					105					110			
15	Gly	Ser	Glu	Ala	Ser	Glu	Ala	Leu	Ser	Arg	Asp	Pro	Glu	Thr	Leu	Leu	
			115					120					125				
	Gly	Tyr	Ser	Met	Val	Gly	Cys	Gln	Arg	Ala	Met	Met	Ala	Asn	Arg	Leu	
	130					135						140					
20	Ser	Phe	Phe	Phe	Asp	Phe	Lys	Gly	Pro	Ser	Ile	Ala	Leu	Asp	Thr	Ala	
	145					150					155					160	
	Cys	Ser	Ser	Ser	Leu	Leu	Ala	Leu	Gln	Asn	Ala	Tyr	Gln	Ala	Ile	Arg	
					165					170					175		
25	Ser	Gly	Glu	Cys	Pro	Ala	Ala	Ile	Val	Gly	Gly	Ile	Asn	Leu	Leu	Leu	
				180					185					190			
	Lys	Pro	Asn	Thr	Ser	Val	Gln	Phe	Met	Lys	Leu	Gly	Met	Leu	Ser	Pro	
			195					200					205				
30	Asp	Gly	Thr	Cys	Arg	Ser	Phe	Asp	Asp	Ser	Gly	Asn	Gly	Tyr	Cys	Arg	
	210						215					220					
	Ala	Glu	Ala	Val	Val	Ala	Val	Leu	Leu	Thr	Lys	Lys	Ser	Leu	Ala	Arg	
35	225					230					235					240	
	Arg	Val	Tyr	Ala	Thr	Ile	Leu	Asn	Ala	Gly	Thr	Asn	Thr	Asp	Gly	Cys	
				245						250					255		
	Lys	Glu	Gln	Gly	Val	Thr	Phe	Pro	Ser	Gly	Glu	Ala	Gln	Glu	Gln	Leu	
40				260					265					270			
	Ile	Arg	Ser	Leu	Tyr	Gln	Pro	Gly	Gly	Val	Ala	Pro	Glu	Ser	Leu	Glu	
			275					280					285				
45	Tyr	Ile	Glu	Ala	His	Gly	Thr	Gly	Thr	Lys	Val	Gly	Asp	Pro	Gln	Glu	
	290					295						300					
	Leu	Asn	Gly	Ile	Thr	Arg	Ser	Leu	Cys	Ala	Phe	Arg	Gln	Ser	Pro	Leu	
	305					310					315					320	
50	Leu	Ile	Gly	Ser	Thr	Lys	Ser	Asn	Met	Gly	His	Pro	Glu	Pro	Ala	Ser	
				325						330					335		
	Gly	Leu	Ala	Ala	Leu	Thr	Lys	Val	Leu	Leu	Ser	Leu	Glu	Asn	Gly	Val	
				340					345					350			
55	Trp	Ala	Pro	Asn	Leu	His	Phe	His	Asn	Pro	Asn	Pro	Glu	Ile	Pro	Ala	
			355					360					365				

EP 1 284 298 A2

5 Leu Leu Asp Gly Arg Leu Gln Val Val Asp Arg Pro Leu Pro Val Arg
 370 375 380
 Gly Gly Ile Val Gly Ile Asn Ser Phe Gly Phe Gly Gly Ala Asn Val
 385 390 395 400
 10 His Val Ile Leu Gln Pro Asn Thr Gln Gln Ala Pro Ala Pro Ala Pro
 405 410 415
 His Ala Ala Leu Pro His Leu Leu His Ala Ser Gly Arg Thr Met Glu
 420 425 430
 15 Ala Val Gln Gly Leu Leu Glu Gln Gly Arg Gln His Ser Gln Asp Leu
 435 440 445
 Ala Phe Val Ser Met Leu Asn Asp Ile Ala Ala Thr Pro Thr Ala Ala
 450 455 460
 20 Met Pro Phe Arg Gly Tyr Thr Val Leu Gly Val Glu Gly His Val Gln
 465 470 475 480
 Glu Val Gln Gln Val Pro Ala Ser Gln Arg Pro Leu Trp Phe Ile Cys
 485 490 495
 25 Ser Gly Met Gly Thr Gln Trp Arg Gly Met Gly Leu Ser Leu Met Arg
 500 505 510
 Leu Asp Ser Phe Arg Glu Ser Ile Leu Arg Ser Asp Glu Ala Leu Lys
 515 520 525
 30 Pro Leu Gly Val Lys Val Ser Asp Leu Leu Leu Ser Thr Asp Glu His
 530 535 540
 Thr Phe Asp Asp Ile Val His Ser Phe Val Ser Leu Thr Ala Ile Gln
 545 550 555 560
 35 Ile Ala Leu Ile Asp Leu Leu Thr Ser Met Gly Leu Lys Pro Asp Gly
 565 570 575
 Ile Ile Gly His Ser Leu Gly Glu Val Ala Cys Gly Tyr Ala Asp Gly
 580 585 590
 40 Cys Leu Ser Gln Arg Glu Ala Val Leu Ala Ala Tyr Trp Arg Gly Gln
 595 600 605
 Cys Ile Lys Asp Ala Asn Leu Pro Ala Gly Ser Met Ala Ala Val Gly
 610 615 620
 45 Leu Ser Trp Glu Glu Cys Lys Gln Arg Cys Pro Pro Gly Val Val Pro
 625 630 635 640
 Ala Cys His Asn Ser Glu Asp Thr Val Thr Ile Ser Gly Pro Gln Ala
 645 650 655
 50 Ala Val Asn Glu Phe Val Glu Gln Leu Lys Gln Glu Gly Val Phe Ala
 660 665 670
 Lys Glu Val Arg Thr Gly Gly Leu Ala Phe His Ser Tyr Phe Met Glu
 675 680 685
 55 Gly Ile Ala Pro Thr Leu Leu Gln Ala Leu Lys Lys Val Ile Arg Glu

EP 1 284 298 A2

	690	695	700
5	Pro Arg Pro Arg Ser Ala	Arg Trp Leu Ser Thr Ser Ile Pro Glu Ala	705 710 715 720
	Gln Trp Gln Ser Ser Leu Ala Arg Thr Ser Ser Ala Glu Tyr Asn Val	725 730 735	
10	Asn Asn Leu Val Ser Pro Val Leu Phe Gln Glu Ala Leu Trp His Val	740 745 750	
	Pro Glu His Ala Val Val Leu Glu Ile Ala Pro His Ala Leu Leu Gln	755 760 765	
15	Ala Val Leu Lys Arg Gly Val Lys Pro Ser Cys Thr Ile Ile Pro Leu	770 775 780	
	Met Lys Arg Asp His Lys Asp Asn Leu Glu Phe Phe Leu Thr Asn Leu	785 790 795 800	
20	Gly Lys Val His Leu Thr Gly Ile Asp Ile Asn Pro Asn Ala Leu Phe	805 810 815	
	Pro Pro Val Glu Phe Pro Val Pro Arg Gly Thr Pro Leu Ile Ser Pro	820 825 830	
25	His Ile Lys Trp Asp His Ser Gln Thr Trp Asp Ile Pro Val Ala Glu	835 840 845	
	Asp Phe Pro Asn Gly Ser Ser Ser Ser Ala Thr Val Tyr Asn Ile	850 855 860	
30	Asp Ala Ser Ser Glu Ser Ser Asp His Tyr Leu Val Asp His Cys Ile	865 870 875 880	
	Asp Gly Arg Val Leu Phe Pro Gly Thr Gly Tyr Leu Tyr Leu Val Trp	885 890 895	
35	Lys Thr Leu Ala Arg Ser Leu Ser Leu Ser Leu Glu Glu Thr Pro Val	900 905 910	
	Val Phe Glu Asn Val Thr Phe His Gln Ala Thr Ile Leu Pro Arg Thr	915 920 925	
40	Gly Thr Val Pro Leu Glu Val Arg Leu Leu Glu Ala Ser His Ala Phe	930 935 940	
	Glu Val Scr Asp Ser Gly Asn Leu Ile Val Ser Gly Lys Val Tyr Gln	945 950 955 960	
45	Trp Glu Asp Pro Asp Ser Lys Leu Phe Asp His Pro Glu Val Pro Ile	965 970 975	
	Pro Ala Glu Ser Glu Ser Val Ser Arg Leu Thr Gln Gly Glu Val Tyr	980 985 990	
50	Lys Glu Leu Arg Leu Arg Gly Tyr Asp Tyr Gly Pro His Phe Gln Gly	995 1000 1005	
	Val Tyr Glu Ala Thr Leu Glu Gly Glu Gln Gly Lys Leu Leu Trp Lys	1010 1015 1020	
55			

EP 1 284 298 A2

	Asp Asn Trp Val Thr Phe Met Asp Thr Met Leu Gln Ile Ser Ile Leu	
	1025	1030 1035 1040
5	Gly Phe Ser Lys Gln Ser Leu Gln Leu Pro Thr Arg Val Thr Ala Ile	
		1045 1050 1055
	Tyr Ile Asp Pro Ala Thr His Leu Gln Lys Val Tyr Met Leu Glu Gly	
		1060 1065 1070
10	Asp Thr Gln Val Ala Asp Val Thr Thr Ser Arg Cys Leu Gly Val Thr	
		1075 1080 1085
	Val Ser Gly Gly Val Tyr Ile Ser Arg Leu Gln Thr Thr Ala Thr Ser	
		1090 1095 1100
15	Arg Arg Gln Gln Glu Gln Leu Val Pro Thr Leu Glu Lys Phe Val Phe	
		1105 1110 1115 1120
	Thr Pro His Val Glu Pro Glu Cys Leu Ser Glu Ser Ala Ile Leu Gln	
		1125 1130 1135
20	Lys Glu Leu Gln Leu Cys Lys Gly Leu Ala Lys Ala Leu Gln Thr Lys	
		1140 1145 1150
	Ala Thr Gln Gln Gly Leu Lys Met Thr Val Pro Gly Leu Glu Asp Leu	
		1155 1160 1165
25	Pro Gln His Gly Leu Pro Arg Leu Leu Ala Ala Cys Gln Leu Gln	
		1170 1175 1180
	Leu Asn Gly Asn Leu Gln Leu Glu Leu Gly Glu Val Leu Ala Arg Glu	
		1185 1190 1195 1200
30	Arg Leu Leu Leu Pro Glu Asp Pro Leu Ile Ser Gly Leu Leu Asn Ser	
		1205 1210 1215
	Gln Ala Leu Lys Ala Cys Ile Asp Thr Ala Leu Glu Asn Leu Ser Thr	
		1220 1225 1230
35	Leu Lys Met Lys Val Val Glu Val Leu Ala Gly Glu Gly His Leu Tyr	
		1235 1240 1245
	Ser His Ile Ser Ala Leu Leu Asn Thr Gln Pro Met Leu Gln Leu Glu	
		1250 1255 1260
40	Tyr Thr Ala Thr Asp Arg His Pro Gln Ala Leu Lys Asp Val Gln Thr	
		1265 1270 1275 1280
	Lys Leu Gln Gln His Asp Val Ala Gln Gly Gln Trp Asp Pro Ser Gly	
		1285 1290 1295
45	Pro Ala Pro Thr Asn Leu Gly Ala Leu Asp Leu Val Val Cys Asn Cys	
		1300 1305 1310
	Ala Leu Ala Thr Leu Gly Asp Pro Ala Leu Ala Leu Asp Asn Met Val	
		1315 1320 1325
50	Ala Ala Leu Lys Asp Gly Gly Phe Leu Leu Met His Thr Val Leu Lys	
		1330 1335 1340
	Gly His Ala Leu Gly Glu Thr Leu Ala Cys Leu Pro Ser Glu Val Gln	
		1345 1350 1355 1360

EP 1 284 298 A2

Pro Gly Pro Ser Phe Leu Ser Gln Glu Glu Trp Glu Ser Leu Phe Ser
1365 1370 1375

5 Arg Lys Ala Leu His Leu Val Gly Leu Lys Lys Ser Phe Tyr Gly Thr
1380 1385 1390

Ala Leu Phe Leu Cys Arg Arg Leu Ser Pro Gln Asp Lys Pro Ile Phe
1395 1400 1405

10 Leu Pro Val Glu Asp Thr Ser Phe Gln Trp Val Asp Ser Leu Lys Ser
1410 1415 1420

Ile Leu Ala Thr Ser Ser Ser Gln Pro Val Trp Leu Thr Ala Met Asn
1425 1430 1435 1440

15 Cys Pro Thr Ser Gly Val Val Gly Leu Val Asn Cys Leu Arg Lys Glu
1445 1450 1455

Pro Gly Gly His Arg Ile Arg Cys Ile Leu Leu Ser Asn Leu Ser Ser
1460 1465 1470

20 Thr Ser His Val Pro Lys Leu Asp Pro Gly Ser Ser Glu Leu Gln Lys
1475 1480 1485

Val Leu Glu Ser Asp Leu Val Met Asn Val Tyr Arg Asp Gly Ala Trp
1490 1495 1500

25 Gly Ala Phe Arg His Phe Gln Leu Glu Gln Asp Lys Pro Glu Glu Gln
1505 1510 1515 1520

Thr Ala His Ala Phe Val Asn Val Leu Thr Arg Gly Asp Leu Ala Ser
1525 1530 1535

30 Ile Arg Trp Val Ser Ser Pro Leu Lys His Met Gln Pro Pro Ser Ser
1540 1545 1550

Ser Gly Ala Gln Leu Cys Thr Val Tyr Tyr Ala Ser Leu Asn Phe Arg
1555 1560 1565

35 Asp Ile Met Leu Ala Thr Gly Lys Leu Ser Pro Asp Ala Ile Pro Gly
1570 1575 1580

Lys Trp Ala Ser Arg Asp Cys Met Leu Gly Met Glu Phe Ser Gly Arg
1585 1590 1595 1600

40 Asp Lys Cys Gly Arg Arg Val Met Gly Leu Val Pro Ala Glu Gly Leu
1605 1610 1615

Ala Thr Ser Val Leu Leu Ser Pro Asp Phe Leu Trp Asp Val Pro Ser
1620 1625 1630

Ser Trp Thr Leu Glu Glu Ala Ala Ser Val Pro Val Val Tyr Thr Thr
1635 1640 1645

50 Ala Tyr Tyr Ser Leu Val Val Arg Gly Arg Ile Gln His Gly Glu Thr
1650 1655 1660

Val Leu Ile His Ser Gly Ser Gly Gly Val Gly Gln Ala Ala Ile Ser
1665 1670 1675 1680

55 Ile Ala Leu Ser Leu Gly Cys Arg Val Phe Thr Thr Val Gly Ser Ala

EP 1 284 298 A2

	1685	1690	1695
5	Glu Lys Arg Ala Tyr Leu Gln Ala Arg Phe Pro Gln Leu Asp Asp Thr 1700	1705	1710
	Ser Phe Ala Asn Ser Arg Asp Thr Ser Phe Glu Gln His Val Leu Leu 1715	1720	1725
10	His Thr Gly Gly Lys Gly Val Asp Leu Val Leu Asn Ser Leu Ala Glu 1730	1735	1740
	Glu Lys Leu Gln Ala Ser Val Arg Cys Leu Ala Gln His Gly Arg Phe 1745	1750	1755 1760
15	Leu Glu Ile Gly Lys Phe Asp Leu Ser Asn Asn His Pro Leu Gly Met 1765	1770	1775
	Ala Ile Phe Leu Lys Asn Val Thr Phe His Gly Ile Leu Leu Asp Ala 1780	1785	1790
20	Leu Phe Glu Gly Ala Asn Asp Ser Trp Arg Glu Val Ala Glu Leu Leu 1795	1800	1805
	Lys Ala Gly Ile Arg Asp Gly Val Val Lys Pro Leu Lys Cys Thr Val 1810	1815	1820
25	Phe Pro Lys Ala Gln Val Glu Asp Ala Phe Arg Tyr Met Ala Gln Gly 1825	1830	1835 1840
	Lys His Ile Gly Lys Val Leu Val Gln Val Arg Glu Glu Glu Pro Glu 1845	1850	1855
30	Ala Met Leu Pro Gly Ala Gln Pro Thr Leu Ile Ser Ala Ile Ser Lys 1860	1865	1870
	Thr Phe Cys Pro Glu His Lys Ser Tyr Ile Ile Thr Gly Gly Leu Gly 1875	1880	1885
35	Gly Phe Gly Leu Glu Leu Ala Arg Trp Leu Val Leu Arg Gly Ala Gln 1890	1895	1900
	Arg Leu Val Leu Thr Ser Arg Ser Gly Ile Arg Thr Gly Tyr Gln Ala 1905	1910	1915 1920
40	Lys His Val Arg Glu Trp Arg Arg Gln Gly Ile His Val Leu Val Ser 1925	1930	1935
	Thr Ser Asn Val Ser Ser Leu Glu Gly Ala Arg Ala Leu Ile Ala Glu 1940	1945	1950
45	Ala Thr Lys Leu Gly Pro Val Gly Gly Val Phe Asn Leu Ala Met Val 1955	1960	1965
	Leu Arg Asp Ala Met Leu Glu Asn Gln Thr Pro Glu Leu Phe Gln Asp 1970	1975	1980
50	Val Asn Lys Pro Lys Tyr Asn Gly Thr Leu Asn Leu Asp Arg Ala Thr 1985	1990	1995 2000
55	Arg Glu Ala Cys Pro Glu Leu Asp Tyr Phe Val Ala Phe Ser Ser Val 2005	2010	2015

EP 1 284 298 A2

Ser Cys Gly Arg Gly Asn Ala Gly Gln Ser Asn Tyr Gly Phe Ala Asn
 2020 2025 2030
 5 Ser Thr Met Glu Arg Ile Cys Glu Gln Arg Arg His Asp Gly Leu Pro
 2035 2040 2045
 Gly Leu Ala Val Gln Trp Gly Ala Ile Gly Asp Val Gly Ile Ile Leu
 2050 2055 2060
 10 Glu Ala Met Gly Thr Asn Asp Thr Val Val Gly Gly Thr Leu Pro Gln
 2065 2070 2075 2080
 Arg Ile Ser Ser Cys Met Glu Val Leu Asp Leu Phe Leu Asn Gln Pro
 2085 2090 2095
 15 His Ala Val Leu Ser Ser Phe Val Leu Ala Glu Lys Lys Ala Val Ala
 2100 2105 2110
 His Gly Asp Gly Glu Ala Gln Arg Asp Leu Val Lys Ala Val Ala His
 2115 2120 2125
 20 Ile Leu Gly Ile Arg Asp Leu Ala Gly Ile Asn Leu Asp Ser Ser Leu
 2130 2135 2140
 Ala Asp Leu Gly Leu Asp Ser Leu Met Gly Val Glu Val Arg Gln Ile
 2145 2150 2155 2160
 25 Leu Glu Arg Glu His Asp Leu Val Leu Pro Ile Arg Glu Val Arg Gln
 2165 2170 2175
 Leu Thr Leu Arg Lys Leu Gln Glu Met Ser Ser Lys Ala Gly Ser Asp
 2180 2185 2190
 30 Thr Glu Leu Ala Ala Pro Lys Ser Lys Asn Asp Thr Ser Leu Lys Gln
 2195 2200 2205
 Ala Gln Leu Asn Leu Ser Ile Leu Leu Val Asn Pro Glu Gly Pro Thr
 2210 2215 2220
 35 Leu Thr Arg Leu Asn Ser Val Gln Ser Ser Glu Arg Pro Leu Phe Leu
 2225 2230 2235 2240
 Val His Pro Ile Glu Gly Ser Ile Thr Val Phe His Ser Leu Ala Ala
 2245 2250 2255
 40 Lys Leu Ser Val Pro Thr Tyr Gly Leu Gln Cys Thr Gln Ala Ala Pro
 2260 2265 2270
 Leu Asp Ser Ile Pro Asn Leu Ala Ala Tyr Tyr Ile Asp Cys Ile Lys
 2275 2280 2285
 45 Gln Val Gln Pro Glu Gly Pro Tyr Arg Val Ala Gly Tyr Ser Phe Gly
 2290 2295 2300
 Ala Cys Val Ala Phe Glu Met Cys Ser Cln Leu Gln Ala Cln Gln Gly
 2305 2310 2315 2320
 50 Pro Ala Pro Ala His Asn Asn Leu Phe Leu Phe Asp Gly Ser His Thr
 2325 2330 2335
 55 Tyr Val Leu Ala Tyr Thr Gln Ser Tyr Arg Ala Lys Leu Thr Pro Gly
 2340 2345 2350

EP 1 284 298 A2

Cys Glu Ala Glu Ala Glu Ala Glu Ala Ile Cys Phe Phe Ile Lys Gln
 2355 2360 2365
 5 Phe Val Asp Ala Glu His Ser Lys Val Leu Glu Ala Leu Leu Pro Leu
 2370 2375 2380
 Lys Ser Leu Glu Asp Arg Val Ala Ala Ala Val Asp Leu Ile Thr Arg
 2385 2390 2395 2400
 10 Ser His Gln Ser Leu Asp Arg Arg Asp Leu Ser Phe Ala Ala Val Ser
 2405 2410 2415
 Phe Tyr Tyr Lys Leu Arg Ala Ala Asp Gln Tyr Lys Pro Lys Ala Lys
 2420 2425 2430
 15 Tyr His Gly Asn Val Ile Leu Leu Arg Ala Lys Thr Gly Gly Thr Tyr
 2435 2440 2445
 Gly Glu Asp Leu Gly Ala Asp Tyr Asn Leu Ser Gln Val Cys Asp Gly
 2450 2455 2460
 20 Lys Val Ser Val His Ile Ile Glu Gly Asp His Arg Thr Leu Leu Glu
 2465 2470 2475 2480
 Gly Arg Gly Leu Glu Ser Ile Ile Asn Ile Ile His Ser Ser Leu Ala
 2485 2490 2495
 25 Glu Pro Arg Val Ser Val Arg Glu Gly
 2500 2505
 30 <210> 21
 <211> 9143
 <212> DNA
 <213> Rattus norvegicus
 35 <220>
 <223> Fatty acid synthase
 <400> 21
 agagagacgg cagcagcgtc ccgtccagtt cgctgcccgc gctcctcgct tgtegtctgc 60
 ctccagatcc cagacagaga agagccatgg aggaggtggg gatagccggg atgtccggga 120
 40 aattgcccg gtcagagaac ctgcaggagt tctgggcca cctcattggc ggtgtggaca 180
 tgggtcacaga cgatgacagg aggtggaagg ctgggctcta tgggttgcc aagcggctctg 240
 gaaagctgaa ggatctgtcc aagtccgacg cctccttttt tgggggccac cccaagcagg 300
 cacacacaat ggacccgcag ctccggctgc tgctggaagt cagctatgaa gctattgtgg 360
 acggagggtat caaccgggcc tcaactccgag gaacaaacac tgggtgtctgg gtgggtgtga 420
 gtggttccga ggcgtcggag gccctgagca gagatcctga gactcttctg ggctacagca 480
 45 tgggtgggctg ccagagagca atgatggcca accggctctc tttcttcttc gacttcaaag 540
 gaccagcat. tgcctggac acagcctgct cctctagcct actggcacta cagaatgcct 600
 atcaggctat ccgcagtggg gagtgccttg ctgccattgt gggcgggac aacctgctgc 660
 taaagccta cactctgtg cagttcatga agctaggcat gctcagcccc gatggcacct 720
 gcagatcctt tgatgattca gggaacgggt attgccgtgc tgaggctgtc gtggcagttc 780
 tgctgactaa gaagtccttg gctcggcgag tctatgccac tattctgaat gccgggacga 840
 50 acacagatgg ctgcaaggag caaggcgtga cattccccctc tggagaagcc caggaaacaac 900
 tcatccgttc tctgtatcag ccgggcggtg tggccccga gtctcttgaa tatattgaag 960
 cccatggcac gggcaccaag gtgggggacc ccaggaact gaacggcatt actcgggtccc 1020
 tgggtgcttt ccgccagagc cctttgttaa ttggctccac caaatccaac atgggacacc 1080
 ctgagcctgc ctcggggctt gcagccctga ccaagggtgt gttatcccta gaaaatgggg 1140
 55 tttgggcccc caacctgcat ttccacaacc ccaaccctga aatccagca cttcttgatg 1200
 ggcggtgca ggtggtcgat aggccctgc ctgttcgtg tggcatcgtg ggcatacaact 1260

EP 1 284 298 A2

	cgtttggtctt	cggaggtgcc	aatgttcacg	tcatectcca	gcccacacaca	cagcaggccc	1320
	cagcacctgc	cccacatgct	gccctaccgc	atttgctgca	tgccagtgga	cggaccatgg	1380
	aggcagtga	gggcctgctg	gaacagggcc	gccagcacag	tcaggacttg	gcctttgtga	1440
5	gcattgctcaa	tgacattgca	gcaaccctta	cagcagccat	gcccttcaga	ggttacactg	1500
	tgtaggtgt	tgagggccat	gtccaggaag	tgacagcaag	gcctgccagc	cagcgccac	1560
	tctggttcat	ctgctcaggg	atgggcacac	agtggcgctg	aatggggctg	agccttatgc	1620
	gcctggacag	tttccgtgag	tccatcctgc	gctctgatga	ggctctgaag	cccttgggag	1680
	tcaaagtgtc	agacctgctg	ctgagcactg	atgagcacac	ctttgatgac	atcggtgcatt	1740
	cctttgtgag	cctcaccgcc	atccagattg	cctcatcgca	cctgctgacg	tctatggggc	1800
10	tgaaacctga	tggcatcatt	gggcactcct	tgggagaggt	tgctgtgggc	tatgcagatg	1860
	gctgtctctc	ccagagagag	gctgtgcttg	cagcctactg	gagaggccag	tgcatthaagg	1920
	atgccaacct	tccggctgga	tccatggcag	ctggttggtt	gtcctgggaa	gaatgtaaac	1980
	aacgctgccc	tctggtgtg	gtgctgcct	gccacaactc	tgaggacact	gtgaccatct	2040
	ctggacctca	ggctgcagtg	aatgaatttg	tggagcagct	aaagcaagag	ggcgtgtttg	2100
	ccaaggaggt	gcgaacaggt	ggcctggcct	tccactccta	cttcatggaa	ggaattgccc	2160
15	ccacgctgct	gcaggctctc	aagaagggtga	tccgggagcc	acggccacgc	tcagcacgct	2220
	ggctcagcac	ctctatccct	gaggcccagt	ggcagagcag	cctggcccgc	acatcttctg	2280
	ctgagtacaa	cgtcaacaac	ctggtgagcc	ctgtgctctt	ccaggaagca	ctgtggcacg	2340
	tccccgagca	cgcctgtgtg	ctggagattg	caccccatgc	actgttgacg	gctgtcctga	2400
	agcgaggcgt	gaagcctagc	tgacacatca	tccccttgat	gaagaggggac	cataaagata	2460
20	acttgagtt	cttccctcacc	aacctcggca	aggtgcacct	cacaggcatc	gacatcaacc	2520
	ctaagtccct	gttcccacct	gtggaattcc	aggttcccgc	agggactcct	ctcatctccc	2580
	ctcacatcaa	gtgggaccac	agtcagactt	gggatatacc	agttgctgaa	gacttccccca	2640
	acggttccag	ctcctcctca	gctacagtct	acaacattga	cgcagtttcc	gagtcactctg	2700
	accactacct	ggtcgaccac	tgcatgtacg	gccgtgtcct	cttccctggc	actggctacc	2760
	tgtacctggt	gtggaagaca	ctggctcgaa	gcttgagctt	gtccctagaa	gagacccttg	2820
25	tggtgtttga	gaacgtgaca	tttcatcagg	ccaccatcct	gcccaggaca	ggaaccgtgc	2880
	ctctggaggt	gcggctgcta	gaggcctcac	atgcatttga	ggtgtctgac	agtggaacc	2940
	tgatagttag	cgggaaagtg	taccagtggg	aagaccctga	ctccaagtta	ttcgaccacc	3000
	cagaagtccc	gatccccgcc	gagtcagagt	ctgtctcccg	cttgacgcag	ggagaagtat	3060
	acaaggagct	gcggctacgt	ggctatgact	atggccctca	tttccagggc	gtctatgagg	3120
30	ccaccctcga	aggtgagcaa	ggcaagctgc	tctggaaaga	caactgggtg	accttcatgg	3180
	acacaatgct	gcagatatcc	atcctgggct	tcagcaagca	gagtcctgac	ctaccacacc	3240
	gtgtgactgc	catctatatt	gaccctgcaa	cccacctgca	gaagggtgtac	atgctggagg	3300
	gagacactca	agtggctgac	gtgaccacga	gccgtgtct	gggcgtgacc	gtctctggtg	3360
	gtgtctacat	ttcgagacta	cagacaacag	caacctcacc	gcggcagcag	gaacagctgg	3420
	tccccaccct	ggagaagttt	gtcttcacac	cccatgtgga	gcctgagtg	ctgtctgaga	3480
35	gtgctatcct	gcagaaagag	ctgcagctgt	gcaagggtct	ggcaaaggct	ctgcagacca	3540
	aggccaccaca	gcaagggtcg	aagatgacag	tgcttgggct	agaggacctt	ccccagcatg	3600
	gactgctctg	actcttggct	gctgcctgcc	agctgcagct	caacgggaac	ctgcgaactgg	3660
	agttaggtga	ggtactggct	cgagagaggg	tctgtctgcc	agaagacctt	ctgatcagtg	3720
	gcctccttaa	ctcccaggcc	ctcaaggcct	gcatagacac	agccctggag	aacttgtcta	3780
	ctctcaagat	gaagggtgtg	gaggtgctgg	ctggagaagg	ccacttgtat	tcccacatct	3840
40	cagcactgct	caacaccacg	cctatgtctg	aactggagta	tacagccacc	gaccggcacc	3900
	cccaggccct	gaaggatgtt	cagaccaagc	tgacagcaga	tgatgtagca	cagggccagt	3960
	gggacccttc	tggctctgct	cctaccaacc	tgggtgctct	tgaccttggt	gtgtgcaact	4020
	gtgcgttagc	caccctgggg	gatccagccc	tggccctgga	caacatggta	gctgcctca	4080
	aggatgggtg	tttctctgta	atgcacacag	tgctcaaaag	acatgccctt	ggggagaccc	4140
45	tggcctgcct	cccttctgag	gtgcagcctg	ggcccagctt	cttaagccag	gaagagtggg	4200
	agagcctgtt	ctcaagggaag	gcactgcacc	tgggtggcct	taaaaagtca	ttctacggta	4260
	ctgcgctgtt	cctgtgccgc	cgtctcagcc	cacaggacaa	gcccactctt	ctgcctgtgg	4320
	aggatactag	tttccagtgg	gtggactctc	tgaagagcat	tctggccaca	tcctcctccc	4380
	agcctgtgtg	gctaacagcc	atgaactgcc	ccacctcagg	tgtggttaggc	ttggtgaact	4440
	gtctccgaaa	agagccgggt	ggacaccgga	ctcggtgtat	cctgctgtcc	aacctcagca	4500
50	gcacatctca	cgtccccaag	ctggaccctg	gctcttcaga	gctacagaag	gtgctagaga	4560
	gtgatctggt	gatgaacgtg	tacagggacg	gtgcctgggg	tgcttccgt	cacttccagt	4620
	tagagcagga	caagcccag	gagcagacag	cacatgcctt	tgtaaacgtc	cttaccagag	4680
	gggacccttg	ctccatccgc	tgggtctctt	ctcccctgaa	acacatgcag	cgcctctcga	4740
	gctcaggagc	acagctctgc	actgtctact	atgcctcact	gaacttccga	gatattcatgc	4800
	tggccacggg	caagctgtcc	cctgatgcc	ttccaggtaa	atgggcccag	cgggactgca	4860
55	tgcttggcat	ggagtcttca	ggcctgtgta	agtgcggccg	gcgtgtgatg	gggctggtac	4920
	cgcgagaagg	cttggccacc	tcagtcctgt	tatcacccca	cttctctctg	gatgtaccct	4980

EP 1 284 298 A2

	ctagctggac	cctggaggag	gcggtctctg	tgctgtgtgt	ctacaccacc	gcctactact	504
	ccttagtagt	gcgtggctgt	attcagcacg	gggaaactgt	gtcattcac	tcgggctccg	510
	gtgggtgtgg	ccaagcgcc	atttccattg	cccttagcct	gggctgccga	gtcttcacca	516
5	ctgtgggctc	cgctgagaag	cgagcttacc	tccaggccag	attccctcag	ctggatgaca	522
	ccagctttgc	taactctcga	gacacatcgt	ttgagcagca	tgtgttactg	cacacagggtg	528
	gcaaaggggt	ggacctggtc	ctcaactccc	tggcagaaga	gaagctgcag	gccagtgtgc	534
	gggtgcttgg	tcagcatggc	cgcttcctag	agatcggcaa	atttgatctt	tctaacaacc	540
	acctcttggg	catggccatc	ttcttgaaga	acgtcacttt	ccatgggatc	ctgctggatg	546
10	cactttttga	ggggggccaa	gacagctggc	gggaggtggc	agagctgctg	aaggccggca	552
	tccgtgatgg	gggtgtgaag	cctctcaagt	gtacagtgtt	tcccaaggcc	caggtggagg	558
	acgccttccg	atacatggct	caaggaaaac	atattggcaa	agtccttgtc	caggtacggg	564
	aggaggagcc	cgaggctatg	ctgccagggg	ctcagccac	cctgatttcc	gccatctcca	570
	agacccttgc	cccagagcat	aagagttaca	tcactactgg	tgccctaggt	ggctttggcc	576
	tggaacttgc	ccgggtggct	gtgcttcgtg	gggcccacaa	gcttgtacta	acttcccgat	582
15	ctggaatccg	cacaggctac	caagccaagc	acgttcggga	gtggaggcgc	cagggcatcc	588
	atgtgctagt	gtcgacaagc	aatgtcagtt	cactggaggg	ggcccgtgct	ctcatcgctg	594
	aagccacaaa	gcttgggccc	gttggagggt	tcttcaacct	ggccatggtt	ttaagggatg	600
	ccatgctgga	gaaccagact	ccagaactct	tccaggatgt	caacaagccc	aagtacaatg	606
	gcaccctgaa	ccttgacagg	gcgaccgggg	aagcctgtcc	tgagctggac	tactttgtgg	612
20	ccttctcttc	tgtaagctgc	gggctgtgta	atgctggcca	atccaactat	ggcttcgcca	618
	actctacat	ggagcgtatt	tgcaaacagc	gcccgcacga	tgccctccca	ggcttctgcc	624
	tgcaatgggg	tgccatttgt	gacgtgggca	ttatcttgga	agcgtgggt	accaatgaca	630
	cagtgcgttg	cggcacactg	ccacagcgca	tctctctctg	catggagggt	ctggacctct	636
	tctgaatca	gccccacgca	gtcctgagca	gttttgtgct	ggctgagaag	aaagtgtgtg	642
	ccatgggtga	tggtgaagcc	cagagggatc	tggtgaaagc	agtggcacac	atcctaggca	648
25	tccgcgacct	cgcagggat	aacctggaca	gctcgctggc	agacctcggc	ctggactcgc	654
	tcattgggtgt	ggaagtgcgc	cagatcctgg	aacgtgaaca	tgatctggtg	ctaccatttc	660
	gtgaagtacg	gcaactcaca	ctgcggaagc	ttcaggaaat	gtcctccaag	gctggctcag	666
	acactgagtt	ggcagcccc	aagtccaaga	atgatacatc	cctgaagcag	gcccagctga	672
	atctgagtat	cctgctgggt	aacctgagg	gcccacactt	aacacgactc	aactcagtc	678
	agagctctga	gcggcctctg	ttcctgggtg	acccatttga	aggttccatc	actgtgttcc	684
30	acagcctggc	tgccaagctc	agtgtgcccc	cctacgggtc	gcagtgcacc	caagcggccc	690
	ccctggacag	cattccaaac	ctggctgcct	actacattga	ttgcatcaag	caggtgcagc	696
	ctgagggggc	ctaccgagtg	gctgggtatt	cttttgagc	ttgtgtagcc	ttcgagatgt	702
	gctcccagct	gcaggcccc	caggggccag	cccccgccca	caacaacctc	ttcttgtttg	708
	atggctcaca	cacctacgta	ttggcgtaca	ccagagcta	ccgggcaag	ctgacccag	714
35	gctgtgaggg	tgaggctgaa	gctgaagcca	tatgcttctt	cattaagcag	tttgttgatg	720
	cagagcatag	caagggtgta	gaggccctgc	taccactgaa	gagcctggag	gaccgggttg	726
	ctgctgctgt	ggacctcatc	actagaagcc	accagagcct	ggaccgccc	gacctgagct	732
	ttgctgcctg	gtccttctac	tacaagcttc	gagccgcca	ccagtataaa	cccaaggcca	738
	agtaccacgg	caatgtgatc	ctgctgcggg	ccaagacagg	tgccacctac	ggcgaggact	744
	tggtgtgccg	ttacaacctg	tcccagggtg	gtgatgggaa	ggtgtctgtg	cacatcattg	750
40	aggggtgacca	ccgtacgctg	ctggagggca	ggggcctgga	gtctatcatc	aacatcatcc	756
	acagctccct	ggctgagcct	cgagtgagtg	tacgggaggg	ctagacctgc	ctaccatgaa	762
	gccacgacct	acaccggcca	ccagagatgc	tccgatcccc	accacaccct	gagtgacggg	768
	actggggagg	gtcctgctgg	tgggaccccc	tcaccccag	ggcccagcac	cacccctccc	774
	cctgggtggc	gctacaaaca	ggaccatcac	atgtgtccca	gccacttagt	ggggttccca	780
	gagccactga	cttgagggca	ccctgggtctg	tgaagagtca	gtggaggcca	gcaagagcca	786
45	aactgagcct	tttctgccaa	gtgacatttg	tcacactgg	tgcttctcca	ttaaattctc	792
	atatttattg	cattgctggg	aaagaccgcc	caccccagg	ttaactcatt	ccagaacccc	798
	taaagtggga	aaagccatgt	ggggaaggct	gctggctgga	gccccctttt	gtcttagccc	804
	tgtaccgcgt	cactgcaggg	cagggtatgg	agagggtctg	ttcgggggga	acgaggaccc	810
	cagcagacac	tgtagcccat	ggcccttgg	ccccagcact	cccggctgca	cccatgatgc	816
	aggccctacc	agactctcgc	gaccgcaccg	ggcactcact	gtatttgttt	tccaagattc	822
50	aaattgctgc	ttgggttttg	aalttactgc	agctgtcagt	gtaaagaaac	atgtctgaac	828
	tgtgtccttt	ttacaccaac	ctggtaaaaa	tgctcttgat	gctgtcccgt	tgccacaatt	834
	aaactgcacg	tgagctctgg	cttccgttca	gtctctttcc	agtcccagac	ctgagtcccc	840
	agagcctcca	cagctcttac	agtgagaatc	aaattggccc	actccttgg	aggcgtggca	846
	ttctgtcaga	gtaaaaggaa	agtagagtgt	gctgattcac	gttcagcgtg	tggggctggc	852
	tagagacctt	ggcactgtag	tgaacagaat	gtgtccacct	ttaagtcacc	ctgaaggcat	858
55	caccatagct	acagcctcac	ccaggggtag	agaatagtac	tgtctacttg	ttgactacct	864
	ggcagttggt	gccagccctt	atagaggaaa	acagcagltg	glggccactg	tgagaagcat	870

EP 1 284 298 A2

atccctggaa acaggtgacc agagcagagg gctaacgcct acctgagtca cacaaaactg 8760
accaggcttg agtgtccaga agagtctatc agaaggccac agcattcagt cctatccaca 8820
gagagcagca gactaagttg tctccttgcc agcttagaaa actgcagtgc tggggtagag 8880
gtaggggtgtt caggaggtcc gggccccagt gattagtcta agactgaagc atctgggttg 8940
ctgtggtccc acctagaaaa ttcttaaagc tcttgatcatg tacttcttgg gaaggaccta 9000
ccctgtctca ataattgtctc tagctcgttg gagtctactg actcaaacat ttataaagtg 9060
tcctagaaaag gcctgactcc cctacaaggc tgtgtgatcc ttcaaactca catatgtgag 9120
ccaataaaaac cttgagactc tag 9143

<210> 22
<211> 373
<212> PRT
<213> Rattus norvegicus

<220>
<223> Glutamine synthetase

<400> 22

Met Ala Thr Ser Ala Ser Ser His Leu Asn Lys Gly Ile Lys Gln Met
1 5 10 15

Tyr Met Asn Leu Pro Gln Gly Glu Lys Ile Gln Leu Met Tyr Ile Trp
20 25 30

Val Asp Gly Thr Gly Glu Gly Leu Arg Cys Lys Thr Arg Thr Leu Asp
35 40 45

Cys Asp Pro Lys Cys Val Glu Glu Leu Pro Glu Trp Asn Phe Asp Gly
50 55 60

Ser Ser Thr Phe Gln Ser Glu Gly Ser Asn Ser Asp Met Tyr Leu His
65 70 75 80

Pro Val Ala Met Phe Arg Asp Pro Phe Arg Arg Asp Pro Asn Lys Leu
85 90 95

Val Phe Cys Glu Val Phe Lys Tyr Asn Arg Lys Pro Ala Glu Thr Asn
100 105 110

Leu Arg His Ser Cys Lys Arg Ile Met Asp Met Val Ser Ser Gln Arg
115 120 125

Pro Trp Phe Gly Met Glu Gln Glu Tyr Thr Leu Met Gly Thr Asp Gly
130 135 140

His Pro Phe Gly Trp Pro Ser Asn Gly Phe Pro Gly Pro Gln Gly Pro
145 150 155 160

Tyr Tyr Cys Gly Val Gly Ala Asp Lys Ala Tyr Gly Arg Asp Ile Val
165 170 175

Glu Ala His Tyr Arg Ala Cys Leu Tyr Ala Gly Ile Lys Ile Thr Gly
180 185 190

Thr Asn Ala Glu Val Met Pro Ala Gln Trp Glu Phe Gln Ile Gly Pro
195 200 205

Cys Glu Gly Ile Arg Met Gly Asp His Leu Trp Val Ala Arg Phe Ile
210 215 220

Leu His Arg Val Cys Glu Asp Phe Gly Val Ile Ala Thr Phe Asp Pro

EP 1 284 298 A2

	225				230					235				240		
5	Lys	Pro	Ile	Pro	Gly	Asn	Trp	Asn	Gly	Ala	Gly	Cys	His	Thr	Asn	Phe
					245					250					255	
	Ser	Thr	Lys	Ala	Met	Arg	Glu	Glu	Asn	Gly	Leu	Arg	Cys	Ile	Glu	Glu
				260					265					270		
10	Ala	Ile	Asp	Lys	Leu	Ser	Lys	Arg	His	Gln	Tyr	His	Ile	Arg	Ala	Tyr
			275					280					285			
	Asp	Pro	Lys	Gly	Gly	Leu	Asp	Asn	Ala	Arg	Arg	Leu	Thr	Gly	Phe	His
		290					295					300				
15	Glu	Thr	Ser	Asn	Ile	Asn	Asp	Phe	Ser	Ala	Gly	Val	Ala	Asn	Arg	Ser
	305					310					315					320
	Ala	Ser	Ile	Arg	Ile	Pro	Arg	Ile	Val	Gly	Gln	Glu	Lys	Lys	Gly	Tyr
					325					330					335	
20	Phe	Glu	Asp	Arg	Arg	Pro	Ser	Ala	Asn	Cys	Asp	Pro	Tyr	Ala	Val	Thr
				340					345					350		
	Glu	Ala	Ile	Val	Arg	Thr	Cys	Leu	Leu	Asn	Glu	Thr	Gly	Asp	Glu	Pro
		355						360					365			
25	Phe	Gln	Tyr	Lys	Asn											
		370														
	<210>	23														
	<211>	2793														
30	<212>	DNA														
	<213>	Rattus norvegicus														
	<220>															
	<223>	Glutamine synthetase														
35	<400>	23														
	acagccgaga	atgggagtag	ggcggagtg	ttgagcagca	cacccatttc	ctctccgctc	60									
	ttcgtctcgt	tctcgtggcc	tgtccaccca	tccatcatct	gccggccacc	gctctgaaca	120									
	ccttccacca	tggccacctc	agcaagttcc	cacttgaaca	aaggcatcaa	gcagatgtac	180									
40	atgaacctgc	cccaggcgca	gaagatccaa	ctcatgtata	tctgggttga	tggtaccggg	240									
	gaagggtctac	gctgcaagac	ccgtactctg	gactgtgacc	ccaagtgtgt	agaagagtta	300									
	cccagtgga	actttgatgg	ttctagtacg	tttcagtcg	aaggctccaa	cagcgacatg	360									
	tacctccate	ctgtggccat	gtttcgagac	cccttccgca	gagaccccaa	caagctgggtg	420									
	ttctgcgaag	tattcaagta	taaccggaag	cccgcagaga	ccaacctgag	gcacagctgt	480									
	aagcgtataa	tggacatggt	gagcagccag	cgcccttggt	ttggaatgga	acaggagtat	540									
45	actctcatgg	gaacagacgg	ccacccttcc	ggctggcctt	ctaattggctt	ccctggaccc	600									
	caaggacctt	attactgcgg	tgtgggagct	gacaaggctt	atggccgaga	tatcgtggag	660									
	gctcactacc	gggcctgctt	gtatgctgga	atcaagatca	cagggacaaa	tgccgaggtt	720									
	atgcctgccc	agtgggaatt	ccagatagga	cctgtcgaa	ggatccgcac	gggagatcat	780									
	ctctgggttag	cccggttttat	cttgcacatg	gtatgcgaag	actttggggg	gatagcaacc	840									
	tttgaccccca	agcccatctc	agggaaactg	aatggggcag	gctgccacac	caacttttag	900</									

EP 1 284 298 A2

5 tggtccccac tgtaactcaa aaggatggaa taccaaggtc tttttattcc ttgcgccag 1380
 ttaatttttg cctttattgg tcagaataga ggggtcaggt tcttaatctc tacacacca 1440
 acccttctt tcctagctag ctttccagtg ggggaacggg agggggtggg gaagggtaac 1500
 ccaccgcttc atctcagcgg gaatgcatgt cctgtaggca tagctgtcac aaatcgggtg 1560
 tacttgtggt gagggaggac tggttttttt tttccttcag gataattgaa agggcaggcc 1620
 caacagctta gattaacatt ttctctgtca gtagagagct gttatttctt ccggtgaaac 1680
 cagctttcta ttgaagtctg gtgaggagtt ggaggttggg ctcttggtct ccttagctta 1740
 gggaaggggg gttcaccctc ccttcatgaa acacagttca cctgacaaat ggccctactg 1800
 10 taaaggaaga aaaaagtttc ttggtcctcc atltataact caaagcagag tagtatlttt 1860
 atatttaaatt gttaaaaaaca aaaaagttat atatatgggt gtgtggatat atatgtcttt 1920
 tctaattgag aaaaccatcc tattccctgg gtgccaagtt tgagtgagga gctcgggtgt 1980
 gaagtggagg actccttgagg taggggtggg gatgcagtac tgggaaagtt ggttatcttg 2040
 ggggttcagc ttcattacta cttagggttt ccctgcccac tctgcaggag cagatgttgg 2100
 acaggtagcc agtgggatgc cactgcttgc cgccactgtc cctgggctta gtttaagggg 2160
 acgtgtatac ctaattccaca cacgagttag aagtatgagt tggctgggtca acttgaacat 2220
 15 tgttacaggc gggtgggtgt tagtgggggg ttattttttg gtgggactag catgtcacta 2280
 aagcgggcct tttgatatat taaatttttt aaagcaaaac aagttagat tttaatcaag 2340
 ttcgtagggt ttctaacttt acagaattgc ctgtttgttt caatgactcc ttccacttgg 2400
 ctcttagggg aactgaggac aggcctggag ttaatacact tgtcattctg tgtcctagt 2460
 tcctcttctt ccggcagact gtcccttctc ttctgaaaaa gccgatagag tcttgtttta 2520
 20 tttttctttt ataataaaca cacccacct ccatcccagc ttgttgctt gcagttttct 2580
 ggatgtttgt gtcggcagca ggcagctgtg gtttttttct cttgccacga tgactcta 2640
 taccatgtat agtatgttca gttagataac tcactgtaaa cagactgtaa ctgagagcag 2700
 agcttgtaaa tcaacctaac gtttataaga tttcctctga cttgtttctt tgtgtgtcca 2760
 aaaaaaaa aaaaaaaa aacctcaaaa act 2793

 25 <210> 24
 <211> 514
 <212> PRT
 <213> Homo sapiens

 30 <220>
 <223> Seryl t-RNA synthetase

 <400> 24
 35 Met Val Leu Asp Leu Asp Leu Phe Arg Val Asp Lys Gly Gly Asp Pro
 1 5 10 15
 Ala Leu Ile Arg Glu Thr Gln Glu Lys Arg Phe Lys Asp Pro Gly Leu
 20 25 30
 40 Val Asp Gln Leu Val Lys Ala Asp Ser Glu Trp Arg Arg Cys Arg Phe
 35 40 45
 Arg Ala Asp Asn Leu Ser Lys Leu Lys Asn Leu Cys Ser Lys Thr Ile
 50 55 60
 45 Gly Glu Lys Met Lys Lys Lys Glu Pro Val Gly Asp Asp Glu Ser Val
 65 70 75 80
 Pro Glu Asn Val Leu Ser Phe Asp Asp Leu Thr Ala Asp Ala Leu Ala
 85 90 95
 50 Asn Leu Lys Val Ser Gln Ile Lys Lys Val Arg Leu Leu Ile Asp Glu
 100 105 110
 Ala Ile Leu Lys Cys Asp Ala Glu Arg Ile Lys Leu Glu Ala Glu Arg
 115 120 125
 55 Phe Glu Asn Leu Arg Glu Ile Gly Asn Leu Leu His Pro Ser Val Pro

EP 1 284 298 A2

	130		135		140	
5	Ile Ser Asn Asp Glu Asp Val Asp Asn Lys Val Glu Arg Ile Trp Gly					
	145		150		155	160
	Asp Cys Thr Val Arg Lys Lys Tyr Ser His Val Asp Leu Val Val Met					
		165		170		175
10	Val Asp Gly Phe Glu Gly Glu Lys Gly Ala Val Val Ala Gly Ser Arg					
		180		185		190
	Gly Tyr Phe Leu Lys Gly Val Leu Val Phe Leu Glu Gln Ala Leu Ile					
		195		200		205
15	Gln Tyr Ala Leu Arg Thr Leu Gly Ser Arg Gly Tyr Ile Pro Ile Tyr					
		210		215		220
	Thr Pro Phe Phe Met Arg Lys Glu Val Met Gln Glu Val Ala Gln Leu					
		225		230		235
20	Ser Gln Phe Asp Glu Glu Leu Tyr Lys Val Ile Gly Lys Gly Ser Glu					
		245		250		255
	Lys Ser Asp Asp Asn Ser Tyr Asp Glu Lys Tyr Leu Ile Ala Thr Ser					
		260		265		270
25	Glu Gln Pro Ile Ala Ala Leu His Arg Asp Glu Trp Leu Arg Pro Glu					
		275		280		285
	Asp Leu Pro Ile Lys Tyr Ala Gly Leu Ser Thr Cys Phe Arg Gln Glu					
		290		295		300
30	Val Gly Ser His Gly Arg Asp Thr Arg Gly Ile Phe Arg Val His Gln					
		305		310		315
	Phe Glu Lys Ile Glu Gln Phe Val Tyr Ser Ser Pro His Asp Asn Lys					
		325		330		335
35	Ser Trp Glu Met Phe Glu Glu Met Ile Thr Thr Ala Glu Glu Phe Tyr					
		340		345		350
	Gln Ser Leu Gly Ile Pro Tyr His Ile Val Asn Ile Val Ser Gly Ser					
		355		360		365
40	Leu Asn His Ala Ala Ser Lys Lys Leu Asp Leu Glu Ala Trp Phe Pro					
		370		375		380
	Gly Ser Gly Ala Phe Arg Glu Leu Val Ser Cys Ser Asn Cys Thr Asp					
		385		390		395
45	Tyr Gln Ala Arg Arg Leu Arg Ile Arg Tyr Gly Gln Thr Lys Lys Met					
		405		410		415
	Met Asp Lys Val Glu Phe Val His Met Leu Asn Ala Thr Met Cys Ala					
		420		425		430
50	Thr Thr Arg Thr Ile Cys Ala Ile Leu Glu Asn Tyr Gln Thr Glu Lys					
		435		440		445
	Gly Ile Thr Val Pro Glu Lys Leu Lys Glu Phe Met Pro Pro Gly Leu					
		450		455		460
55						

EP 1 284 298 A2

Gln Glu Leu Ile Pro Phe Val Lys Pro Ala Pro Ile Glu Gln Glu Pro
465 470 475 480

Ser Lys Lys Gln Lys Lys Gln His Glu Gly Ser Lys Lys Lys Ala Ala
485 490 495

Ala Arg Asp Val Thr Leu Glu Asn Arg Leu Gln Asn Met Glu Val Thr
500 505 510

Asp Ala

<210> 25

<211> 1846

<212> DNA

<213> Homo sapiens

<220>

<223> Seryl t-RNA synthetase

<400> 25

```
gcagtgccggc ggtcacaggc tgagtgtctgc ggccgcatcc ttgcttccct gagcgttggc 60
ccggggaggaa agaagatggt gctggatctg gatttgtttc ggggtggataa aggaggggac 120
ccagccctca tccgagagac gcaggagaag cgcttcaagg acccgggact agtggaccag 180
ctgggtgaagg cagacagcga gtggcgacga tgtagatttc gggcagacaa cttgagcaag 240
ctgaagaacc tatgcagcaa gacaatcgga gagaaaatga agaaaaaaga gccagtggga 300
gatgatgagt ctgtcccaga gaatgtgtctg agtttcgatg accttactgc agacgcttta 360
gctaacctga aagtctcaca aatcaaaaaa gtccgactcc tcattgatga agccatcctg 420
aagtgtgacg cggagcggat aaagttggaa gcagagcggg ttgagaacct ccgagagatt 480
gggaaccttc tgcaccttc tgtacctatc agtaacgatg aggatgtgga caacaaagta 540
gagaggattt ggggcgattg tacagtcagg aagaagtact ctcatgtgga cctgggtggtg 600
atggttagatg gctttgaagg cgaaggggg gccgtggtgg ctgggagtcg agggtaacttc 660
ttgaaggggg tcctggtggt cctggaacag gctctcatcc agtatgccct tcgcaccttg 720
ggaagtcggg gctacattcc catttatacc ccctttttca tgaggaagga ggtcatgcag 780
gaggtggcac agctcagcca gtttgatgaa gaactttata aggtgattgg caaaggcagt 840
gaaaagtctg atgacaactc ctatgatgag aagtacctga ttgccacctc agagcagccc 900
attgctgccc tgcaccggga tgagtggctc cggccggagg acctgcccac caagtatgct 960
ggcctgtcta cctgcttccg tcaggagggt ggctcccatg gccgtgacac ccgtggcatc 1020
ttccgagtc atcagtttga gaagattgaa cagtttgtgt actcatcacc ccatgacaac 1080
aagtcattgg agatgtttga agagatgatt accaccgcag aggagttcta ccagtccctg 1140
gggattcctt accacattgt gaattattgtc tcaggttctt tgaatcatgc tgccagtaag 1200
aagcttgacc tggaggcctg gtttccgggc tcaggagcct tccgtgagtt ggtctcctgt 1260
tctaattgca cggattacca ggctcgccgg cttegaatcc gatatgggca aaccaagaag 1320
atgatggaca aggtggagtt tgtccatatt ctcaatgcta ccatgtgctg cactacccgt 1380
accatctgcg ccattcctgga gaactaccag acagagaagg gcatcactgt gcctgagaaa 1440
ttgaaggagt tcatgcccgc aggaactgcaa gaactgatcc cctttgtgaa gcctgcccgc 1500
attgagcagg agccatcaaa gaagcagaag aagcaacatg agggcagcaa aaagaaagca 1560
gcagcaagag acgtcacctc agaaaacagg ctgcagaaca tggaggtcac cgatgcttga 1620
acattcctgc ctccctatct gccaggtctt catttctgtc tgctgagatc tcagagcctg 1680
cccaacagca ggggaagccaa gcacccattc atccccctgc ccccatctga ctgctgtagt 1740
gagaggggaa cagtgccatg taccacacag atgttctgt ctccctcgat gggcataggg 1800
accatcatt gatgactgat gaaaccatgt aataaagcat ctctgg 1846
```

<210> 26

<211> 434

<212> PRT

<213> Homo sapiens

<220>

EP 1 284 298 A2

<223> Alpha-enolase

<400> 26

5	Met	Ser	Ile	Leu	Lys	Ile	His	Ala	Arg	Glu	Ile	Phe	Asp	Ser	Arg	Gly	1	5	10	15
	Asn	Pro	Thr	Val	Glu	Val	Asp	Leu	Phe	Thr	Ser	Lys	Gly	Leu	Phe	Arg	20	25	30	
10	Ala	Ala	Val	Pro	Ser	Gly	Ala	Ser	Thr	Gly	Ile	Tyr	Glu	Ala	Leu	Glu	35	40	45	
	Leu	Arg	Asp	Asn	Asp	Lys	Thr	Arg	Tyr	Met	Gly	Lys	Gly	Val	Ser	Lys	50	55	60	
15	Ala	Val	Glu	His	Ile	Asn	Lys	Thr	Ile	Ala	Pro	Ala	Leu	Val	Ser	Lys	65	70	75	80
	Lys	Leu	Asn	Val	Thr	Glu	Gln	Glu	Lys	Ile	Asp	Lys	Leu	Met	Ile	Glu	85	90	95	
20	Met	Asp	Gly	Thr	Glu	Asn	Lys	Ser	Lys	Phe	Gly	Ala	Asn	Ala	Ile	Leu	100	105	110	
	Gly	Val	Ser	Leu	Ala	Val	Cys	Lys	Ala	Gly	Ala	Val	Glu	Lys	Gly	Val	115	120	125	
25	Pro	Leu	Tyr	Arg	His	Ile	Ala	Asp	Leu	Ala	Gly	Asn	Ser	Glu	Val	Ile	130	135	140	
	Leu	Pro	Val	Pro	Ala	Phe	Asn	Val	Ile	Asn	Gly	Gly	Ser	His	Ala	Gly	145	150	155	160
30	Asn	Lys	Leu	Ala	Met	Gln	Glu	Phe	Met	Ile	Leu	Pro	Val	Gly	Ala	Ala	165	170	175	
35	Asn	Phe	Arg	Glu	Ala	Met	Arg	Ile	Gly	Ala	Glu	Val	Tyr	His	Asn	Leu	180	185	190	
	Lys	Asn	Val	Ile	Lys	Glu	Lys	Tyr	Gly	Lys	Asp	Ala	Thr	Asn	Val	Gly	195	200	205	
40	Asp	Glu	Gly	Gly	Phe	Ala	Pro	Asn	Ile	Leu	Glu	Asn	Lys	Glu	Gly	Leu	210	215	220	
	Glu	Leu	Leu	Lys	Thr	Ala	Ile	Gly	Lys	Ala	Gly	Tyr	Thr	Asp	Lys	Val	225	230	235	240
45	Val	Ile	Gly	Met	Asp	Val	Ala	Ala	Ser	Glu	Phe	Phe	Arg	Ser	Gly	Lys	245	250	255	
	Tyr	Asp	Leu	Asp	Phe	Lys	Ser	Pro	Asp	Asp	Pro	Ser	Arg	Tyr	Ile	Ser	260	265	270	
50	Pro	Asp	Gln	Leu	Ala	Asp	Leu	Tyr	Lys	Ser	Phe	Ile	Lys	Asp	Tyr	Pro	275	280	285	
	Val	Val	Ser	Ile	Glu	Asp	Pro	Phe	Asp	Gln	Asp	Asp	Trp	Gly	Ala	Trp	290	295	300	
55	Gln	Lys	Phe	Thr	Ala	Ser	Ala	Gly	Ile	Gln	Val	Val	Gly	Asp	Asp	Leu				

EP 1 284 298 A2

305 310 315 320

Thr Val Thr Asn Pro Lys Arg Ile Ala Lys Ala Val Asn Glu Lys Ser
325 330 335

5 Cys Asn Cys Leu Leu Lys Val Asn Gln Ile Gly Ser Val Thr Glu
340 345 350

Ser Leu Gln Ala Cys Lys Leu Ala Gln Ala Asn Gly Trp Gly Val Met
355 360 365

10 Val Ser His Arg Ser Gly Glu Thr Glu Asp Thr Phe Ile Ala Asp Leu
370 375 380

Val Val Gly Leu Cys Thr Gly Gln Ile Lys Thr Gly Ala Pro Cys Arg
385 390 395 400

15 Ser Glu Arg Leu Ala Lys Tyr Asn Gln Leu Leu Arg Ile Glu Glu Glu
405 410 415

Leu Gly Ser Lys Ala Lys Phe Ala Gly Arg Asn Phe Arg Asn Pro Leu
420 425 430

20 Ala Lys

25 <210> 27
<211> 1755
<212> DNA
<213> Homo sapiens

30 <220>
<223> Alpha-enolase

<400> 27

35 acggagatct cgccggcttt acgttcacct cgggtgtctgc agcaccctcc gcttcctctc 60
ctaggcgacg agaccagtg gctagaagtt caccatgtct attctcaaga tccatgccag 120
ggagatcttt gactctcgcg ggaatccac tgttgaggtt gatctcttca cctcaaaagg 180
tctcttcaga gctgctgtgc ccagtgtgtc ttcaactggt atctatgagg ccctagagct 240
ccgggacaat gataagactc gctatatggg gaagggtgtc tcaaaggctg ttgagcacat 300
caataaaaact attgcgctg ccctgggttag caagaaactg aacgtcacag aacaagagaa 360
gattgacaaa ctgatgatcg agatggatgg aacagaaaat aaatctaagt ttggtgcgaa 420
40 cgccattctg ggggtgtccc ttgccgtctg caaagctggt gccgttgaga aggggggtccc 480
cctgtaccgc cacatcgctg acttggctgg caactctgaa gtcacacctg cagtcccggc 540
gttcaatgtc atcaatggcg gttctcatgc tggcaacaag ctggccatgc aggagttcat 600
gatectccca gtcggtgcag caaacttcag ggaagccatg cgcattggag cagaggttta 660
ccacaacctg aagaatgtca tcaaggagaa atatgggaaa gatgccacca atgtggggga 720
45 tgaaggcggg tttgctccca acatcctgga gaataaagaa ggcctggagc tgctgaagac 780
tgctatggg aaagctggct aactgataa ggtggtcatc ggcattggag tagcggcctc 840
cgagttcttc aggtctggga agtatgacct ggacttcaag tctccgatg accccagcag 900
gtacatctcg cctgaccagc tggctgacct gtacaagtcc ttcataagg actaccagt 960
ggtgtctatc gaagatccct ttgaccagga tgactgggga gcttggcaga agttcacagc 1020
cagtgcagga atccaggtag tgggggatga tctcacagt accaacccaa agaggatcgc 1080
50 caaggccgtg aacgagaagt cctgcaactg cctcctgctc aaagtcaacc agattggctc 1140
cgtgaccgag tctcttcagg cgtgcaagct ggcccaggcc aatgggttgg gcgtcatggt 1200
gtctcatcgt tcgggggaga ctgaagatac cttcatcgct gacctggttg tggggctgtg 1260
cactgggcag atcaagactg gtgccccttg ccgatctgag cgcttggcca agtacaacca 1320
gctcctcaga attgaagagg agctgggcag caaggctaag tttgccggca ggaacttcag 1380
55 aaacccttg gccaaagtaag ctgtgggcag gcaagccttc ggtcacctgt tggctacaca 1440
gaccctccc ctctgttcag ctcaggcagc tgcaggcccc cgaccaacac ttgcagggtt 1500

EP 1 284 298 A2

ccctgctagt tagcgcccca cgcgcgtgga gttcgtaccg cttccttaga acttctacag 1560
aagccaagct ccttgagcc ctgttgccag ctctagcttt tgcagtcgtg taatgggccc 1620
aagtcattgt ttttctcgcc tcactttcca ccaagtgtct agagtcattg gagcctcgtg 1680
tcattctccg ggtggccaca ggctagatcc cgggtgggtt tgtgctcaaa ataaaaagcc 1740
tcagtgaccc atgag 1755

<210> 28
<211> 316
<212> PRT
<213> Rattus norvegicus
<220>
<223> Aldose reductase

<400> 28
Met Ala Ser His Leu Glu Leu Asn Asn Gly Thr Lys Met Pro Thr Leu
1 5 10 15
Gly Leu Gly Thr Trp Lys Ser Pro Pro Gly Gln Val Thr Glu Ala Val
20 20 25 30
Lys Val Ala Ile Asp Met Gly Tyr Arg His Ile Asp Cys Ala Gln Val
35 40 45
Tyr Gln Asn Glu Lys Glu Val Gly Val Ala Leu Gln Glu Lys Leu Lys
50 55 60
Glu Gln Val Val Lys Arg Gln Asp Leu Phe Ile Val Ser Lys Leu Trp
65 70 75 80
Cys Thr Phe His Asp Gln Ser Met Val Lys Gly Ala Cys Gln Lys Thr
85 90 95
Leu Ser Asp Leu Gln Leu Asp Tyr Leu Asp Leu Tyr Leu Ile His Trp
100 105 110
Pro Thr Gly Phe Lys Pro Gly Pro Asp Tyr Phe Pro Leu Asp Ala Ser
115 120 125
Gly Asn Val Ile Pro Ser Asp Thr Asp Phe Val Asp Thr Trp Thr Ala
130 135 140
Met Glu Gln Leu Val Asp Glu Gly Leu Val Lys Ala Ile Gly Val Ser
145 150 155 160
Asn Phe Asn Pro Leu Gln Ile Glu Arg Ile Leu Asn Lys Pro Gly Leu
165 170 175
Lys Tyr Lys Pro Ala Val Asn Gln Ile Glu Cys His Pro Tyr Leu Thr
180 185 190
Gln Glu Lys Leu Ile Glu Tyr Cys His Cys Lys Gly Ile Val Val Thr
195 200 205
Ala Tyr Ser Pro Leu Gly Ser Pro Asp Arg Pro Trp Ala Lys Pro Glu
210 215 220
Asp Pro Ser Leu Leu Glu Asp Pro Arg Ile Lys Glu Ile Ala Ala Lys
225 230 235 240

EP 1 284 298 A2

Tyr Asn Lys Thr Thr Ala Gln Val Leu Ile Arg Phe Pro Ile Gln Arg
 245 250 255
 Asn Leu Val Val Ile Pro Lys Ser Val Thr Pro Ala Arg Ile Ala Glu
 260 265 270
 Asn Phe Lys Val Phe Asp Phe Glu Leu Ser Asn Glu Asp Met Ala Thr
 275 280 285
 Leu Leu Ser Tyr Asn Arg Asn Trp Arg Val Cys Ala Leu Met Ser Cys
 290 295 300
 Ala Lys His Lys Asp Tyr Pro Phe His Ala Glu Val
 305 310 315
 <210> 29
 <211> 1337
 <212> DNA
 <213> Rattus norvegicus
 <220>
 <223> Aldose reductase
 <400> 29
 ctcttgcggg tcgttgtgcg taacttgcag caatcatggc tagccatctg gaactcaaca 60
 acggcaccac gatgccacc ctgggtctgg gcacctggaa gtctctctct gccaggtga 120
 ccgaggctgt gaaggttgct atcgacatgg ggtatcgcca cattgactgc gccaggtgt 180
 accagaatga gaaggaggtg ggggtggccc tccaggagaa gctcaaggag caggtggtga 240
 agcgccagga tctcttcatt gtcagcaagc tgtggtgcac gtccacgac cagagcatgg 300
 tgaaaggggc ctgccagaag acgtgagcg acctgcagct ggactacctg gacctctacc 360
 ttattcactg gccaactggc ttcaagcctg ggcctgacta tttccccctg gatgcacg 420
 gaaacgtgat tcctagtac accgattttg tggacacttg gacggctatg gagcaactag 480
 tggatgaagg tttggtaaaa gcaatcggag tctccaactt caacctctct cagattgaga 540
 ggatcttgaa caaacctggc ttaaagtata agcctgctgt taaccagatc gattgccacc 600
 catacctaac tcaggagaag ctgattgagt actgccattg caaaggcatc gtggtgactg 660
 catacagtcc ccttggttct cctgacaggc cctgggccaa gcctgaggac cctctctctc 720
 tggaggatcc caggatcaag gaaattgcag ccaagtacaa taaaactaca gccaggtgc 780
 tgatccggtt ccccatccaa aggaacctgg tcgtgatccc caagtctgtg acaccagcac 840
 gtattgctga gaactttaag gtctttgact ttgagctgag caatgaggac atggccactc 900
 tactcagcta caacaggaac tggagggtgt ggccttgat gagctgtgcc aaacacaagg 960
 attaccctt ccacgcagaa gtctgaagct gtggtggacg aatcctgctc ctccccaaagc 1020
 gacttaacac atgttctttc tgcctcatct gcccttgcaa gtgtccctct gactgggtg 1080
 gcaccttgca gaccagatgg tgagagtttg ttagtttgac gtagaatgtg gagggcagta 1140
 ccagtagctg aggagtttct tgggclllc ttggtcttct tcccacctgg aggacttta 1200
 cagagtacc ttttccaacc aaagagaaag caagatttat agcccaagtc atgccactaa 1260
 cacttaaatt tgagtgtta gaactccagt cctatggggg tcagactttt tgccctcaaat 1320
 aaaaactgct tttgtcg 1337
 <210> 30
 <211> 299
 <212> PRT
 <213> Rattus norvegicus
 <220>
 <223> Cytochrome C oxidase, subunit 1
 <400> 30
 Glu Phe Pro Phe Phe Asp Pro Ala Gly Gly Gly Asp Pro Ile Leu Tyr
 1 5 10 15

EP 1 284 298 A2

	Gln	His	Leu	Phe	Trp	Phe	Phe	Gly	His	Pro	Glu	Val	Tyr	Ile	Leu	Ile	
				20					25					30			
5	Leu	Pro	Gly	Phe	Gly	Ile	Ile	Ser	His	Val	Val	Thr	Tyr	Tyr	Ser	Gly	
			35					40					45				
	Lys	Lys	Glu	Pro	Phe	Gly	Tyr	Met	Gly	Met	Val	Trp	Ala	Met	Met	Ser	
			50				55					60					
10	Ile	Gly	Phe	Leu	Gly	Phe	Ile	Val	Trp	Ala	His	His	Met	Phe	Thr	Val	
		65				70					75					80	
	Gly	Leu	Asp	Val	Asp	Thr	Arg	Ala	Tyr	Phe	Thr	Ser	Ala	Thr	Met	Ile	
					85					90					95		
15	Ile	Ala	Ile	Pro	Thr	Gly	Val	Lys	Val	Phe	Ser	Trp	Leu	Ala	Thr	Leu	
				100				105						110			
	His	Gly	Gly	Asn	Ile	Lys	Trp	Ser	Pro	Ala	Met	Leu	Trp	Ala	Leu	Gly	
			115					120					125				
20	Phe	Ile	Phe	Leu	Phe	Thr	Val	Gly	Gly	Leu	Thr	Gly	Ile	Val	Leu	Ser	
		130					135					140					
	Asn	Ser	Ser	Leu	Asp	Ile	Val	Leu	His	Asp	Thr	Tyr	Tyr	Val	Val	Ala	
	145				150					155						160	
25	His	Phe	His	Tyr	Val	Leu	Ser	Met	Gly	Ala	Val	Phe	Ala	Ile	Met	Ala	
				165						170					175		
	Cys	Phe	Val	His	Trp	Phe	Pro	Leu	Phe	Ser	Gly	Tyr	Thr	Leu	Asn	Asp	
				180				185						190			
30	Thr	Trp	Ala	Lys	Ala	His	Phe	Ala	Ile	Met	Phe	Val	Gly	Val	Asn	Met	
		195					200						205				
	Thr	Phe	Phe	Pro	Gln	His	Phe	Leu	Gly	Leu	Ala	Gly	Met	Pro	Arg	Arg	
		210				215						220					
35	Tyr	Ser	Asp	Tyr	Pro	Asp	Ala	Tyr	Thr	Thr	Trp	Asn	Thr	Val	Ser	Ser	
	225				230						235					240	
	Met	Gly	Ser	Phe	Ile	Ser	Leu	Thr	Ala	Val	Leu	Val	Met	Ile	Phe	Met	
				245					250						255		
40	Ile	Trp	Glu	Ala	Phe	Ala	Ser	Lys	Arg	Glu	Val	Leu	Ser	Ile	Ser	Tyr	
			260					265						270			
	Ser	Ser	Thr	Asn	Leu	Glu	Trp	Leu	His	Gly	Cys	Pro	Pro	Pro	Tyr	His	
			275				280					285					
45	Thr	Phe	Glu	Glu	Pro	Ser	Tyr	Val	Lys	Val	Lys						
		290					295										
50	<210> 31																
	<211> 987																
	<212> DNA																
	<213> Rattus norvegicus																
55	<220>																
	<223> Cytochrome C oxidase, subunit 1																

EP 1 284 298 A2

<400> 31
 5 gaattccctt tcttcgaccc cgctggaggt ggagacccaa ttctttatca acacctattc 60
 tgattcttcg gccaccacaga agtgtacatc ttaattcttc caggggttgg aattatttca 120
 catgtagtta cctattactc tggaaaaaaa gaacccttcg gatatatagg tatggtagta 180
 gccataatat ctattggctt cctaggattt attgtatgag cacatcacat attcacagta 240
 ggcctagatg tagacacccg agcctacttt acatctgcca ctataattat cgcaattcct 300
 10 acaggcgtaa aagtattcag ctgactcgct aactacatg gaggaatat caaatgatcc 360
 cccgccatat tatgagcctt aggggtttatc ttctttattca cagtaggggg cctaacaggg 420
 atcgtactat ctaactcatc ccttgacatt gtacttcatg atacatacta cgtagtagct 480
 cacttccact atgtcttacc tataggagca gtattcgcca tcatagcttg cttcgtccac 540
 tgattccac tattctcagg ctatacccta aatgacacat gagcaaaagc ccactttgcc 600
 attatatattg taggtgtaaa cataacattt tttcctcaac acttcctagg attagcaggg 660
 15 atacctcgtc gttactctga ttatccagat gcttatacca catgaaatac agtctcctct 720
 ataggctcat tcatctcact tacggccgct cttgtaatac tcttcatgat ttgagaagcc 780
 ttcgcatcaa aacgagaagt gctctcaatt tcctactctt caactaacct agaatactg 840
 catggatgcc cccacacctt ccacacatc gaagaacctt cctatgtaaa agttaataa 900
 gaaaggaagg attcgaaccc cctacaactg gtttcaagcc aatttcataa ccattatgtc 960
 tttctcaata aaaaaaaaaa ggaattc 987

20
 <210> 32
 <211> 334
 <212> PRT
 <213> Rattus norvegicus

25
 <220>
 <223> LDH-B

<400> 32
 30 Met Ala Thr Leu Lys Glu Lys Leu Ile Ala Pro Val Ala Asp Asp Glu
 1 5 10 15
 Thr Ala Val Pro Asn Asn Lys Ile Thr Val Val Gly Val Gly Gln Val
 20 25 30
 35 Gly Met Ala Cys Ala Ile Ser Ile Leu Gly Lys Ser Leu Ala Asp Glu
 35 40 45
 Leu Ala Leu Val Asp Val Leu Glu Asp Lys Leu Lys Gly Glu Met Met
 50 55 60
 40 Asp Leu Gln His Gly Ser Leu Phe Leu Gln Thr Pro Lys Ile Val Ala
 65 70 75 80
 Asp Lys Asp Tyr Ser Val Thr Ala Asn Ser Lys Ile Val Val Val Thr
 85 90 95
 45 Ala Gly Val Arg Gln Gln Glu Gly Glu Ser Arg Leu Asn Leu Val Gln
 100 105 110
 Arg Asn Val Asn Val Phe Lys Phe Ile Ile Pro Gln Ile Val Lys Tyr
 115 120 125
 50 Ser Pro Asp Cys Thr Ile Ile Val Val Ser Asn Pro Val Asp Ile Leu
 130 135 140
 Thr Tyr Val Thr Trp Lys Leu Ser Gly Leu Pro Lys His Arg Val Ile
 145 150 155 160
 55 Gly Ser Gly Cys Asn Leu Asp Ser Ala Arg Phe Arg Tyr Leu Met Ala

EP 1 284 298 A2

	165	170	175
5	Glu Lys Leu Gly Ile His Pro Ser 180	Ser Cys His Gly Trp Ile Leu Gly 185	
	Glu His Gly Asp Ser Ser Val Ala Val Trp Ser Gly Val Asn Val Ala 195	200	205
10	Gly Val Ser Leu Gln Glu Leu Asn Pro Glu Met Gly Thr Asp Asn Asp 210	215	220
	Ser Glu Asn Trp Lys Glu Val His Lys Met Val Val Asp Ser Ala Tyr 225	230	235
15	Glu Val Ile Lys Leu Lys Gly Tyr Thr Asn Trp Ala Ile Gly Leu Ser 245	250	255
	Val Ala Asp Leu Ile Glu Ser Met Leu Lys Asn Leu Ser Arg Ile His 260	265	270
20	Pro Val Ser Thr Met Val Lys Gly Met Tyr Gly Ile Glu Asn Glu Val 275	280	285
	Phe Leu Ser Leu Pro Cys Ile Leu Asn Ala Arg Gly Leu Thr Ser Val 290	295	300
25	Ile Asn Gln Lys Leu Lys Asp Asp Glu Val Ala Gln Leu Arg Lys Ser 305	310	315
	Ala Asp Thr Leu Trp Asp Ile Gln Lys Asp Leu Lys Asp Leu 325	330	
30	<210> 33 <211> 1217 <212> DNA <213> Rattus norvegicus		
35	<220> <223> LDH-B		
40	<400> 33 cagagcctcc tcttgtctgg acaagatggc aacccttaag gaaaagctca ttgcgccagt 60 cgcagacgac gagactgccg tcccgaacaa caagattact gtagtaggcg ttggacaagt 120 tggaatggct tgtgctatca gcattctggg gaagtctctg gctgatgagc ttgccctggg 180 ggatgtcttg gaagacaagc tcaaaggaga aatgatggat ctgcagcacg ggagcttatt 240 tctccagact ccgaaaatcg tggctgataa agattactcc gtgacagcca attctaagat 300 tgtggtgggtg accgcgggag tccgccagca ggagggggag agtcgggtca acctgggtgca 360 gagaaacgtc aatgtattca agttcattat tcctcagatc gtcaagtaca gccccgactg 420 caccatcatc gtggtttcca acccagtggg tattcttacc tatgtcacct ggaagctgag 480 cgggctacct aagcacccgc tgattggaag tggatgcaat ctggattctg ctcggtttcg 540 ttacclcatg gccgaaaagc ttggtattca tcccagcagc tgccacggct ggatcctggg 600 cgagcacggg gactccagtg tggcagtgtg gagcgggggtg aatgtggcag gagtctccct 660 ccaggaactg aaccagaga tgggaacgga caatgacagc gagaactgga aggaggtgca 720 taagatgggtg gtggacagtg cctatgaagt catcaagcta aaaggctaca ccaactgggc 780 catcggccta agtgtggctg acctcatcga atccatgctg aaaaacctct ctcggattca 840 ccccggtgtc acaatgggtg agggaaatgta cggcatcgag aacgaagtct tcctcagctc 900 cccgtgcac cttaatgtct ggggactgac cagcgtcatc aaccagaagc tgaaggacga 960 tgaggtcgct cagctcagga agagtgcgga caccctgtgg gatattccaga aagacctcaa 1020 ggacctgtga ctgccaggcg ccaggctgta gaaatccaaa cctccaatgt gactaagtga 1080 accttagtc ttccgccttg tacgtaggtc acagtttgct tcttccttaa catgtgataa 1140 tgagctcaca gatcaaaacc aggagtgttt gatgtttgca ctaggagctc ctgaacaaat 1200		

aaagtttagc aattgca

1217

<210> 34
 <211> 86
 <212> PRT
 <213> Homo sapiens

<220>
 <223> Cytochrome C oxidase subunit VIb

<400> 34
 Met Ala Glu Asp Met Glu Thr Lys Ile Lys Asn Tyr Lys Thr Ala Pro
 1 5 10 15
 Phe Asp Ser Arg Phe Pro Asn Gln Asn Gln Thr Arg Asn Cys Trp Gln
 20 25 30
 Asn Tyr Leu Asp Phe His Arg Cys Gln Lys Ala Met Thr Ala Lys Gly
 35 40 45
 Gly Asp Ile Ser Val Cys Glu Trp Tyr Gln Arg Val Tyr Gln Ser Leu
 50 55 60
 Cys Pro Thr Ser Trp Val Thr Asp Trp Asp Glu Gln Arg Ala Glu Gly
 65 70 75 80
 Thr Phe Pro Gly Lys Ile
 85

<210> 35
 <211> 439
 <212> DNA
 <213> Homo sapiens

<220>
 <223> Cytochrome C oxidase subunit VIb

<400> 35
 ttgagctgca ggttgaatcc ggggtgcctt taggattcag caccatggcg gaagacatgg 60
 agaccaaaat caagaactac aagaccgccc cttttgacag ccgcttcccc aaccagaacc 120
 agactagaaa ctgctggcag aactacctgg acttccaccg ctgtcagaag gcaatgaccg 180
 ctaaaggagg cgatatctct gtgtgcgaat ggtaccagcg tgtgtaccag tccctctgcc 240
 ccacatcctg ggtcacagac tgggatgagc aacgggctga aggcacgttt cccgggaaga 300
 tctgaactgg ctgcatctcc ctttctctctg tcctccatcc ttctcccagg atgggtgaagg 360
 gggacctggg acccagtgat ccccaccca ggatcctaaa tcatgactta cctgctaata 420
 aaaactcatt ggaaaagtg 439

<210> 36
 <211> 172
 <212> PRT
 <213> Homo sapiens

<220>
 <223> NADH: ubiquinone oxidoreductase PGIV subunit

<400> 36
 Met Pro Gly Ile Val Glu Leu Pro Thr Leu Glu Glu Leu Lys Val Asp
 1 5 10 15

EP 1 284 298 A2

Glu Val Lys Ile Ser Ser Ala Val Leu Lys Ala Ala Ala His His Tyr
 20 25 30
 5 Gly Ala Gln Cys Asp Lys Pro Asn Lys Glu Phe Met Leu Cys Arg Trp
 35 40 45
 Glu Glu Lys Asp Pro Arg Arg Cys Leu Glu Glu Gly Lys Leu Val Asn
 50 55 60
 10 Lys Cys Ala Leu Asp Phe Phe Arg Gln Ile Lys Arg His Cys Ala Glu
 65 70 75 80
 Pro Phe Thr Glu Tyr Trp Thr Cys Ile Asp Tyr Thr Gly Gln Gln Leu
 85 90 95
 15 Phe Arg His Cys Arg Lys Gln Gln Ala Lys Phe Asp Glu Cys Val Leu
 100 105 110
 Asp Lys Leu Gly Trp Val Arg Pro Asp Leu Gly Glu Leu Ser Lys Val
 115 120 125
 20 Thr Lys Val Lys Thr Asp Arg Pro Leu Pro Glu Asn Pro Tyr His Ser
 130 135 140
 Arg Pro Arg Pro Asp Pro Ser Pro Glu Ile Glu Gly Asp Leu Gln Pro
 145 150 155 160
 25 Ala Thr His Gly Ser Arg Phe Tyr Phe Trp Thr Lys
 165 170
 30 <210> 37
 <211> 700
 <212> DNA
 <213> Homo sapiens
 35 <220>
 <223> NADH: ubiquinone oxidoreductase PGIV subunit
 <400> 37
 ggggagttca agggagacggg ggcgacgcgg ctgagggtt ctcgtcggg tgggggctgc 60
 agccgtcatg ccggggatag tggagctgcc cactctagag gagctgaaag tagatgaggt 120
 40 gaaaattagt tctgctgtgc ttaaagctgc ggcccatcac tatggagctc aatgtgataa 180
 gcccaacaag gaatttatgc lctgccgctg ggaagagaaa gatccgaggc ggtgtttaga 240
 ggaaggcaaa ctggtcaaca agtgtgcttt ggacttcttt aggcagataa aacgtcactg 300
 tgcagagcct ttacagaat attggacttg cattgattat actggccagc agttatttcg 360
 tcaactgtcg aaacagcagg caaagtttga cgagtgtgtg ctggacaaac tgggctgggt 420
 gcggcctgac ctgggagaac tgtcaaaggt caccaaagtg aaaacagatc gacctttacc 480
 45 ggagaatccc tatcactcaa gaccaagacc ggatcccagc cctgagatcg agggagatct 540
 gcagcctgcc acacatggca gccgctttta tttctggacc aagtaaagat ggggtccgtg 600
 cccacactcg gtcattgtct cagacaacga ctgatgaaaa cgcccatgcg gtttgcacg 660
 actgatagtg tgttctttcc gggatcacaa acattaacaa 700
 50 <210> 38
 <211> 532
 <212> PRT
 <213> Mus musculus
 55 <220>
 <223> succinate dehydrogenase Fp subunit

EP 1 284 298 A2

<400> 38
 5 Leu Arg Ala Ala Phe Gly Leu Ser Glu Ala Gly Phe Asn Thr Ala Cys
 1 5 10 15
 Leu Thr Lys Leu Phe Pro Thr Arg Ser His Thr Val Ala Ala Gln Gly
 20 25 30
 10 Gly Ile Asn Ala Ala Leu Gly Asn Met Glu Glu Asp Asn Trp Arg Trp
 35 40 45
 His Phe Tyr Asp Thr Val Lys Gly Ser Asp Trp Leu Gly Asp Gln Asp
 50 55 60
 15 Ala Ile His Tyr Met Thr Glu Gln Ala Pro Ala Ser Val Val Glu Leu
 65 70 75 80
 Glu Asn Tyr Gly Met Pro Phe Ser Arg Thr Glu Asp Gly Lys Ile Tyr
 85 90 95
 20 Gln Arg Ala Phe Gly Gly Gln Ser Leu Lys Phe Gly Lys Gly Gly Gln
 100 105 110
 Ala His Arg Cys Cys Cys Val Ala Asp Arg Thr Gly His Ser Leu Leu
 115 120 125
 25 His Thr Leu Tyr Gly Arg Ser Leu Arg Tyr Asp Thr Ser Tyr Phe Val
 130 135 140
 Glu Tyr Phe Ala Leu Asp Leu Leu Met Glu Asn Gly Glu Cys Arg Gly
 145 150 155 160
 30 Val Ile Ala Leu Cys Ile Glu Asp Gly Ser Ile His Arg Ile Arg Ala
 165 170 175
 Lys Asn Thr Val Ile Ala Thr Gly Gly Tyr Gly Arg Thr Tyr Phe Ser
 180 185 190
 35 Cys Thr Ser Ala His Thr Ser Thr Gly Asp Gly Thr Ala Met Val Thr
 195 200 205
 Arg Ala Gly Leu Pro Cys Gln Asp Leu Glu Phe Val Gln Phe His Pro
 210 215 220
 40 Thr Gly Ile Tyr Gly Ala Gly Cys Leu Ile Thr Glu Gly Cys Arg Gly
 225 230 235 240
 Glu Gly Gly Ile Leu Ile Asn Ser Gln Gly Glu Arg Phe Met Glu Arg
 245 250 255
 45 Tyr Ala Pro Val Ala Lys Asp Leu Ala Ser Arg Asp Val Val Ser Arg
 260 265 270
 Ser Met Thr Leu Glu Ile Arg Glu Gly Arg Gly Cys Gly Pro Glu Lys
 275 280 285
 50 Asp His Val Tyr Leu Gln Leu His His Leu Pro Pro Glu Gln Leu Ala
 290 295 300
 Thr Arg Leu Pro Gly Ile Ser Glu Thr Ala Met Ile Phe Ala Gly Val
 305 310 315 320
 55

EP 1 284 298 A2

Asp Val Thr Lys Glu Pro Ile Pro Val Leu Pro Thr Val His Tyr Asn
 325 330 335
 5 Met Gly Gly Ile Pro Thr Asn Tyr Lys Gly Gln Val Leu Lys His Val
 340 345 350
 Asn Gly Gln Asp Gln Ile Val Pro Gly Leu Tyr Ala Cys Gly Glu Ala
 355 360 365
 10 Ala Cys Ala Ser Val His Gly Ala Asn Arg Leu Gly Ala Asn Ser Leu
 370 375 380
 Leu Asp Leu Val Val Phe Gly Arg Ala Cys Ala Leu Ser Ile Ala Glu
 385 390 395 400
 15 Ser Cys Arg Pro Gly Asp Lys Val Pro Ser Ile Lys Ala Asn Ala Gly
 405 410 415
 Glu Glu Ser Val Met Asn Leu Asp Lys Leu Arg Phe Ala Asp Gly Ser
 420 425 430
 20 Ile Arg Thr Ser Glu Leu Arg Leu Asn Met Gln Lys Ser Met Gln Asn
 435 440 445
 His Ala Ala Val Phe Arg Val Gly Ser Val Leu Gln Glu Gly Cys Glu
 450 455 460
 25 Lys Ile Ser Gln Leu Tyr Gly Asp Leu Lys His Leu Lys Thr Phe Asp
 465 470 475 480
 Arg Gly Met Val Trp Asn Thr Asp Leu Val Glu Thr Leu Glu Leu Gln
 485 490 495
 30 Asn Leu Met Leu Cys Ala Leu Gln Thr Ile Tyr Gly Ala Glu Ala Arg
 500 505 510
 Lys Glu Ser Arg Gly Ala His Ala Arg Glu Asp Tyr Lys Val Arg Val
 515 520 525
 35 Asp Glu Tyr Asp
 530
 40 <210> 39
 <211> 1596
 <212> DNA
 <213> Mus musculus
 45 <220>
 <223> succinate dehydrogenase Fp subunit
 50 <400> 39
 ttgcgagctg catttggcct ttctgaggca ggggtttaata ctgcatgcct tacaaagctc 60
 ttctctaccc gatcacatac tgttgcagca cagggaggta tcaatgctgc tctggggaac 120
 atggaagagg acaactggag atggcatttc tatgacactg tgaaaggctc cgactggctg 180
 ggggatcagg atgccatcca ttacatgaca gagcaagctc ctgcctctgt ggttgagcta 240
 gaaaattatg gtatgccatt tagcagaact gaagatggga agatttatca gcgtgcattt 300
 ggtggacaga gcctcaagtt tgggaaaggc gggcaggctc atcgggtgttg ctgtgtggct 360
 gatcggacag gccactcact cttacacacc ttgtatggaa gatctctgcg atatgacacc 420
 agttattttg tggaatattt tgcactggat cttctgatgg aaaatgggga gtgccgtggt 480
 gtcattgcac tgtgcataga agatgggtcc atacaccgaa taagagcaaa aaacactggt 540
 55 attgctactg ggggctacgg gcgaacctac ttcagctgta catctgccca taccagcaca 600

EP 1 284 298 A2

5
10
15
ggggacggca cagccatggt cactagggct gggttgccct gccaggactt agaatttggt 660
cagttccacc ccacaggtat atacgggtgct ggctgcctca tcacagaagg gtgtcgtgga 720
gaggggggga ttctcatcaa cagtcaagggt gaaagggttca tggagagata cgccctgtt 780
gccaaggacc tggcatcaag agatgttggtg ttctgatcca tgactcttga gatccgtgaa 840
ggaagaggct gtggccctga gaaagatcac gtctacctgc agttgcatca tctgcctcct 900
gagcaactgg ccacacgtct gcccgggaatt tcagagacag ccatgatctt cgctgggtgtg 960
gatgtcacta aggagcccat tccagtcctc cccactgtgc attacaacat ggggtgggatt 1020
cccactaact acaagggaca ggtgctgaag catgtgaatg gccaggatca gattgtgcct 1080
ggactgtatg cctgtgggga ggctgcctgc gcctcagtgc atgggtgcaa ccggcttgga 1140
gcaaattctc tcttgacact tgtagtcttt ggagagcct gtgccctgag cattgcagaa 1200
tcttgacagg ctggagataa agttccttca attaaggcaa atgctggaga agaategggt 1260
atgaatcttg acaagttgag atttgccgat ggaagtataa gaacatcaga actacgccta 1320
aacatgcaga agtcgatgca gaaccatgct gcagtgttcc gtgtggggag tgtattgcaa 1380
gaaggctgtg aaaaaatcag tcagctctat ggagacctaa agcatctaaa gacattcgac 1440
aggggaatgg tttggaacac agacctggtg gagacctgg agctgcagaa tctgatgctg 1500
tgcgactgac agaccatata tgggtgcagaa gctcggaagg agtcccgggg agcccatgcc 1560
aggggaagatt acaaagtgcg ggtcgatgag tatgat 1596

20
<210> 40
<211> 453
<212> PRT
<213> Homo sapiens

25
<220>
<223> Core protein II of human mitochondrial cytochrome bc-1 complex

<400> 40
Met Lys Leu Leu Thr Arg Ala Gly Ser Phe Ser Arg Phe Tyr Ser Leu
1 5 10 15
30 Lys Val Ala Pro Lys Val Lys Ala Thr Ala Ala Pro Ala Gly Ala Pro
20 25 30
Pro Gln Pro Gln Asp Leu Glu Phe Thr Lys Leu Pro Asn Gly Leu Val
35 40 45
35 Ile Ala Ser Leu Glu Asn Tyr Ser Pro Val Ser Arg Ile Gly Leu Phe
50 55 60
Ile Lys Ala Gly Ser Arg Tyr Glu Asp Phe Ser Asn Leu Gly Thr Thr
65 70 75 80
40 His Leu Leu Arg Leu Thr Ser Ser Leu Thr Thr Lys Gly Ala Ser Ser
85 90 95
Phe Lys Ile Thr Arg Gly Ile Glu Ala Val Gly Gly Lys Leu Ser Val
100 105 110
45 Thr Ala Thr Arg Glu Asn Met Ala Tyr Thr Val Glu Cys Leu Arg Gly
115 120 125
Asp Val Asp Ile Leu Met Glu Phe Leu Leu Asn Val Thr Thr Ala Pro
130 135 140
50 Glu Phe Arg Arg Trp Glu Val Ala Asp Leu Gln Pro Gln Leu Lys Ile
145 150 155 160
Asp Lys Ala Val Ala Phe Gln Asn Pro Gln Thr His Val Ile Glu Asn
165 170 175
55

EP 1 284 298 A2

	Leu	His	Ala	Ala	Ala	Tyr	Gln	Asn	Ala	Leu	Ala	Asn	Pro	Leu	Tyr	Cys	
				180					185					190			
5	Pro	Asp	Tyr	Arg	Ile	Gly	Lys	Val	Thr	Ser	Glu	Glu	Leu	His	Tyr	Phe	
			195				200						205				
	Val	Gln	Asn	His	Phe	Thr	Ser	Ala	Arg	Met	Ala	Leu	Ile	Gly	Leu	Gly	
		210					215					220					
10	Val	Ser	His	Pro	Val	Leu	Lys	Gln	Val	Ala	Glu	Gln	Phe	Leu	Asn	Met	
	225					230					235					240	
	Arg	Gly	Gly	Leu	Gly	Leu	Ser	Gly	Ala	Lys	Ala	Asn	Tyr	Arg	Gly	Gly	
				245						250					255		
15	Glu	Ile	Arg	Glu	Gln	Asn	Gly	Asp	Ser	Leu	Val	His	Ala	Ala	Phe	Val	
				260					265						270		
	Ala	Glu	Ser	Ala	Val	Ala	Gly	Ser	Ala	Glu	Ala	Asn	Ala	Phe	Ser	Val	
			275					280					285				
20	Leu	Gln	His	Val	Leu	Gly	Ala	Gly	Pro	His	Val	Lys	Arg	Gly	Ser	Asn	
		290				295						300					
	Thr	Thr	Ser	His	Leu	His	Gln	Ala	Val	Ala	Lys	Ala	Thr	Gln	Gln	Pro	
	305					310					315					320	
25	Phe	Asp	Val	Ser	Ala	Phe	Asn	Ala	Ser	Tyr	Ser	Asp	Ser	Gly	Leu	Phe	
					325					330					335		
	Gly	Ile	Tyr	Thr	Ile	Ser	Gln	Ala	Thr	Ala	Ala	Gly	Asp	Val	Ile	Lys	
				340					345					350			
30	Ala	Ala	Tyr	Asn	Gln	Val	Lys	Arg	Ile	Ala	Gln	Gly	Asn	Leu	Ser	Asn	
			355				360						365				
	Thr	Asp	Val	Gln	Ala	Ala	Lys	Asn	Lys	Leu	Lys	Ala	Gly	Tyr	Leu	Met	
		370					375					380					
35	Ser	Val	Glu	Ser	Ser	Glu	Cys	Phe	Leu	Glu	Glu	Val	Gly	Ser	Gln	Ala	
		385				390					395					400	
	Leu	Val	Ala	Gly	Ser	Tyr	Met	Pro	Pro	Ser	Thr	Val	Leu	Gln	Gln	Ile	
				405						410					415		
40	Asp	Ser	Val	Ala	Asn	Ala	Asp	Ile	Ile	Asn	Ala	Ala	Lys	Lys	Phe	Val	
				420					425					430			
	Ser	Gly	Gln	Lys	Ser	Met	Ala	Ala	Ser	Gly	Asn	Leu	Gly	His	Thr	Pro	
		435					440						445				
45	Phe	Val	Asp	Glu	Leu												
		450															
50	<210>	41															
	<211>	1588															
	<212>	DNA															
	<213>	Homo sapiens															
55	<220>																
	<223>	Core protein II of human mitochondrial cytochrome bc-1 complex															

<400> 41
 5 atcttgcttt cctttaatcc ggcagtgacc gtgtgtcaga acaatcttga atcatgaagc 60
 tactaaccag agccggctct ttctcgagat ttatttcctt caaagttgcc cccaaagtta 120
 aagccacagc tgcgcctgca ggagcaccgc cacaacctca ggaccttgag tttaccaagt 180
 taccaaatgg cttgggtgatt gcttcttttg aaaactattc tcctgtatca agaattgggt 240
 tggttcattaa agcaggcagt agatatgagg acttcagcaa tttaggaacc acccatttgc 300
 tgcgctctac atccagtctg acgacaaaag gagcttcac tttcaagata acccgtggaa 360
 10 ttgaagcagt tgggtggcaaa ttaagtgtga ccgcaacaag ggaaaacatg gcttatactg 420
 tggaatgcct gcgggggtgat gttgatattc taatggagtt cctgctcaat gtcaccacag 480
 caccagaatt tcgtcgttgg gaagtagctg accttcagcc tcagctaaag attgacaaag 540
 ctgtggcctt tcagaatccg cagactcatg tcattgaaaa tttgcatgca gcagcttacc 600
 agaatgcctt ggctaattccc ttgtattgtc ctgactatag gattggaaaa gtgacatcag 660
 aggagttaca ttacttcgtt cagaaccatt tcacaagtgc aagaatggct ttgattggac 720
 15 ttgggtgtgag tcatcctgtt ctaaagcaag ttgctgaaca gtttctcaac atgaggggtg 780
 ggcttggttt atctggtgca aaggccaact accgtggagg tgaaatccga gaacagaatg 840
 gagacagtct tgtccatgct gctttttag cagaaagtgc tgtcgcggga agtgcagagg 900
 caaatgcatt tagtgttctt cagcatgtcc tcggtgctgg gccacatgtc aagaggggca 960
 gcaacaccac cagccatctg caccaggctg ttgccaaggc aactcagcag ccattttgatg 1020
 tttctgcatt taatgccagt tactcagatt ctggactctt tgggatttat actatctccc 1080
 20 aggccacagc tgctggagat gttatcaagg ctgcctataa tcaagtaaaa agaatagtctc 1140
 aaggaaaacct ttccaacaca gatgtccaag ctgccaaaga caagctgaaa gctggatacc 1200
 taatgtcagt ggagtcttct gagtgtttcc tggaagaagt cgggtcccag gctctagttg 1260
 ctggttctta catgccacca tccacagtcc ttcagcagat tgattcagtg gctaattgctg 1320
 atatcataaa tgcggcaaag aagtttgttt ctggccagaa gtcaatggca gcaagtggaa 1380
 atttgggaca tacacctttt gttgatgagt tgtaatactg atgcacacat tacaggagag 1440
 25 agctgaacgt tctctcacc agagcagcaa acacatgaaa gtcagaagtc tctaataatc 1500
 catttgtctt ttttccagtg aggtaaaata aggcataaat gcaggtaatt attcccagct 1560
 gacctaaagt caataaaaca ttctgttt 1588

<210> 42
 30 <211> 358
 <212> PRT
 <213> Rattus norvegicus

<220>
 35 <223> Stearoyl-CoA desaturase-2

<400> 42
 Met Pro Ala His Ile Leu Gln Glu Ile Ser Gly Ser Tyr Scr Ala Thr
 1 5 10 15
 40 Thr Thr Ile Thr Ala Pro Pro Ser Gly Gly Gln Gln Asn Gly Gly Glu
 20 25 30
 Lys Phe Glu Lys Asn Pro His His Trp Gly Ala Asp Val Arg Pro Glu
 35 40 45
 45 Ile Lys Asp Asp Leu Tyr Asp Pro Ser Tyr Gln Asp Glu Glu Gly Pro
 50 55 60
 Pro Pro Lys Leu Glu Tyr Val Trp Arg Asn Ile Ile Leu Met Ala Leu
 65 70 75 80
 50 Leu His Ile Gly Ala Leu Tyr Gly Ile Thr Leu Val Pro Ser Cys Lys
 85 90 95
 Val Tyr Thr Cys Leu Phe Ala Tyr Leu Tyr Tyr Val Ile Ser Ala Leu
 100 105 110
 55 Gly Ile Thr Ala Gly Ala His Arg Leu Trp Ser His Arg Thr Tyr Lys

EP 1 284 298 A2

	115	120	125
5	Ala Arg Leu Pro Leu Arg Leu Phe Leu Ile Ile 130	135	Ala Asn Thr Met Ala 140
	Phe Gln Asn Asp Val Tyr Glu Trp Ala Arg Asp His Arg Ala His His 145	150	155 160
10	Lys Phe Ser Glu Thr His Ala Asp Pro His Asn Ser Arg Arg Gly Phe 165	170	175
	Phe Phe Ser His Val Gly Trp Leu Leu Val Arg Lys His Pro Ala Val 180	185	190
15	Lys Glu Lys Gly Gly Lys Leu Asp Met Ser Asp Leu Lys Ala Glu Lys 195	200	205
	Leu Val Met Phe Gln Arg Arg Tyr Tyr Lys Pro Gly Leu Leu Leu Met 210	215	220
20	Cys Phe Ile Leu Pro Thr Leu Val Pro Trp Tyr Cys Trp Gly Glu Thr 225	230	235 240
	Phe Val Asn Ser Leu Cys Val Ser Thr Phe Leu Arg Tyr Ala Val Val 245	250	255
25	Leu Asn Ala Thr Trp Leu Val Asn Ser Ala Ala His Leu Tyr Gly Tyr 260	265	270
	Arg Pro Tyr Asp Lys Asn Ile Ser Ser Arg Glu Asn Ile Leu Val Ser 275	280	285
30	Met Gly Ala Val Gly Glu Gly Phe His Asn Tyr His His Ala Phe Pro 290	295	300
	Tyr Asp Tyr Ser Ala Ser Glu Tyr Arg Trp His Ile Asn Phe Thr Thr 305	310	315 320
35	Phe Phe Ile Asp Cys Met Ala Leu Leu Gly Leu Ala Tyr Asp Arg Lys 325	330	335
	Arg Val Ser Lys Ala Ala Val Leu Ala Arg Ile Lys Arg Thr Gly Glu 340	345	350
40	Glu Ser Cys Lys Ser Gly 355		

45	<210> 43
	<211> 5055
	<212> DNA
	<213> Rattus norvegicus
50	<220>
	<223> Stearoyl-CoA desaturase-2
55	<400> 43
	ctgggctagg gatgggcaca atgcgggtgtt ggtgtctgca gtattctact cctggacacc 60
	ggtggcctgc aagtgcgtt ttggcgctcct ctcatttttc tacccttacc tccgtccgcg 120
	gctgccttgg ccagccagtt ttgtattttt tatctgttcc ttgatcgata caaagaacct 180
	aaggacatac aggacattaa taccctaactg ccagctctgg cccagggcct gtactgtgca 240
	gcgggctggc tgcagaaaact taagtataa cactctttgt cgctgaggtc tgaagctctc 300

	tgcacgttct	catccctggg	aacgtgaccc	cagcatccga	cgccaagatg	ccggctcaca	360
	tactgcaaga	gatctctggc	tcttactcgg	ccaccaccac	aatcacagcg	ccaccttctg	420
	ggggacagca	gaatggagga	gagaagtttg	aaaagaatcc	tcaccactgg	ggagcagatg	480
5	ttcgccctga	aattaaagat	gacctatagc	accccagcta	ccaggatgag	gagggggccc	540
	cgcccaagct	ggagtagctc	tggaggaaca	tcatectcat	ggccctgctg	cacattggag	600
	ccctgtacgg	gatcacactg	gtcccctcct	gcaaggtcta	cacctgcctc	tttgcataat	660
	tgtactacgt	aatcagcgcc	ctgggcatca	cagccggggc	tcacgcctg	tggagccaca	720
	ggacttacaa	ggctcggtg	ccccgaggg	cttttctcat	catcgccaac	accatggcat	780
	cccagaacga	tgtgtacgaa	tgggcccggg	atcaccgcgc	ccaccacaag	ttctcagaga	840
10	cacacgccga	ccctcacaa	tcccggcgtg	gctttttctt	ctctcacgtg	ggttggctgc	900
	ttgtgcgcaa	acaccggc	gtcaaagaga	agggcgga	gctggacatg	tctgacctga	960
	aagctgagaa	gctggtgatg	ttccagagga	ggtattacaa	gcccggcctc	ctgctcatgt	1020
	gcttcatcct	gcccacgctg	gtgccctggg	actgctgggg	tgagacgttt	gtaaacagcc	1080
	tgtgctcag	cactttctta	cggtacgctg	tgggtctcaa	cgccacctgg	ctggtaaca	1140
	gcgcccga	cctctatgga	tatcgccct	acgacaagaa	catcagctct	cgggagaaca	1200
15	tcctggtgtc	gatgggagct	gtgggcgagg	gcttccacaa	ctaccatcac	gccttcccct	1260
	atgactacte	tgccagttag	taccgctggc	acatcaactt	caccacgttc	ttcatcgact	1320
	gcattggcct	cctgggcctg	gcttatgacc	ggaagagggt	gtccaaggcc	gctgtcttag	1380
	ccaggattaa	gagaactggg	gaggagagct	gcaagagtgg	ctgagttcgg	ggtcttccag	1440
	ttcctgttcc	aagagccggc	ttggcagagg	cttactgttc	tgtaaatata	ctactgagta	1500
	ttgctaccca	gatgctaaaa	tgatgaagtt	aaccattctt	ggtacagtat	tgtaaacagg	1560
20	acaaatatcg	gaagtcaaca	gctctacctt	ttgatgctaa	gctgttctcc	ccttctatct	1620
	tcctttcccg	ttgtcttttt	cttcgctttg	ttcccaatga	cctcaccctc	catcgctccc	1680
	cctaagccag	cagccactcc	gctgtagtgc	agagttcacc	ttccagagcg	taccagcttt	1740
	tcaagggctc	acagtaaaag	ttcacgcccc	agccccaa	taacgttgct	ccaagttaca	1800
	gatagaagaa	aaatcttgag	aaatttctcc	tgttatttta	gtccagactt	tgccagatgg	1860
25	aatgggagaa	aaaatagttt	tatttggcag	agagccttgc	aagtgggtaa	atcttaaggg	1920
	gccaaattca	acactcgggc	tgtgattcat	caaaattgtg	ggagaggggg	atctcctgtg	1980
	atcaggctcc	gctccgtctg	gccgaggtgc	tggcgtctct	tgacacagcg	tgccctcctc	2040
	cctaattctg	attgggtgac	agccgtggaa	ctttgtgaca	ctaaaatatg	gcaacacatc	2100
	ggtagtctag	tgtactttag	gtctaaagatt	taaaaaaata	gagaagttaa	aaacaatttg	2160
	taggaaaagt	ggtctttcct	aaaataagat	tttctttcc	tttcataaca	aggacctggg	2220
30	gccaggcgtc	gtggcacccg	cctcaaaaca	gttgagagga	gaggggaggg	tggttctctg	2280
	agtttgaagc	cagccagggc	tagataglgc	ggccttgtct	caaatagaaa	agccaacaat	2340
	tagcaggaca	cacggagccg	gggtccctct	tgcgaggcgt	gtctggaatc	catgagggcg	2400
	gtcgctcggt	gtttttgagc	ttcctgtgag	ctgcaccccc	agacacttgt	aattcctgtt	2460
	cttccgtctt	tcggatgcag	gttgcctcca	caaattcagg	atagctatgg	cgtttccatg	2520
35	catcccacaa	tggaaggagt	gtaagacttg	agcttgagtc	acagctaaaa	cccagaagac	2580
	acaaagtcag	tctgtcctgg	atcctacaaa	cactcaacga	gtgcctccct	ctggaaaaga	2640
	ttggtgaacac	cttcttccca	ctgttgggca	gtggacaggg	aagttggagg	tcgctgtagg	2700
	cagctccaag	gtttctaggg	gcaccttgcc	aggggacctc	acaactttgg	cggtctctag	2760
	tgagcaggt	taggttttag	ctccctttgg	ttcccgctgt	gctttgtggt	aaggtcttcc	2820
	cctgggctgt	tgctcatte	ctcactagct	ctgtgaccag	gtaggactct	gggatacatg	2880
40	gctgaaagct	cttttgcctc	accacatctg	cctctcttcc	cctaccatt	tttttgtgtt	2940
	tcgggggtgt	atttttgggt	tggttgtttt	gttttatttc	ttctttcctc	tttgacgttt	3000
	agtcttgctc	taggcagaaa	cgctctggat	atttacggtc	agtaaagatg	tcgggtccca	3060
	gcagagatac	aacctctatc	tgcagtaggt	agagaaggct	gtccctttcc	ggtggcttcc	3120
	agattctcca	cctctatccc	ttccaggcct	ctgatattct	ttaaacttta	aaggaaaagt	3180
45	ttggccgact	ttctagaaac	atccctgggt	cagagaggct	ctctgtctcc	tcgggtgttc	3240
	taaaacaaat	ggtccgggtg	gtgtgggtgc	tggcccaaga	ctcgattcct	ctgagttagg	3300
	gcagagcatg	ctccctgcac	tcagcaaagc	ctctcgggct	gatcagtgct	cctgggtgat	3360
	gctgtgggtg	ttttaggagg	aagacaggtg	tggctggctg	gaaagcatga	cagttaaagg	3420
	tggtttctta	agtgcctcag	tttgaaagct	ttggctaggg	taggagatct	gagatgccgt	3480
	ggactttgca	gaagagattt	tgtgcagcaa	cgcagaagcc	tggctgtgtt	aagattggct	3540
50	gtacaggata	gcgaatgctg	tgggtggagg	gcacagtctt	cccggtgttag	ttaaatagag	3600
	aggcttttag	acgtctctgc	gccacttga	aggtagcctt	atccttttag	tgttcgctaa	3660
	aatagaatcc	ttgagagatt	gacaaatat	ttgctggcct	gtcgccctat	tccttggaga	3720
	ggccttttga	atggttttaa	ttccactggg	ttccgggtgc	ccacttaate	aaatgtgaaa	3780
	aataaaaagc	agctctcttc	ttagcctgcc	cccggtggat	tgaggacctc	gttagatata	3840
	gctgtcggtg	aggggtgtacc	agctcactaa	gaaacactac	tgtcaagatt	ttaaagctca	3900
55	gaccaagtga	cacgttaata	agaaaactaag	atctgattga	attttctaac	agtccttgcc	3960
	tcgtggacac	gctaaaattc	gacttgggtg	ccttacctct	tttctaacta	gtgttactca	4020

EP 1 284 298 A2

5
 10
 15
 20
 25
 30
 35
 40
 45
 50
 55

tgggcctgcy ctcccttctt ctgcggattc cttagaaccg gagagcctgt aagtgtgaca 4080
 ggctcaaaac tggcctggct ggaggggttag gtggactttg atctgcagtg ttccctctgg 4140
 ggtcttcgtt tggggaatat ttcttggggc tgttttgctg aagtgcccg agctgatgga 4200
 tgggtggaagt aatttgaacg tacgcgattt gtaggttttg ttatttgttt taagatttaa 4260
 aggctgggtg tagcatttaa aagtgaagc tttttcttcc tggtttgcta gtgttctgcy 4320
 tgtcttcttt agttgaaata ggtagtgga gaagttaaga aagcgggtggc cgtgttacgc 4380
 tgggtggtaaa ggccaggggc gcctacaaac tctcagtttt gttttgtttt gtttttttat 4440
 aacagtccca ctctgacaat aatgagttca ctccctggat aagggttgta atgaggggaag 4500
 agcccttcag acctaatcag ctcttactgg acccagctgt caacactgtt gcattgggga 4560
 ttaagtttcc aaccccgta atcatgggac agactcaaac cgtagcactg ggcattgtcg 4620
 ctaacaatat aatgtgactc agtattctgt gagacatggg ataattattc tgacctacct 4680
 ccacgggtag gtgcgagcat gagcaaatgc tctttataaa acatttgggg atcctcagca 4740
 gaggagtatt taagtccctg acatttttat agtaaccgtc caccatggac ttgacacgtg 4800
 cctatgtccc agacgacatt gttaatctac atcattcttc tcagaggttg aatggatgca 4860
 ttagataatg tatactcatt gctatggaaa cctgcaggac tccttttcct tccttgggtg 4920
 ggattttttt ttcctttatt atgtgcaaca gtagctattt gtaatctaata aattttcatt 4980
 aataccaact ctgaaagtat ttctactcat ctgaggttgt gtttgttcat aataaaatga 5040
 aatggatctg actgc 5055

<210> 44
 <211> 605
 <212> PRT
 <213> Rattus norvegicus

<220>
 <223> Ribophorin 1

<400> 44
 Met Glu Ala Pro Ile Val Leu Leu Leu Leu Trp Leu Ala Leu Ala
 1 5 10 15
 Pro Thr Pro Gly Ser Ala Ser Ser Glu Ala Pro Pro Leu Val Asn Glu
 20 25 30
 Asp Val Lys Arg Thr Val Asp Leu Ser Ser His Leu Ala Lys Val Thr
 35 40 45
 Ala Glu Val Val Leu Ala His Pro Gly Gly Gly Ser Thr Ala Arg Ala
 50 55 60
 Ser Ser Phe Val Leu Ala Leu Glu Pro Glu Leu Glu Ser Arg Leu Ala
 65 70 75 80
 His Leu Gly Val Gln Val Lys Gly Glu Asp Glu Glu Asp Asn Asn Leu
 85 90 95
 Glu Val Arg Glu Thr Lys Met Lys Gly Lys Ser Gly Arg Phe Phe Thr
 100 105 110
 Val Lys Leu Pro Val Ala Leu Asp Pro Gly Ser Lys Ile Ser Ile Val
 115 120 125
 Val Glu Thr Val Tyr Thr His Val Leu His Pro Tyr Pro Thr Gln Ile
 130 135 140
 Thr Gln Ser Glu Lys Gln Phe Val Val Phe Glu Gly Asn His Tyr Phe
 145 150 155 160
 Tyr Ser Pro Tyr Pro Thr Lys Thr Gln Thr Met Arg Val Arg Leu Ala
 165 170 175

EP 1 284 298 A2

	Ser	Arg	Asn	Val	Glu	Ser	His	Thr	Lys	Leu	Gly	Asn	Pro	Ser	Arg	Ser	180	185	190
5	Glu	Asp	Ile	Leu	Asp	Tyr	Gly	Pro	Phe	Lys	Asp	Ile	Pro	Ala	Tyr	Ser	195	200	205
	Gln	Asp	Thr	Phe	Lys	Val	His	Tyr	Glu	Asn	Asn	Ser	Pro	Phe	Leu	Thr	210	215	220
10	Ile	Thr	Ser	Met	Thr	Arg	Val	Ile	Glu	Val	Ser	His	Trp	Gly	Asn	Ile	225	230	240
	Ala	Val	Glu	Glu	Asn	Val	Asp	Leu	Lys	His	Thr	Gly	Ala	Val	Leu	Lys	245	250	255
15	Gly	Pro	Phe	Ser	Arg	Tyr	Asp	Tyr	Gln	Arg	Gln	Pro	Asp	Ser	Gly	Ile	260	265	270
	Ser	Ser	Ile	Arg	Ser	Phe	Lys	Thr	Ile	Leu	Pro	Ala	Ala	Ala	Gln	Asp	275	280	285
20	Val	Tyr	Tyr	Arg	Asp	Glu	Ile	Gly	Asn	Val	Ser	Thr	Ser	His	Leu	Leu	290	295	300
	Ile	Leu	Asp	Asp	Ser	Val	Glu	Met	Glu	Ile	Arg	Pro	Arg	Phe	Gly	Leu	305	310	320
25	Phe	Gly	Gly	Trp	Lys	Thr	His	Tyr	Ile	Val	Gly	Tyr	Asn	Leu	Pro	Ser	325	330	335
	Tyr	Glu	Tyr	Leu	Tyr	Asn	Leu	Gly	Asp	Gln	Tyr	Ala	Leu	Lys	Met	Arg	340	345	350
30	Phe	Val	Asp	His	Val	Phe	Asp	Glu	Gln	Val	Ile	Asp	Ser	Leu	Thr	Val	355	360	365
	Lys	Ile	Ile	Leu	Pro	Glu	Gly	Ala	Lys	Asn	Ile	Gln	Val	Asp	Ser	Pro	370	375	380
35	Tyr	Asp	Ile	Ser	Arg	Ala	Pro	Asp	Glu	Leu	His	Tyr	Thr	Tyr	Leu	Asp	385	390	400
	Thr	Phe	Gly	Arg	Pro	Val	Ile	Val	Ala	Tyr	Lys	Lys	Asn	Leu	Val	Glu	405	410	415
40	Gln	His	Ile	Gln	Asp	Ile	Val	Val	His	Tyr	Thr	Phe	Asn	Lys	Val	Leu	420	425	430
	Met	Leu	Gln	Glu	Pro	Leu	Leu	Val	Val	Ala	Ala	Phe	Tyr	Ile	Leu	Phe	435	440	445
45	Phe	Thr	Val	Ile	Ile	Tyr	Val	Arg	Leu	Asp	Phe	Ser	Ile	Thr	Lys	Asp	450	455	460
	Pro	Ala	Ala	Glu	Ala	Arg	Met	Lys	Val	Ala	Cys	Ile	Thr	Glu	Gln	Val	465	470	475
50	Leu	Thr	Leu	Val	Asn	Lys	Arg	Leu	Gly	Leu	Tyr	Arg	His	Phe	Asp	Glu	485	490	495
55	Thr	Val	Asn	Arg	Tyr	Lys	Gln	Ser	Arg	Asp	Ile	Ser	Thr	Leu	Asn	Ser	500	505	510

EP 1 284 298 A2

Gly Lys Lys Ser Leu Glu Thr Glu His Lys Ala Val Thr Ser Glu Ile
515 520 525

5 Ala Val Leu Gln Ser Arg Leu Lys Thr Glu Gly Ser Asp Leu Cys Asp
530 535 540

Arg Val Ser Glu Met Gln Lys Leu Asp Ala Gln Val Lys Glu Leu Val
545 550 555 560

10 Leu Lys Ser Ala Val Glu Ala Glu Arg Leu Val Ala Gly Lys Leu Lys
565 570 575

Lys Asp Thr Tyr Ile Glu Asn Glu Lys Leu Ser Ser Gly Lys Arg Gln
580 585 590

15 Glu Leu Val Thr Lys Ile Asp His Ile Leu Asp Ala Leu
595 600 605

<210> 45
20 <211> 2214
<212> DNA
<213> Rattus norvegicus

<220>
25 <223> Ribophorin 1

<400> 45
30 tcgcggtcat ggaggcgccg atcgtcttgc tgctgtgct atggctcgcc ttggccccga 60
cgcttggcag cgcctcttcg gaggtccgc cgctggtcaa cgaggacgtg aagcgcacgg 120
tggaacctgag cagccacctg gccaaagtga cggctgaggt ggtcctggcg caccggggcg 180
gcggctctac agcacgagcc agctctttcg ttctggccct ggagcccgaa ctggagtcgc 240
gacttgacac cctagggcgtg caggtaaagg gagaagatga ggaagacaac aacctagaag 300
tacgagaaac caaaatgaag gggaaaagtg ggaggttttt caccgtcaag ctcccagttg 360
ctcttgatcc tgggtccaag atctcaatcg ttgtggaac tgtctacacc catgtgcttc 420
atccataccc gactcagata actcagtcag agaaacagtt tgtggtgttt gagggcaacc 480
attacttcta ctctccctat ccaacaaaga cccagaccat gcgagtgaga cttgcttccc 540
35 gaaatgtgga gagccatacc aagctgggga acccctcaag gtctgaggac atcctggact 600
atgggccttt taaagacatc cctgcctaca gtcaggatac ttccaagta cattatgaga 660
acaatagccc ttctctgacc atcaccagta tgaccgggt cattgaggtt tctcactggg 720
gcaatattgc tgtggaagag aacgtggact tgaagcatac aggtgcggtg ctgaagggac 780
ctttctcccg ctacgattac cagaggcagc ctgacagtgg gatctcctcc attcgttctt 840
40 ttaagaccat ccttccctgct gctgcccagg atgtgtatta ccgggatgaa atcggtaatg 900
tttccaccag ccacctcctt attttggatg actccgtgga aatggaaatc cggcctcgat 960
ttggtctctt tggagggtgg aagacacact acatcgttgg ttacaacctc ccaagctatg 1020
agtacctcta taatctgggt gaccagtatg cactgaagat gcggtttgta gaccacgtgt 1080
ttgatgagca agttagatag tctctgacag tgaagatcat ccttccctgag ggagccaaga 1140
acatccaggt agacagtccc tacgatatta gccgggcccc agatgagctg cattacacct 1200
45 acctagacac attcggccgc ccggtgattg ttgcttaca gaagaatcta gttgaacagc 1260
acattcagga cattgtggtg cactacacat tcaacaaggt gctcatgctg caggagcctc 1320
tgctgggtgt ggccgccttc tacatcctgt tcttcaccgt catcatctac gtccgtctag 1380
acttttccat caccaaggac ccagcagcag aagccaggat gaaagtggcc tgtatcacag 1440
agcaggtctt aaccctggtc aacaagaggt taggcctcta ccgtcacttt gatgagactg 1500
tcaatagata caagcagtc cgggacatct ctaccctcaa tagtggcaag aagagcctag 1560
50 agacagagca caaagctgtg accagtgaga ttgctgtgct gcagtctagg ctgaagacgg 1620
agggctctga cctgtgtgac agggtagcgc aaatgcagaa gctggacgcg caggtcaagg 1680
agctggtact gaagtctgcg gtggaggcag agaggctggt ggctggcaag ctcaagaagg 1740
acacatacat cgagaatgaa aagctcagct caggaaaacg ccaggagctg gtcaccaaga 1800
tcgaccacat cctagacgct ctgtagctct tgtctccaga gcaggcctgg gtggcctaca 1860
55 cttctggatg gaataggtag agggaggaag ttgtgattag cctaagacct caagaaaaaa 1920
gctgaggccc atccatggct gtgtaagaag cttgtccctt atttctgaat ggttctcttt 1980

EP 1 284 298 A2

tttacaaaaa caaaaaccta aacaaaaatc ctgccccaaa aacaaacttg gttgtgtttt 2040
gagcaaaagc attttgagta gttgattgct gttttgtttt gatacctggg tattttttct 2100
gtctgtaagc cctgttttat ggccttctga ttctaagt ttggttcttt tgtgagcgta 2160
tgcattggtt tttaaaagtg tgtatgacca aataaaaaata aaggagggac tgtg 2214

<210> 46

<211> 284

<212> PRT

<213> Rattus norvegicus

<220>

<223> Sulfotransferase-like protein

<400> 46

Met Ala Glu Ser Glu Ala Glu Thr Pro Gly Thr Pro Gly Glu Phe Glu
1 5 10 15

Ser Lys Tyr Phe Glu Phe His Gly Val Arg Leu Pro Pro Phe Cys Arg
20 25 30

Gly Lys Met Glu Asp Ile Ala Asp Phe Pro Val Arg Pro Ser Asp Val
35 40 45

Trp Ile Val Thr Tyr Pro Lys Ser Gly Thr Ser Leu Leu Gln Glu Val
50 55 60

Val Tyr Leu Val Ser Gln Gly Ala Asp Pro Asp Glu Ile Gly Leu Met
65 70 75 80

Asn Ile Asp Glu Gln Leu Pro Val Leu Glu Tyr Pro Gln Pro Gly Leu
85 90 95

Asp Ile Ile Lys Glu Leu Thr Ser Pro Arg Leu Ile Lys Ser His Leu
100 105 110

Pro Tyr Arg Phe Leu Pro Ser Asp Leu His Asn Gly Asp Ser Lys Val
115 120 125

Ile Tyr Met Ala Arg Asn Pro Lys Asp Leu Val Val Ser Tyr Tyr Gln
130 135 140

Phe His Arg Ser Leu Arg Thr Met Ser Tyr Arg Gly Thr Phe Gln Glu
145 150 155 160

Phe Cys Arg Arg Phe Met Asn Asp Lys Leu Gly Tyr Gly Ser Trp Phe
165 170 175

Glu His Val Gln Glu Phe Trp Glu His Arg Met Asp Ala Asn Val Leu
180 185 190

Phe Leu Lys Tyr Glu Asp Met His Arg Asp Leu Val Thr Met Val Glu
195 200 205

Gln Leu Ala Arg Phe Leu Gly Val Ser Cys Asp Lys Ala Gln Leu Glu
210 215 220

Ser Leu Ile Glu His Cys His Gln Leu Val Asp Gln Cys Cys Asn Ala
225 230 235 240

Glu Ala Leu Pro Val Gly Arg Gly Arg Val Gly Leu Trp Lys Asp Ile
245 250 255

EP 1 284 298 A2

Phe Thr Val Ser Met Asn Glu Lys Phe Asp Leu Val Tyr Lys Gln Lys
 260 265 270

Met Gly Lys Cys Asp Leu Thr Phe Asp Phe Tyr Leu
 275 280

<210> 47
 <211> 2239
 <212> DNA
 <213> Rattus norvegicus

<220>
 <223> Sulfotransferase-like protein

<400> 47
 ggcacgagcc ctggagctgc gggccggggc gggcggcagc atggcgggaga gcgaagcggg 60
 gaccccgggc accccgggag agttcgagag caagtacttc gagttccatg gcgtgaggct 120
 gcctcccttc tgccgcgagg agatggagga catcgccgac ttcccagtcg gccccagcga 180
 tgtgtggatc gtcacctacc ccaagtcagg tacgagcttg ctgcaagagg tggcttactt 240
 ggtgagccag ggggctgacc ctgatgagat tggcctcatg aacattgacg agcagctgcc 300
 agtactggag taccacagc ccgggctgga catcatcaag gaactgacgt ctccccgcct 360
 catcaagagc cacttccct accgcttccct gccctctgac ctccacaacg gggactccaa 420
 ggtcatctac atggctcgca acccaaagga cctgggtgga tcttactatc agttccaccg 480
 ctgctgagg accatgagtt accgaggaac ctccaggag ttctgtcgga ggttcatgaa 540
 cgacaaattg ggctatggct cctggtttga gcacgttcag gaattctggg aacatcgaat 600
 ggacgcaaat gtgcttttcc tcaagtatga agatatgcac cgggacctgg tgaccatggt 660
 ggagcagctg gccagattcc tgggtgtgtc ctgtgataag gccagctgg agtccttgat 720
 cgagcactgc caccagctgg tggaccagt ctgcaatgct gaggcctgc ctgtgggctg 780
 gggaagagtc gggctgtgga aggacatctt cactgtctcc atgaacgaga agtttgatct 840
 agtgataaaa cagaagatgg ggaagtgtga cctcacgttt gacttttatt tataatacca 900
 gaatccgcaa acttgcatgc tcacggctcc cagacgtctt actagctaaa agtcctgttt 960
 gcgttcattt attccttgcg ggacactccg gaagttgctt ggaaacagca gggggcgagc 1020
 ctggtggaga gagccgagga gtgagatgat gctgtctaca gcagccgcct ggccgtagcg 1080
 tttgagcttc cactgtctgg ccataccaca cgcacgggca ggcaaatgtc tgccctgtga 1140
 ccccatgtta ttcactgtat tttatagcgc ttttactga aaatcgaaat aaatatgtca 1200
 accaaatgca agtccatttc caagggggag caggagcgag ctgtgcccgg atgctaggaa 1260
 gctctcaggg gtcactgtaa tttttatagt ctctctctca ggcacagcca tcccaccttg 1320
 tcccagatc aaaggacagg ttggggggag ctggagaggt ggggtgtagc tgtggagttc 1380
 agttttctgg aaccatcctg acaccaagcc aggtcctgtc ccaggtctct gagccagta 1440
 cagaatgttc tgggaaggaa gctggcctga ggctgcggat ggcatctgaa ggcatcagtg 1500
 gtgtgtgaag cgtacccaca gacaccagac tgcaccaaga actagtatat ctcatagcct 1560
 tcacttgctc cccaaggccg tgactggcac actcccaatg gcaagagaca tgacatacca 1620
 tggttctgaa gtccttagtc atcgtcacgt ctgtgccacc tgtgccaaag ctctcgctcg 1680
 ggagaccag tctgcagggt gactgtctc catgcagata ggattggcaa gcccacctgt 1740
 ctgagggggc acttagccct caaggatgtc tgagggagca atggcccat gtactgtcca 1800
 ccctgacacc tacgggtct gtcttccagc tccaatttgg ctcaagtgtg gaccagatga 1860
 tgggtggacc aggagattgc tgcttgtgg gaccaactta ttctgttcc taccagatg 1920
 ggaagagtct taacgtggtg gggggaggct ctggctgtgg aaggtgcctg ctgtgcgcca 1980
 tctctgaagc aggtttggtt gtagcagct tacctctgtc tagaggaaa ctgtgtgtgg 2040
 tctggtgcat ggttctctga ggtgggcatg gcagtgcct tcctgtgtgt ctggggagga 2100
 aggctgcttt ctgtgaaatt ttctttctat ttttctatt ttagtactgt acggatgttc 2160
 tggaaaccaca cactgtactc tgtgcttgct tgcattctta ataaaagaca cctcccctgt 2220
 caaaaaaaaa aaaaaaaaaa 2239

<210> 48
 <211> 235
 <212> PRT
 <213> Rattus norvegicus

EP 1 284 298 A2

<220>

<223> F1-ATPase alpha subunit

<400> 48

Val Ala Asp Arg Gln Met Ser Leu Leu Leu Arg Arg Pro Pro Gly Arg
1 5 10 15

Glu Ala Tyr Pro Gly Asp Val Phe Tyr Leu His Ser Arg Leu Leu Glu
20 25 30

Arg Ala Ala Lys Met Asn Asp Ser Phe Gly Gly Gly Ser Leu Thr Ala
35 40 45

Leu Pro Val Ile Glu Thr Gln Ala Gly Asp Val Ser Ala Tyr Ile Pro
50 55 60

Thr Asn Val Ile Ser Ile Thr Asp Gly Gln Ile Phe Leu Glu Thr Glu
65 70 75 80

Leu Phe Tyr Lys Gly Ile Arg Pro Ala Ile Asn Val Gly Leu Ser Val
85 90 95

Ser Arg Val Gly Ser Ala Ala Gln Thr Arg Ala Met Lys Gln Val Ala
100 105 110

Gly Thr Met Lys Leu Glu Leu Ala Gln Tyr Arg Glu Val Ala Ala Phe
115 120 125

Ala Gln Phe Gly Ser Asp Leu Asp Ala Ala Thr Gln Gln Leu Leu Ser
130 135 140

Arg Gly Val Arg Leu Thr Glu Leu Leu Lys Gln Gly Gln Tyr Ser Pro
145 150 155 160

Met Ala Ile Glu Glu Gln Val Ala Val Ile Tyr Ala Gly Val Arg Gly
165 170 175

Tyr Leu Asp Lys Leu Glu Pro Ser Lys Ile Thr Lys Phe Glu Ser Ala
180 185 190

Phe Leu Ser His Val Val Ser Gln His Gln Ser Leu Leu Gly Asn Ile
195 200 205

Arg Ser Asp Gly Lys Ile Ser Glu Gln Ser Asp Ala Lys Leu Lys Glu
210 215 220

Ile Val Thr Asn Phe Leu Ala Gly Phe Glu Pro
225 230 235

<210> 49

<211> 1066

<212> DNA

<213> Rattus norvegicus

<220>

<223> F1-ATPase alpha subunit

<400> 49

gtggctgacc gccagatgtc tctgctgctc cgccgacccc cgggtcgaga ggcctatccc 60
ggtgatgtgt ttacctaca ctctcgctg ctggagagag cagccaagat gaacgattcc 120
tttgggtggtg gctctttgac tgccttaccg gtcattgaaa cacaggctgg tgatgtgtcc 180

EP 1 284 298 A2

5
 10
 15
 20
 25
 30
 35
 40
 45
 50
 55

```

gacctacattc caacaaacgt tatttccatc accgatggac agatcttctt ggaaacagaa 240
ttgttctata aaggcatccg ccctgccatt aatgtgggct tgtctgtgtc ccgtgtcggg 300
tctgccgccc agaccagagc catgaagcag gtggcaggca ccatgaagct ggagttggcc 360
cagtaccggg aggtcgctgc ttttgcccag tttgggtctg atctggatgc tgccactcag 420
cagctcttga gccgtggcgt gcgcctgacc gagctgctaa agcaaggaca gtactctccc 480
atggctattg aagaacaggt ggctgtcatc tatgcaggcg tccgggggta tcttgataaa 540
ctggagccca gtaagatcac aaagttcgag agtgctttct tgtctcatgt tgtgagccag 600
caccagagcc tcttgggcaa tatcaggtct gatgggaaaa tctcagaaca gtcggatgca 660
aagctgaagg aaatcgtaac aaacttcttg gctgggtttg aaccttaag ccctgccact 720
gtcaccagac actgctttgg ttttgtcatt tattgtggta aaatcagcac catttgtaaa 780
ggtttactct tgtactccct gatgtacaga aatcacatga ataaaagttc catattgagt 840
gctagtttgt gtgggacggg ctcagatgta tcctgggact tgtggaggtc agagagcagc 900
ctgtaggagt cagtgccctc ctttccctgg gaatttaact cagggtatta tttaaagctc 960
gacttcaggg gttggggatt tagctcagtg gtagagcgct tgccctaggaa gcgcaaggcc 1020
ctgggttcgg tccccagctc cggaaaaaaa agaaccaacc cgaatt 1066
  
```

<210> 50
 <211> 168
 <212> PRT
 <213> Rattus norvegicus

<220>
 <223> F1F0 ATPase delta subunit

 <400> 50
 Met Leu Pro Ala Ala Leu Leu Arg His Pro Gly Leu Arg Arg Leu Val
 1 5 10 15
 Leu Gln Ala Arg Thr Tyr Ala Gln Ala Ala Ala Ser Pro Ala Pro Ala
 20 25 30
 Ala Gly Pro Gly Gln Met Ser Phe Thr Phe Ala Ser Pro Thr Gln Val
 35 40 45
 Phe Phe Asp Gly Ala Asn Val Arg Gln Val Asp Val Pro Thr Leu Thr
 50 55 60
 Gly Ala Phe Gly Ile Leu Ala Ser His Val Pro Thr Leu Gln Val Leu
 65 70 75 80
 Arg Pro Gly Leu Val Met Val His Ala Glu Asp Gly Thr Thr Thr Lys
 85 90 95
 Tyr Phe Val Ser Ser Gly Ser Val Thr Val Asn Ala Asp Ser Ser Val
 100 105 110
 Gln Leu Leu Ala Glu Glu Val Val Thr Leu Asp Met Leu Asp Leu Gly
 115 120 125
 Ala Ala Arg Ala Asn Leu Glu Lys Ala Gln Ser Glu Leu Ser Gly Ala
 130 135 140
 Ala Asp Glu Ala Ala Arg Ala Glu Ile Gln Ile Arg Ile Glu Ala Asn
 145 150 155 160
 Glu Ala Leu Val Lys Ala Leu Glu
 165

<210> 51
 <211> 811

EP 1 284 298 A2

<212> DNA
<213> Rattus norvegicus

<220>
<223> F1F0 ATPase delta subunit

<400> 51
ggaattccgc tgctgtcgct aagctaaagt cactgacgtt tccgccacca tgctgcccgc 60
cgcatgtgctt cgtcaccagc gtctgcgcgc tctgggtgctc caggcgcgta cgtacgcccc 120
ggccgcgcgc tcacctgccc ccgcgcgtgg gcttggacag atgtccttca ccttcgcctc 180
cccgacgcag gtgttctttg atgggtgcaa tgtccggcaa gtggatgtgc ctacgctgac 240
tggagccttt ggcacccctgg catcccatgt cccacacta caggtcctac ggccctgggt 300
ggtaaatgggt catgcggaag atggcaccac aactaagtat tttgtgagca gcggctccgt 360
cactgtgaat gcggactcct ctgtgcaatt actagctgaa gaagtcgtga cactggacat 420
gctggacctc ggggcagccc gggcaaacct ggagaaggcg cagtcagagc tgtcaggggc 480
agcagatgag gcagcacggg ctgagatcca aatccggatc gaggccaatg aagccctggt 540
gaaggccctg gactaggcgt actttgtctg tcaccacag ggtaacagag gcaggctcctg 600
gggggctgaa gtgccacca gggggcagca gtgctccggt tactggctta aagcttccct 660
ggtgtgcct gccaggctcat ggagggttc cccaggcttc cagagtctgg gatccccagg 720
atgctctctg agagctggcc ttgattgccc ctcaaagcca cccggacagt cagctggccc 780
agcctatctg cattaatac cacggaattc c 811

<210> 52
<211> 572
<212> PRT
<213> Homo sapiens

<220>
<223> Dihydropyrimidinase-related protein

<400> 52
Met Ser Tyr Gln Gly Lys Lys Asn Ile Pro Arg Ile Thr Ser Asp Arg
1 5 10 15
Leu Leu Ile Lys Gly Gly Lys Ile Val Asn Asp Asp Gln Ser Phe Tyr
20 25 30
Ala Asp Ile Tyr Met Glu Asp Gly Leu Ile Lys Gln Ile Gly Glu Asn
35 40 45
Leu Ile Val Pro Gly Gly Val Lys Thr Ile Glu Ala His Ser Arg Met
50 55 60
Val Ile Pro Gly Gly Ile Asp Val His Thr Arg Phe Gln Met Pro Asp
65 70 75 80
Gln Gly Met Thr Ser Ala Asp Asp Phe Phe Gln Gly Thr Lys Ala Ala
85 90 95
Leu Ala Gly Gly Thr Thr Met Ile Ile Asp His Val Val Pro Glu Pro
100 105 110
Gly Thr Ser Leu Leu Ala Ala Phe Asp Gln Trp Arg Glu Trp Ala Asp
115 120 125
Ser Lys Ser Cys Cys Asp Tyr Ser Leu His Val Asp Ile Ser Glu Trp
130 135 140
His Lys Gly Ile Gln Glu Met Glu Ala Leu Val Lys Asp His Gly
145 150 155 160

EP 1 284 298 A2

	Val	Asn	Ser	Phe	Leu	Val	Tyr	Met	Ala	Phe	Lys	Asp	Arg	Phe	Gln	Leu	
					165					170					175		
5	Thr	Asp	Cys	Gln	Ile	Tyr	Glu	Val	Leu	Ser	Val	Ile	Arg	Asp	Ile	Gly	
				180					185					190			
	Ala	Ile	Ala	Gln	Val	His	Ala	Glu	Asn	Gly	Asp	Ile	Ile	Ala	Glu	Glu	
				195				200					205				
10	Gln	Gln	Arg	Ile	Leu	Asp	Leu	Gly	Ile	Thr	Gly	Pro	Glu	Gly	His	Val	
		210					215					220					
	Leu	Ser	Arg	Pro	Glu	Glu	Val	Glu	Ala	Glu	Ala	Val	Asn	Arg	Ala	Ile	
	225					230					235					240	
15	Thr	Ile	Ala	Asn	Gln	Thr	Asn	Cys	Pro	Leu	Tyr	Ile	Thr	Lys	Val	Met	
					245					250					255		
	Ser	Lys	Ser	Ser	Ala	Glu	Val	Ile	Ala	Gln	Ala	Arg	Lys	Lys	Gly	Thr	
				260					265					270			
20	Val	Val	Tyr	Gly	Glu	Pro	Ile	Thr	Ala	Ser	Leu	Gly	Thr	Asp	Gly	Ser	
			275					280						285			
	His	Tyr	Trp	Ser	Lys	Asn	Trp	Ala	Lys	Ala	Ala	Ala	Phe	Val	Thr	Ser	
		290					295					300					
25	Pro	Pro	Leu	Ser	Pro	Asp	Pro	Thr	Thr	Pro	Asp	Phe	Leu	Asn	Ser	Leu	
	305					310					315					320	
	Leu	Ser	Cys	Gly	Asp	Leu	Gln	Val	Thr	Gly	Ser	Ala	His	Cys	Thr	Phe	
					325					330					335		
30	Asn	Thr	Ala	Gln	Lys	Ala	Val	Gly	Lys	Asp	Asn	Phe	Thr	Leu	Ile	Pro	
					340				345					350			
	Glu	Gly	Thr	Asn	Gly	Thr	Glu	Glu	Arg	Met	Ser	Val	Ile	Trp	Asp	Lys	
35			355					360					365				
	Ala	Val	Val	Thr	Gly	Lys	Met	Asp	Glu	Asn	Gln	Phe	Val	Ala	Val	Thr	
		370					375					380					
	Ser	Thr	Asn	Ala	Ala	Lys	Val	Phe	Asn	Leu	Tyr	Pro	Arg	Lys	Gly	Arg	
40	385					390					395					400	
	Ile	Ala	Val	Gly	Ser	Asp	Ala	Asp	Leu	Val	Ile	Trp	Asp	Pro	Asp	Ser	
					405					410					415		
	Val	Lys	Thr	Ile	Ser	Ala	Lys	Thr	His	Asn	Ser	Ser	Leu	Glu	Tyr	Asn	
45				420					425					430			
	Ile	Phe	Glu	Gly	Met	Glu	Cys	Arg	Gly	Ser	Pro	Leu	Val	Val	Ile	Ser	
		435						440					445				
	Gln	Gly	Lys	Ile	Val	Leu	Glu	Asp	Gly	Thr	Leu	His	Val	Thr	Glu	Gly	
50		450					455					460					
	Ser	Gly	Arg	Tyr	Ile	Pro	Arg	Lys	Pro	Phe	Pro	Asp	Phe	Val	Tyr	Lys	
	465					470					475					480	
	Arg	Ile	Lys	Ala	Arg	Ser	Arg	Leu	Ala	Glu	Leu	Arg	Gly	Val	Pro	Arg	
55					485					490					495		

EP 1 284 298 A2

Gly Leu Tyr Asp Gly Pro Val Cys Glu Val Ser Val Thr Pro Lys Thr
 500 505 510
 5 Val Thr Pro Ala Ser Ser Ala Lys Thr Ser Pro Ala Lys Gln Gln Ala
 515 520 525
 Pro Pro Val Arg Asn Leu His Gln Ser Gly Phe Ser Leu Ser Gly Ala
 530 535 540
 10 Gln Ile Asp Asp Asn Ile Pro Arg Arg Thr Thr Gln Arg Ile Val Ala
 545 550 555 560
 Pro Pro Gly Gly Arg Ala Asn Ile Thr Ser Leu Gly
 565 570
 15
 <210> 53
 <211> 4459
 <212> DNA
 <213> Homo sapiens
 20
 <220>
 <223> Dihydropyrimidinase-related protein
 <400> 53
 25 gtttctctct ctcttctctt ctctctctct ctctctcttt tttttccgcc ctagctgggg 60
 ctgtgttgga ggagaggaag aaagagagac agaggattgc attcatccgt tacgttcttg 120
 aaatttcccta atagcaagac cagcgaagcg gttgcaccct tttcaatctt gcaaaggaaa 180
 aaaacaaaaa aaaacaaaaa aaaccaagt ccccttcccg gcagtttttg ccttaaagct 240
 gccctcttga aattaatttt ttcccaggag agagatgtct tatcagggga agaaaaatat 300
 tccacgcatac acgagcgatc gtcttctgat caaaggaggt aaaattgtta atgatgacca 360
 30 gtcgttctat gcagacatat acatggaaga tgggttgatc aagcaaatag gagaaaaatct 420
 gattgtgcca ggaggagtga agaccatcga ggccactcc cggtatggtga tccccggagg 480
 aattgacgtc cacactcgtt tccagatgcc tgatcaggga atgacgtctg ctgatgattt 540
 cttccaagga accaaggcgg ccctggctgg gggaaccact atgacattg accacgttgt 600
 tcctgagcct gggacaagcc tgctcgctgc ctttgaccag tggagggaat gggccgacag 660
 caagtctcgc tgtgactact ctctgcatgt ggacatcagc gagtggcata agggcatcca 720
 35 ggaggagatg gaagcgcttg tgaaggatca cggggtaaatt tccttcctcg tgtacatggc 780
 tttcaaagat cgcttccagc taacggattg ccagatttat gaagtactga gtgtgatccg 840
 ggatattggc gccatagccc aagtccacgc agaaaatggc gacatcattg cagaggagca 900
 gcagaggatc ctggatctgg gcatcacggg ccccgaggga catgtgctga gccgacctga 960
 ggaggtcgag gccgaagcgg tgaatcgtgc catcaccatc gccaaccaga ccaactgccc 1020
 40 gctgtatatc accaaggatga tgagcaaaag ctctgctgag gtcacgcgcc aggcacggaa 1080
 gaaggggaact gtggtgtatg gcgagcccat cactgccagc ttgggaacgg acggctccca 1140
 ttactggagc aagaactggg ccaaggctgc tgcctttgtc acctccccac ccttgagccc 1200
 tgatccaacc actccagact ttctcaactc cttgctgtcc tgtggagacc tccaggtcac 1260
 gggcagtgcc cattgcacgt ttaacactgc ccagaaggct gtaggaaagg acaacttcac 1320
 cctgattccg gagggcacca atggcactga ggagcggatg tccgtcatct gggacaaggc 1380
 45 tgtgtgctact gggaagatgg atgagaacca gtttgtggct gtgaccagca ccaatgcagc 1440
 caaagtcttc aacctttacc cccggaaagg ccgcatgtct gtgggatccg atgccgacct 1500
 ggtcatctgg gaccccgaca gcgttaaaac catctctgcc aagacacaca acagctctct 1560
 cgagtacaac atctttgaag gcatggagtgc ccgcgctcc ccactggtgg tcatcagcca 1620
 ggggaagatt gtcctggagg acggcaccct gcatgtcacc gaaggctctg gacgctacat 1680
 50 tccccggaag ccttccctg attttgttta caagcgtatc aaggcaagga gcaggctggc 1740
 tgagctgaga ggggttcttc gtggcctgta tgacggacct gtgtgtgaag tgtctgtgac 1800
 gcccaagaca gtactccag cctcctcggc caagacgtct cctgccaaagc agcaggcccc 1860
 acctgtccgg aacctgcacc agtctggatt cagtttgtct ggtgctcaga ttgatgacaa 1920
 cattccccgc cgcaccaccc agcgtatcgt ggcgcctccc ggtggccgtg ccaacatcac 1980
 cagcctgggc tagagctcct gggctgtgct tccactgggg actggggatg ggacacctga 2040
 55 ggacattctg agacttctt ctcccttctt tttttttttt ttgttttttt ttttaagagc 2100
 ctgtgatagt tactgtggag cagccagttc atgggggtccc ccttgggggcc ccacaccccg 2160

EP 1 284 298 A2

5
10
15
20
25
30
35

tctctcacca	agagttactg	atthttgctca	tccacttccc	tacacatcta	tgggtatcac	2220
acccaagact	acccaccaag	ctcatacagg	gaaccacacc	caacacttag	acatgcgaac	2280
aagcagcccc	cagcgagggg	ctccttcgcc	ttcaacctcc	tagtgtctgt	tagcatcttc	2340
cttttcatgg	ggggagggaa	gataaagtga	attgcccaga	gctgcctttt	tcttttcttt	2400
ttaaaaatth	taagaagtht	tccttgtggg	gctggggagg	ggccgggggc	agggagagtc	2460
tttttttttt	tttttttaaa	tactaaattg	gaacatttaa	ttccatatta	atacaagggg	2520
tttgaactgg	acatcctaata	gatgcaatta	cgtcatcacc	cagctgattc	cgggtgggtg	2580
gcaaaactcat	cgtgtctgtc	ctgagaggct	ccacaatgcc	caccgcgcat	gccattctgt	2640
agttcttcagg	gtcagctgtt	gataaagggg	caggcttgcg	ttattggcct	agattttgct	2700
gcagattaaa	tccttttgagg	attctcttct	cttttaccat	ttttctgcgt	gctctcactc	2760
tctcttttct	tctctagctt	tttaattcat	gaatattttc	gtgtctgtct	ctctctctct	2820
ctgtgttttc	tccagccctt	gtctcggaga	cgggtgtttc	ctcccttgcc	ccattatctt	2880
ttcacctccc	aggtctacca	tttcatgggt	gtcgttgggt	ccgcctaaag	gatttgagcg	2940
tttgccattg	caagcatagt	gctgtgtcat	cctgggtccat	gtaggactgg	tgctaaccac	3000
ctgccaatcat	gaggatgtgt	gctagagtgt	gggacctggg	ccaagtgcag	gaatgggcca	3060
tgccgtctca	cccacagtat	cacacgtgga	accgcagaca	gggcccagaa	gcttttagag	3120
tatgaggctg	cagaaccgga	gagattttcc	tctgtgcagt	gctctctggc	taaagtccag	3180
gtcaaaccta	aacaccgagc	ctcattaacc	caagtgaacc	aaccaaagtc	accagttcag	3240
aagtgtctaag	ctaataaggag	tctgaccgga	gggctgtctg	cttccctgggt	aagtatcttt	3300
tgagattcta	gaacacatgg	gagcttttta	ttttcgggga	aaaaccgtat	ttttttcttg	3360
ttcaattatt	tctaaagaca	cactacatag	aaagaggccc	tataaactca	aaaagtcatt	3420
gggaaactta	aagtctatct	tactttgcaa	gaggagaaat	gtgttttatg	aacgatagat	3480
cacatcagaa	ctcctgtggg	gaggaaacct	tataaattaa	acacatggcc	cccttagaga	3540
ccacaggtga	tgctctgtct	catccttccc	tctccttttc	tgtcaccttt	ccccctagct	3600
ggctcctttg	gacctacccc	tgctcctgtt	gacttgtgtt	gcattgtatt	ccaaacgtgt	3660
ttacagggttc	ctttaagcaa	tggtgtatth	gcaggctttt	ctgaatacca	aatctgtctt	3720
ttgtaaagcg	taaaaacatc	acaaagtagg	tcattccatc	accacccttg	tctctctaca	3780
catthttgct	ttggggatct	ggttgggggt	ttgggttttt	tggtgtgtgt	gtttatthgt	3840
tatttttaag	gtaaattgca	cttttaaaaa	aataattggg	tgacttaata	tatttgcttt	3900
ttttctcacc	tgactttaga	ggaaaattga	acaagttgga	aaaaaacaat	ttttgtttca	3960
attctaagaa	acacttgagc	ctctagtatt	cacttgagtc	ttcctgtttt	tcctgtaccg	4020
ggcatggtga	atthttgggt	gttttggttg	ttttcttaaa	aaacaagtta	aaacctgacg	4080
atthctgcag	gctgtgtgaa	catgtttacc	tggtggcttg	ctttgtgtgt	ctgttaaatg	4140
aatgtcatat	gtaaatgcta	aaataaatcg	acagtgtctc	agaactgaat	aactgcagtg	4200
acttgatgct	ctaaaacagt	gtaggattta	agaatagatg	gttttttaac	ctggaaattg	4260
tgattgtgac	ccatgagtggt	aggaactttc	agttc-aaag	ctgataaagt	gtgtagccag	4320
aagagtactt	ttttttttgt	aaccactgtc	ttgatggcaa	aataattatg	gtaaaaaaca	4380
agttctcgtg	ttattattcc	ttaagaactc	tggtttatat	taccatggaa	cgcctaataa	4440
agcaaaatgt	ggttggttc					4459

<210> 54

<211> 1410

<212> DNA

<213> Rattus norvegicus

<220>

<223> Myelin basic protein S

<400> 54

50
55

ttcggcttcc	gaaggcctga	tgtgatggca	tcacagaaga	gaccctcaca	gcgacacgga	60
tccaagtact	tggccacagc	aagtaccatg	gacatgccc	ggcatggctt	cctcccaagg	120
cacagagaca	cgggcatcct	tgactccatc	gggcgttct	ttagcgggtga	cagggtgctg	180
cccaagcggg	gctctggcaa	ggactcacac	acaagaacta	cccactacgg	ctccctgccc	240
cagaagtgcg	agaggaccga	agatgaaaac	ccagtagtcc	acttcttcaa	gaacattgtg	300
acacctcgta	cacccctccc	atcccaagga	aaggggagag	gcctgtccct	cagcagattt	360
agctggggag	gaagagacag	ccgctctgga	tctcccatag	caagacgctg	agagcctccc	420
tgctcagcct	tcccgaatcc	tgccctcggc	ttcttaatat	aactgcctta	aacgtttaat	480
tctacttgca	ccaaatagct	agtttagagca	gaccctctct	taatcccggt	gggctgtgaa	540
cgcgcggggc	cagcccacgg	caccctgact	ggctaaaact	gtttgtccct	ttttatttga	600
agatttagatt	tcctcggggg	cttctctgcc	ccgacttgct	ccccgtgtac	cttggctgcac	660

EP 1 284 298 A2

tccggagggt caggtgcacg gacacccttt caagttcacc cctactccat cctcagactt 720
 tcttttcacg gcgaggcgca cccctccagc ttccgtgggc actgcggata gacaggcaca 780
 ccgccaagga gccagagagc atggcgcgagg ggactatgtg gtccaggctt cctttgtttt 840
 5 ctttccccta aagagctttt tttttcctga caggatcaga cagtcttgga gtggcttaca 900
 caacgggggg ttgtggtatg tgagcacagg tcgggagcgt gtgagagtcc agagtggggg 960
 ggccctgggg acgcttccag gccagcggtt ccctgcaccc caccagctga ttctgagcgt 1020
 ggagagggga aggaaagggg cgagcgggct gggaatgga cccgacagga aacgggggact 1080
 taggggaaca cgctggagat gccatgtgtg gctgccgaag gtcaccatct ctctcagtg 1140
 ctccccagag caggtgcttt taagaacctt gtttctctc agagcctagg gagagtccaa 1200
 10 ggacatggcg catcaggaag tgggactgca ggagttctct ggtggcctcg tgctgtccct 1260
 ctggccactt ctacttttag ggtgggtcacg gcagctcgcc atggcagtg cattgggtgca 1320
 cactaacctc atggaaaagt aaccattccc tgctcttag aaagaactca ttcttagttt 1380
 taggagggtt cctgtcgctg aatcaagtcg 1410

15 <210> 55
 <211> 698
 <212> PRT
 <213> Rattus norvegicus

20 <220>
 <223> Transferrin

<400> 55
 Met Arg Phe Ala Val Gly Ala Leu Leu Ala Cys Ala Ala Leu Gly Leu
 1 5 10 15
 25 Cys Leu Ala Val Pro Asp Lys Thr Val Lys Trp Cys Ala Val Ser Glu
 20 25 30
 His Glu Asn Thr Lys Cys Ile Ser Phe Arg Asp His Met Lys Thr Val
 35 40 45
 30 Leu Pro Ala Asp Gly Pro Arg Leu Ala Cys Val Lys Lys Thr Ser Tyr
 50 55 60
 Gln Asp Cys Ile Lys Ala Ile Ser Gly Gly Glu Ala Asp Ala Ile Thr
 65 70 75 80
 35 Leu Asp Gly Gly Trp Val Tyr Asp Ala Gly Leu Thr Pro Asn Asn Leu
 85 90 95
 Lys Pro Val Ala Ala Glu Phe Tyr Gly Ser Leu Glu His Pro Gln Thr
 100 105 110
 40 His Tyr Leu Ala Val Ala Val Val Lys Lys Gly Thr Asp Phe Gln Leu
 115 120 125
 Asn Gln Leu Gln Gly Lys Lys Ser Cys His Thr Gly Leu Gly Arg Ser
 130 135 140
 45 Ala Gly Trp Ile Ile Pro Ile Gly Leu Leu Phe Cys Asn Leu Pro Glu
 145 150 155 160
 50 Pro Arg Lys Pro Leu Glu Lys Ala Val Ala Ser Phe Phe Ser Gly Ser
 165 170 175
 Cys Val Pro Cys Ala Asp Pro Val Ala Phe Pro Gln Leu Cys Gln Leu
 180 185 190
 55 Cys Pro Gly Cys Gly Cys Ser Pro Thr Gln Pro Phe Phe Gly Tyr Val
 195 200 205

EP 1 284 298 A2

Gly Ala Phe Lys Cys Leu Arg Asp Gly Gly Gly Asp Val Ala Phe Val
 210 215 220
 5 Lys His Thr Thr Ile Phe Glu Val Leu Pro Gln Lys Ala Asp Arg Asp
 225 230 235 240
 Gln Tyr Glu Leu Leu Cys Leu Asp Asn Thr Arg Lys Pro Val Asp Gln
 245 250 255
 10 Tyr Glu Asp Cys Tyr Leu Ala Arg Ile Pro Ser His Ala Val Val Ala
 260 265 270
 Arg Asn Gly Asp Gly Lys Glu Asp Leu Ile Trp Glu Ile Leu Lys Val
 275 280 285
 15 Ala Gln Glu His Phe Gly Lys Gly Lys Ser Lys Asp Phe Gln Leu Phe
 290 295 300
 Gly Ser Pro Leu Gly Lys Asp Leu Leu Phe Lys Asp Ser Ala Phe Gly
 305 310 315 320
 20 Cys Tyr Gly Val Pro Pro Arg Met Asp Tyr Arg Leu Tyr Leu Gly His
 325 330 335
 Ser Tyr Val Thr Ala Ile Arg Asn Gln Arg Glu Gly Val Cys Pro Glu
 340 345 350
 25 Ala Ser Ile Asp Ser Ala Pro Val Lys Trp Cys Ala Leu Ser His Gln
 355 360 365
 Glu Arg Ala Lys Cys Asp Glu Trp Ser Val Thr Ser Asn Gly Gln Ile
 370 375 380
 30 Glu Cys Glu Ser Ala Glu Ser Thr Glu Asp Cys Ile Asp Lys Ile Val
 385 390 395 400
 Asn Gly Glu Ala Asp Ala Met Ser Leu Asp Gly Gly His Ala Tyr Ile
 405 410 415
 35 Ala Gly Gln Cys Gly Leu Val Pro Val Met Ala Glu Asn Tyr Asp Ile
 420 425 430
 Ser Ser Cys Thr Asn Pro Gln Ser Asp Val Phe Pro Lys Gly Tyr Tyr
 435 440 445
 40 Ala Val Ala Val Val Lys Ala Ser Asp Ser Ser Ile Asn Trp Asn Asn
 450 455 460
 Leu Lys Gly Lys Lys Ser Cys His Thr Gly Val Asp Arg Thr Ala Gly
 465 470 475 480
 Trp Asn Ile Pro Met Gly Leu Leu Phe Ser Arg Ile Asn His Cys Lys
 485 490 495
 50 Phe Asp Glu Phe Phe Ser Gln Gly Cys Ala Pro Gly Tyr Lys Lys Asn
 500 505 510
 Ser Thr Leu Cys Asp Leu Cys Ile Gly Pro Ala Lys Cys Ala Pro Asn
 515 520 525
 55 Asn Arg Glu Gly Tyr Asn Gly Tyr Thr Gly Ala Phe Gln Cys Leu Val

EP 1 284 298 A2

	530	535	540
5	Glu Lys Gly Asp Val Ala	Phe Val Lys His Gln	Thr Val Leu Glu Asn
	545	550	555 560
	Thr Asn Gly Lys Asn Thr	Ala Ala Trp Ala Lys	Asp Leu Lys Gln Glu
		565	570 575
10	Asp Phe Gln Leu Leu Cys	Pro Asp Gly Thr Lys	Lys Pro Val Thr Glu
		580 585	590
	Phe Ala Thr Cys His Leu	Ala Gln Ala Pro Asn	His Val Val Val Ser
		595 600	605
15	Arg Lys Glu Lys Ala Ala	Arg Val Ser Thr Val	Leu Thr Ala Gln Lys
		610 615	620
	Asp Leu Phe Trp Lys Gly	Asp Lys Asp Cys Thr	Gly Asn Phe Cys Leu
		625 630	635 640
20	Phe Arg Ser Ser Thr Lys	Asp Leu Leu Phe Arg	Asp Asp Thr Lys Cys
		645 650	655
	Leu Thr Lys Leu Pro Glu	Gly Thr Thr Tyr Glu	Glu Tyr Leu Gly Ala
		660 665	670
25	Glu Tyr Leu Gln Ala Val	Gly Asn Ile Arg Lys	Cys Ser Thr Ser Arg
		675 680	685
	Leu Leu Glu Ala Cys Thr	Phe His Lys Ser	
		690 695	
30	<210> 56 <211> 2293 <212> DNA <213> Rattus norvegicus		
35	<220> <223> Transferrin		
40	<400> 56 cgctccgctcc tcgccacaca caccgagagg atgagggttcg ctgtgggtgc cctgctgggt 60 tgtgcccgcgc tgggactgtg tctggctgtc cctgacaaaa cgggtcaaag gtgcgcagtg 120 tctgagcatg agaacaccaa gtgtatcagt ttccgtgacc acatgaaaac cgctccttcca 180 gctgatggcc cccggcttgc ctgtgtgaag aaaacctcct atcaagattg catcaaggcc 240 atttctggag gtgaagctga tgccattacc ttggatggg gttgggtgta cgatgcaggc 300 ctgactccca acaacctgaa gcctgtggca gcagagtgtt atggatcact tgaacatcca 360 cagaccact acttggctgt ggccgtggg aagaaggga cagacttcca gctgaaccag 420 ctccagggca agaagtcctg ccacactggc ctgggcaggt ctgcaggctg gattatcccc 480 attggcttac ttttctgtaa cttgccagag ccccgcaagc ctcttgagaa agctgtggcc 540 agtttcttct cgggcagttg tgtccctgt gcagatccag tggccttccc ccagctgtgt 600 caactgtgtc caggctgtgg ctgctcccc actcaaccgt tctttggcta cgtaggcgcc 660 ttcaagtgtc tgagagatgg aggtggagat gtggcctttg tcaagcatac aaccatattt 720 gaggtccttg cacagaaggc tgacagggat caatatgagc tgctctgcct tgacaatacc 780 cgcaagccag tggatcagta tgaggactgc tacctagccc ggatcccttc tcatgtgttt 840 gtggctcgaa atggagatgg caaagaggac ttgatctggg agatcctcaa agtgggtcag 900 gaacactttg gcaaaggcaa atcaaaagac ttccaactgt tcggtcttcc tcttgggaaa 960 gacctgtgtg ttaaggattc tgcctttggc tgttacgggg tgccccaag gatggactac 1020 aggtgtgacc tcggccacag ctatgtcact gccattcgaa atcagcggga aggcgtgtgc 1080 ccggaggcct ccattcgacag cgcgccagtg aaatggtgtg cactgagtca ccaagagaga 1140 gccaaagtgt atgagtggag cgtcacgagc aatgggcaga tagagtgtga gtcagcagag 1200		

EP 1 284 298 A2

5
10
15
20
25
30
35
40
45
50
55

```

agcactgagg actgcattga caagattgtg aatggagaag cagatgccat gagcttggat 1260
ggagggtcatg cctacatagc aggccagtgt ggactagtgc ccgtcatggc agagaactat 1320
gatatctctt cgtgtacaza cccacaatca gatgtctttc ctaaagggtg ttatgccgtg 1380
gctgtggtga aggcatacaga ctccagcatc aactggaaca acctgaaagg caagaagtcc 1440
tgccatactg gagtagacag aaccgccggc tggaaacatcc ctatgggcct gctgttcagc 1500
aggatcaacc actgcaagtt cgatgaattt ttcagtcaag gctgtgctcc tggctataag 1560
aagaattcca cctctgtga cctgtgtatt ggcccagcaa aatgtgctcc gaacaacaga 1620
gagggatata atgggttatac aggggctttc cagtgcctcg ttgagaaggg agacgtagcc 1680
tttgtgaagc accagactgt cctggaaaac acgaacggaa agaactactg tgcattgggt 1740
aaggatctga agcaggaaga ctccagctg ctgtgccctg atggtaccaaa gaagcctgta 1800
accgagttcg ccacctgcca cctggcccaa gtcctaaacc atgttgtggt ctacagaaaa 1860
gagaaggcag cccggggttag cactgtgctg actgccaga aggatttatt ttggaaaggt 1920
gacaaggact gcactggcaa tttctgtttg ttccgggtctt ccaccaagga ccttctgttc 1980
agagatgaca ccaagtgttt gactaaactt ccagaaggta ccacatatga agagtactta 2040
ggagcagagt acttgcaagc tgttggaaac ataagggaagt gttcaacctc acgactccta 2100
gaagcctgca ctttccacaa aagttaaaat ccaagagggtg ggtgccactg tgggtggagga 2160
ggatgcccc gtgatccatg ggcttctcct ggcctccata gccctgagcg gctggggcta 2220
actgtgtccg tcttactgct tgggtgtgtt accacataca cagagcacia aataaaaaat 2280
gactgttgac ttt                                     2293

```

<210> 57
<211> 542
<212> PRT
<213> Rattus norvegicus

<220>
<223> NF-L

<400> 57
Met Ser Ser Phe Ser Tyr Glu Pro Tyr Phe Ser Thr Ser Tyr Lys Arg
1 5 10 15
Arg Tyr Val Glu Thr Pro Arg Val His Ile Ser Ser Val Arg Ser Gly
20 25 30
Tyr Ser Thr Ala Arg Ser Ala Tyr Ser Ser Tyr Ser Ala Pro Val Ser
35 40 45
Ser Ser Leu Ser Val Arg Arg Ser Tyr Ser Ser Ser Ser Gly Ser Leu
50 55 60
Met Pro Ser Leu Glu Asn Leu Asp Leu Ser Gln Val Ala Ala Ile Ser
65 70 75 80
Asn Asp Leu Lys Ser Ile Arg Thr Gln Glu Lys Ala Gln Leu Gln Asp
85 90 95
Leu Asn Asp Arg Phe Ala Ser Phe Ile Glu Arg Val His Glu Leu Glu
100 105 110
Gln Gln Asn Lys Val Leu Glu Ala Glu Leu Leu Val Leu Arg Gln Lys
115 120 125
His Ser Glu Pro Ser Arg Phe Arg Ala Leu Tyr Glu Gln Glu Ile Arg
130 135 140
Asp Leu Arg Leu Ala Ala Glu Asp Ala Thr Asn Glu Lys Gln Ala Leu
145 150 155 160
Gln Gly Glu Arg Glu Gly Leu Glu Glu Thr Leu Arg Asn Leu Gln Ala
165 170 175

EP 1 284 298 A2

Arg Tyr Glu Glu Glu Val Leu Ser Arg Glu Asp Ala Glu Gly Arg Leu
180 185 190

5 Met Glu Ala Arg Lys Gly Ala Asp Glu Ala Ala Leu Ala Arg Ala Glu
195 200 205

Leu Glu Lys Arg Ile Asp Ser Leu Met Asp Glu Ile Ala Phe Leu Lys
210 215 220

10 Lys Val His Glu Glu Glu Ile Ala Glu Leu Gln Ala Gln Ile Gln Tyr
225 230 235 240

Ala Gln Ile Ser Val Glu Met Asp Val Ser Ser Lys Pro Asp Leu Ser
245 250 255

15 Ala Ala Leu Lys Asp Ile Arg Ala Gln Tyr Glu Lys Leu Ala Ala Lys
260 265 270

Asn Met Gln Asn Ala Glu Glu Trp Phe Lys Ser Arg Phe Thr Val Leu
275 280 285

20 Thr Glu Ser Ala Ala Lys Asn Thr Asp Ala Val Arg Ala Ala Lys Asp
290 295 300

Glu Val Ser Glu Ser Arg Arg Leu Leu Lys Ala Lys Thr Leu Glu Ile
305 310 315 320

25 Glu Ala Cys Arg Gly Met Asn Glu Ala Leu Glu Lys Gln Leu Gln Glu
325 330 335

Leu Glu Asp Lys Gln Asn Ala Asp Ile Ser Ala Met Gln Asp Thr Ile
340 345 350

30 Asn Lys Leu Glu Asn Glu Leu Arg Ser Thr Lys Ser Glu Met Ala Arg
355 360 365

Tyr Leu Lys Glu Tyr Gln Asp Leu Leu Asn Val Lys Met Ala Leu Asp
370 375 380

Ile Glu Ile Ala Ala Tyr Arg Lys Leu Leu Glu Gly Glu Glu Thr Arg
385 390 395 400

40 Leu Ser Phe Thr Ser Val Gly Ser Ile Thr Ser Gly Tyr Ser Gln Ser
405 410 415

Ser Gln Val Phe Gly Arg Ser Ala Tyr Ser Gly Leu Gln Ser Ser Ser
420 425 430

45 Tyr Leu Met Ser Ala Arg Ala Phe Pro Ala Tyr Tyr Thr Ser His Val
435 440 445

Gln Glu Glu Gln Ser Glu Val Glu Glu Thr Ile Glu Ala Thr Lys Ala
450 455 460

50 Glu Glu Ala Lys Asp Glu Pro Pro Ser Glu Gly Glu Ala Glu Glu Glu
465 470 475 480

Glu Lys Glu Lys Glu Glu Gly Glu Glu Glu Glu Gly Ala Glu Glu Glu
485 490 495

55 Glu Ala Ala Lys Asp Glu Ser Glu Asp Ala Lys Glu Glu Glu Gly Gly

EP 1 284 298 A2

500 505 510

Glu Gly Glu Glu Glu Asp Thr Lys Glu Ser Glu Glu Glu Glu Lys Lys
515 520 525

Glu Glu Ser Ala Gly Glu Glu Gln Ala Ala Lys Lys Lys Asp
530 535 540

<210> 58
<211> 2032
<212> DNA
<213> Rattus norvegicus

<220>
<223> NF-L

<400> 58
gaattccccc ggtttcttctc tctaggtccc ctatctccgc cccgggcctg agggggcgac 60
cgaccgccac catgagttcg ttcagctacg agccgtactt ttcgacctcc tacaagcggc 120
gctacgtgga gacgccccgg gtgcacatct ccagcgtgcy cagcggctac agcacggcgc 180
gctctgcgta ctccagctac tccgcgcccg tctctctctc tctgtcgggtg cgccgcagct 240
actcatccag ctccggctct ttgatgcccc gacctggagaa cctcgatctg agccaggtag 300
ccgccatcag caacgacctc aagtctatcc gcacacagga gaaggcacag ctgcaggacc 360
tcaacgatcg cttcgccagc ttcacgagc gcgtgcacga gctggagcag cagaacaagg 420
tcctggaagc cgagctgttg gtgctgcgcc agaagcactc agagccttcc cgcttccgcg 480
ccctgtatga gcaggagatc cgtgatctgc gactggcggc cgaagacgcc actaacgaga 540
agcaggcgct gcaggggcgag gcgagggggc tggaggagac tctgcgcaac ctgcaggctc 600
gctacgagga ggaggtgctg agccgcgagg acgcccaggg ccggctgatg gaagcccgca 660
aaggcgcgga tgaggctgcg ctgcgccgcg ccgagctgga gaagcgcacg gacagcctga 720
tggacgagat agccttctctg aaaaagggtgc acgaggaaga gatcgccgag ctgcaggctc 780
agatccagta tgctcagatc tccgtggaga tggacgtgtc ctccaagccc gacctctccg 840
ccgctctcaa ggacatccgc gctcagtagc agaagctggc cgccaagaat atgcagaatg 900
ccgaagagtg gttcaagagc cgcttcacgg tgctaaccga gagcgccgcc aagaacaccg 960
acgcagtgcy cgctgccaa gacgaggtgt cggaaagccg ccgcctactt aaggctaaga 1020
ccctggagat cgaagcctgc cgggggtatga acgaagctct agagaagcag ctgcaggagc 1080
tggaggacaa gcagaatgca gacatcagcy ccatgcagga cacaatcaac aaactggaga 1140
atgagctgcy aagcacgaag agcgagatgg ccaggtagct gaaggagtac caggacctcc 1200
tcaatgtcaa gatggcattg gacattgaga ttgcagctta caggaaactc ttggaaggcg 1260
aagaaaccag gctcagtttc accagcgtgg gtagcataac cagcggctac tctcagagct 1320
cgcaggtctt tggccgttct gcttacagt gcttgagag cagctcctac ttgatgtctg 1380
ctcgagcatt cccagcctac tataccagcc acgtccagga agagcagtc gaggtggagg 1440
agaccattga ggctacgaaa gctgaggagg ccaaggatga gccccctct gaaggagaag 1500
cagaagagga ggagaaggag aaagaggagg gggaggaaga ggaaggtgct gaggaggaag 1560
aagctgccaa ggatgagctt gaagatgcca aagaagaaga aggtgggtgag ggtgaagagg 1620
aagacaccaa agagtcagaa gaggaagaga agaaagagga gagtgcctggg gaggagcaag 1680
ctgctaagaa gaaagattga gccccattcc caactatccc aggaaaaaag tctcccaaaa 1740
tcaggtcaac ctcatcacca aaccaaccag ttgagttcca gatcctatac agattaagaa 1800
gtcaatatat gtataattct gagatgactt aggttggaca ttcaatgttg tgctatgact 1860
ttcctcctta tgcagagtat ctgtttgctt gcagagtggc tttctggctt gctgccaaac 1920
tgtgcatggt ccatgcttat gagttcagga tctacggcaa tgtgaatcac acagatgttt 1980
acaataataa taataaaaaa accacacata cacaacatga ataatgaat tc 2032

<210> 59
<211> 626
<212> PRT
<213> Rattus norvegicus

<220>
<223> MAG

EP 1 284 298 A2

<400> 59

	Met	Ile	Phe	Leu	Thr	Thr	Leu	Pro	Leu	Phe	Trp	Ile	Met	Ile	Ser	Ala	
	1				5					10					15		
5	Ser	Arg	Gly	Gly	His	Trp	Gly	Ala	Trp	Met	Pro	Ser	Ser	Ile	Ser	Ala	
				20					25					30			
	Phe	Glu	Gly	Thr	Cys	Val	Ser	Ile	Pro	Cys	Arg	Phe	Asp	Phe	Pro	Asp	
			35					40					45				
10	Glu	Leu	Arg	Pro	Ala	Val	Val	His	Gly	Val	Trp	Tyr	Phe	Asn	Ser	Pro	
		50					55					60					
	Tyr	Pro	Lys	Asn	Tyr	Pro	Pro	Val	Val	Phe	Lys	Ser	Arg	Thr	Gln	Val	
	65					70					75					80	
15	Val	His	Glu	Ser	Phe	Gln	Gly	Arg	Ser	Arg	Leu	Leu	Gly	Asp	Leu	Gly	
					85					90					95		
	Leu	Arg	Asn	Cys	Thr	Leu	Leu	Leu	Ser	Thr	Leu	Ser	Pro	Glu	Leu	Gly	
20				100					105					110			
	Gly	Lys	Tyr	Tyr	Phe	Arg	Gly	Asp	Leu	Gly	Gly	Tyr	Asn	Gln	Tyr	Thr	
			115					120					125				
	Phe	Ser	Glu	His	Ser	Val	Leu	Asp	Ile	Ile	Asn	Thr	Pro	Asn	Ile	Val	
25		130					135					140					
	Val	Pro	Pro	Glu	Val	Val	Ala	Gly	Thr	Glu	Val	Glu	Val	Ser	Cys	Met	
	145					150					155					160	
	Val	Pro	Asp	Asn	Cys	Pro	Glu	Leu	Arg	Pro	Glu	Leu	Ser	Trp	Leu	Gly	
30					165					170					175		
	His	Glu	Gly	Leu	Gly	Glu	Pro	Thr	Val	Leu	Gly	Arg	Leu	Arg	Glu	Asp	
				180					185					190			
	Glu	Gly	Thr	Trp	Val	Gln	Val	Ser	Leu	Leu	His	Phe	Val	Pro	Thr	Arg	
35			195					200					205				
	Glu	Ala	Asn	Gly	His	Arg	Leu	Gly	Cys	Gln	Ala	Ala	Phe	Pro	Asn	Thr	
		210					215					220					
	Thr	Leu	Gln	Phe	Glu	Gly	Tyr	Ala	Ser	Leu	Asp	Val	Lys	Tyr	Pro	Pro	
40		225				230					235					240	
	Val	Ile	Val	Glu	Met	Asn	Ser	Ser	Val	Glu	Ala	Ile	Glu	Gly	Ser	His	
					245					250					255		
	Val	Ser	Leu	Leu	Cys	Gly	Ala	Asp	Ser	Asn	Pro	Pro	Pro	Leu	Leu	Thr	
45				260					265					270			
	Trp	Met	Arg	Asp	Gly	Met	Val	Leu	Arg	Glu	Ala	Val	Ala	Glu	Ser	Leu	
			275					280					285				
	Tyr	Leu	Asp	Leu	Glu	Glu	Val	Thr	Pro	Ala	Glu	Asp	Gly	Ile	Tyr	Ala	
50			290				295					300					
	Cys	Leu	Ala	Glu	Asn	Ala	Tyr	Gly	Gln	Asp	Asn	Arg	Thr	Val	Glu	Leu	
					310						315					320	
55	Ser	Val	Met	Tyr	Ala	Pro	Trp	Lys	Pro	Thr	Val	Asn	Gly	Thr	Val	Val	

EP 1 284 298 A2

	325	330	335
5	Ala Val Glu Gly Glu Thr Val Ser Ile Leu Cys Ser Thr Gln Ser Asn 340 345 350		
	Pro Asp Pro Ile Leu Thr Ile Phe Lys Glu Lys Gln Ile Leu Ala Thr 355 360 365		
10	Val Ile Tyr Glu Ser Gln Leu Gln Leu Glu Leu Pro Ala Val Thr Pro 370 375 380		
	Glu Asp Asp Gly Glu Tyr Trp Cys Val Ala Glu Asn Gln Tyr Gly Gln 385 390 395 400		
15	Arg Ala Thr Ala Phe Asn Leu Ser Val Glu Phe Ala Pro Ile Ile Leu 405 410 415		
	Leu Glu Ser His Cys Ala Ala Ala Arg Asp Thr Val Gln Cys Leu Cys 420 425 430		
20	Val Val Lys Ser Asn Pro Glu Pro Ser Val Ala Phe Glu Leu Pro Ser 435 440 445		
	Arg Asn Val Thr Val Asn Glu Thr Glu Arg Glu Phe Val Tyr Ser Glu 450 455 460		
25	Arg Ser Gly Leu Leu Leu Thr Ser Ile Leu Thr Leu Arg Gly Gln Ala 465 470 475 480		
	Gln Ala Pro Pro Arg Val Ile Cys Thr Ser Arg Asn Leu Tyr Gly Thr 485 490 495		
30	Gln Ser Leu Glu Leu Pro Phe Gln Gly Ala His Arg Leu Met Trp Ala 500 505 510		
	Lys Ile Gly Pro Val Gly Ala Val Val Ala Phe Ala Ile Leu Ile Ala 515 520 525		
35	Ile Val Cys Tyr Ile Thr Gln Thr Arg Arg Lys Lys Asn Val Thr Glu 530 535 540		
	Ser Pro Ser Phe Ser Ala Gly Asp Asn Pro His Val Leu Tyr Ser Pro 545 550 555 560		
40	Glu Phe Arg Ile Ser Gly Ala Pro Asp Lys Tyr Glu Ser Glu Lys Arg 565 570 575		
	Leu Gly Ser Glu Arg Arg Leu Leu Gly Leu Arg Gly Glu Pro Pro Glu 580 585 590		
45	Leu Asp Leu Ser Tyr Ser His Ser Asp Leu Gly Lys Arg Pro Thr Lys 595 600 605		
	Asp Ser Tyr Thr Leu Thr Glu Glu Leu Ala Glu Tyr Ala Glu Ile Arg 610 615 620		
50	Val Lys 625		
55	<210> 60 <211> 2475		

EP 1 284 298 A2

<212> DNA
<213> Rattus norvegicus

<220>
<223> MAG

<400> 60
cagaagccag accatccaac cttctgtatc agtgctcctc gtcgcctcac tgtacttcac 60
ggaagagact tgggtgactg gccacttgga gcggaatcag gagacattcc caactcaggg 120
agactgaggt gagggcccta gctcgccac ttgctggaca agatgatatt ccttaccacc 180
ctgcctctgt tttggataat gatttcagct tctcgagggg ggcactgggg tgccctggatg 240
ccctcgctcca tctcagcctt cgagggaacg tgtgtctcca tcccctgccg tttcgacttc 300
ccggatgagc tcagaccggc tgtggtacat ggcgtctggt atttcaacag tccctacccc 360
aagaactacc cgccagtggg cttcaagtec cgcacacaag tgggtccacga gagcttccag 420
ggccgtagcc gcctgttggg agacctgggc ctacgaaact gcaccctgct tctcagcacg 480
ctgagccctg agctgggagg gaaatactat ttccgagggt acctggggcg ctacaaccag 540
tacaccttct cggagcacag cgtcctggac atcatcaaca cccccaacat cgtgggtgccc 600
ccagaagtgg tggcaggaac ggaagtagag gtcagctgca tgggtgccgga caactgccca 660
gagctgcgcc ctgagctgag ctggctgggc cagcaggggc taggggagcc cactgttctg 720
ggctggtctg gggaggtatg aggcacctgg gtgcaggtgt cactgttaca cttcgtgctt 780
actagagagg ccaacggcca ccgtctgggc tgtcaggtcg ccttccccaa caccaccttg 840
cagttcgagg gttacggcag tctggacgtc aagtaacccc cgggtgattgt ggagatgaat 900
tcctctgtgg aggccattga gggctcccat gtcagcctgc tctgtggggc tgacagcaac 960
ccgccaccgc tgctgacttg gatgcgggat gggatggtgt tgagggaggg agttgtctgag 1020
agcctgtacc tggatctgga ggaggtgacc ccagcagagg acggcatcta tgcttgcttg 1080
gcagagaatg cctatggcca ggacaaccgc acggtggagc tgagcgtcat gtatgcacct 1140
tggaagccca cagtgaatgg gacggtggtg gcggtagagg gggagacagt ctccatcttg 1200
tgttccacac agagcaaccc ggacctatt ctcaccatct tcaaggagaa gcagatcctg 1260
gccacggtca tctatgagag tcagctgcag ctggaactcc ctgcagtgc gcccaggagc 1320
gatggggagt actggtgtgt agctgagaac cagtatggcc agagagccac cgccttcaac 1380
ctgtctgtgg agtttgcctc cataatcctt ctggaatcgc actgtgcagc ggccagagac 1440
accgtgcagt gcctgtgtgt ggtaaaatcc aacccggaac cctccgtggc ctttgagctg 1500
ccttcccgca acgtgactgt gaacgagaca gagagggagt ttgtgtactc agagcgcagc 1560
ggcctcctgc tcaccagcat cctcagctc cggggtcagg cccaagcccc acccgcgctc 1620
attgtacct caggaaacct ctacggcacc cagagcctcg agctgccttt ccaggagaca 1680
caccgactga tgtgggcca aatcggccct gtgggtgctg tggctgcctt tgccatcttg 1740
attgccattg tctgtacat caccagaca agaagaaaaa agaacgtcac agagagcccc 1800
agcttctcag cgggagacaa ccctcatgtc ctgtacagcc ccgaattccg aatctctgga 1860
gcacctgata agtatgagag tgagaagcgc ctgggggtccg agaggaggct gctgggcctt 1920
aggggggaac ccccagaact ggacctcagt tattccact cagacctggg gaaacgacct 1980
accaaggaca gctacacct gacagaggag ctggctgagt acgcagaaat ccgagtcagg 2040
tgaggaaagt gggggctggc cctgtggctc acccccctc aggacctcg cttggccccc 2100
actggccgtg ggctcccttt ctcttgagag tggtaggggt gggggcgagg aggggcgggg 2160
caggaacacag tgaggtctta ggggcccggc ctcccctcct tcccggctgc tectctctgc 2220
caacatcctg cacctatgtt acagctccct ctcccctcct tttaacctca gctgttgaga 2280
ggggtgctct gtctgtccat gttatttatt gttatcctgg tctcctgtcc ccttaccggg 2340
ccccaggacc tgtacaaaag ggacatgaaa taaatgtcct aatgacaagt gccagtcctg 2400
acccatcctt tggaggaaag gggcatatta gtaatacttt tctcgttgct gtaacaaaat 2460
actggacaaa aacac 2475

<210> 61
<211> 845
<212> PRT
<213> Rattus norvegicus

<220>
<223> NF-M protein

<400> 61
Met Ser Tyr Thr Leu Asp Ser Leu Gly Asn Pro Ser Ala Tyr Arg Arg
1 5 10 15

EP 1 284 298 A2

Val Pro Thr Glu Thr Arg Ser Ser Phe Ser Arg Val Ser Gly Ser Pro
 20 25 30
 5 Ser Ser Gly Phe Arg Ser Gln Ser Trp Ser Arg Gly Ser Pro Ser Thr
 35 40 45
 Val Ser Ser Ser Tyr Lys Arg Ser Ala Leu Ala Pro Arg Leu Ala Tyr
 50 55 60
 10 Ser Ser Ala Met Leu Ser Ser Ala Glu Ser Ser Leu Asp Phe Ser Gln
 65 70 75 80
 Ser Ser Ser Leu Leu Asn Gly Gly Ser Gly Gly Asp Tyr Lys Leu Ser
 85 90 95
 15 Arg Ser Asn Glu Lys Glu Gln Leu Gln Gly Leu Asn Asp Arg Phe Ala
 100 105 110
 Gly Tyr Ile Glu Lys Val His Tyr Leu Glu Gln Gln Asn Lys Glu Ile
 115 120 125
 20 Glu Ala Glu Ile His Ala Leu Arg Gln Lys Gln Ala Ser His Ala Gln
 130 135 140
 Leu Gly Asp Ala Tyr Asp Gln Glu Ile Arg Glu Leu Arg Ala Thr Leu
 145 150 155 160
 25 Glu Met Val Asn His Glu Lys Ala Gln Val Gln Leu Asp Ser Asp His
 165 170 175
 Leu Glu Glu Asp Ile His Arg Leu Lys Glu Arg Phe Glu Glu Glu Ala
 180 185 190
 30 Arg Leu Arg Asp Asp Thr Glu Ala Ala Ile Arg Ala Val Arg Lys Asp
 195 200 205
 Ile Glu Glu Ser Ser Met Val Lys Val Glu Leu Asp Lys Lys Val Gln
 210 215 220
 35 Ser Leu Gln Asp Glu Val Ala Phe Leu Arg Ser Asn His Glu Glu Glu
 225 230 235 240
 Val Ala Asp Leu Leu Ala Gln Ile Gln Ala Ser His Ile Thr Val Glu
 245 250 255
 40 Arg Lys Asp Tyr Leu Lys Thr Asp Ile Ser Thr Ala Leu Lys Glu Ile
 260 265 270
 Arg Ser Gln Leu Glu Cys His Ser Asp Gln Asn Met His Gln Ala Glu
 275 280 285
 Glu Trp Phe Lys Cys Arg Tyr Ala Lys Leu Thr Glu Ala Ala Glu Gln
 290 295 300
 50 Asn Lys Glu Ala Ile Arg Ser Ala Lys Glu Glu Ile Ala Glu Tyr Arg
 305 310 315 320
 Arg Gln Leu Gln Ser Lys Ser Ile Glu Leu Glu Ser Val Arg Gly Thr
 325 330 335
 55 Lys Glu Ser Leu Glu Arg Gln Leu Ser Asp Ile Glu Glu Arg His Asn

EP 1 284 298 A2

	340		345		350
5	His Asp Leu Ser Ser Tyr Gln	355	Asp Thr Ile Gln Gln Leu	360	Glu Asn Glu 365
	Leu Arg Gly Thr Lys Trp Glu	370	Met Ala Arg His Leu Arg	375	Glu Tyr Gln 380
10	Asp Leu Leu Asn Val Lys Met	385	Ala Leu Asp Ile Glu Ile	390	Ala Ala Tyr 395 400
	Arg Lys Leu Leu Glu Gly Glu	405	Glu Thr Arg Phe Ser Thr	410	Phe Ser Gly 415
15	Ser Ile Thr Gly Pro Leu Tyr	420	Thr His Arg Gln Pro Ser	425	Val Thr Ile 430
	Ser Ser Lys Ile Gln Lys Thr	435	Lys Val Glu Ala Pro Lys	440	Leu Lys Val 445
20	Gln His Lys Phe Val Glu Glu	450	Ile Ile Glu Glu Thr Lys	455	Val Glu Asp 460
	Glu Lys Ser Glu Met Glu Asp	465	Ala Leu Thr Val Ile Ala	470	Glu Glu Leu 475 480
25	Ala Ala Ser Ala Lys Glu Glu	485	Lys Glu Glu Ala Glu Glu	490	Lys Glu Glu 495
	Glu Pro Glu Val Lys Ser Pro	500	Val Lys Ser Pro Glu Ala	505	Lys Glu Glu 510
30	Glu Glu Gly Glu Lys Glu Glu	515	Glu Glu Glu Gly Gln Glu	520	Glu Glu Glu 525
	Glu Glu Asp Glu Gly Val Lys	530	Ser Asp Gln Ala Glu Glu	535	Gly Gly Ser 540
35	Glu Lys Glu Gly Ser Ser Glu	545	Lys Asp Glu Gly Glu Gln	550	Glu Glu Glu 555 560
	Gly Glu Thr Glu Ala Glu Gly	565	Glu Gly Glu Glu Ala Glu	570	Ala Lys Glu 575
40	Glu Lys Lys Thr Glu Gly Lys	580	Val Glu Glu Met Ala Ile	585	Lys Glu Glu 590
	Ile Lys Val Glu Lys Pro Glu	595	Lys Ala Lys Ser Pro Val	600	Pro Lys Ser 605
45	Pro Val Glu Glu Val Lys Pro	610	Lys Pro Glu Ala Lys Ala	615	Gly Lys Asp 620
	Glu Gln Lys Glu Glu Glu Lys	625	Val Glu Glu Lys Lys Glu	630	Val Ala Lys 635 640
50	Glu Ser Pro Lys Glu Glu Lys	645	Val Glu Lys Lys Glu Glu	650	Lys Pro Lys 655
	Asp Val Pro Asp Lys Lys Lys	660	Ala Glu Ser Pro Val Lys	665	Glu Lys Ala 670
55					

EP 1 284 298 A2

Val Glu Glu Met Ile Thr Ile Thr Lys Ser Val Lys Val Ser Leu Glu
675 680 685

5 Lys Asp Thr Lys Glu Glu Lys Pro Gln Gln Gln Glu Lys Val Lys Glu
690 695 700

Lys Ala Glu Glu Glu Gly Gly Ser Glu Glu Glu Val Gly Asp Lys Ser
705 710 715 720

10 Pro Gln Glu Ser Lys Lys Glu Asp Ile Ala Ile Asn Gly Glu Val Glu
725 730 735

Gly Lys Glu Glu Glu Glu Gln Glu Thr Gln Glu Lys Gly Ser Gly Gln
740 745 750

15 Glu Glu Glu Lys Gly Val Val Thr Asn Gly Leu Asp Val Ser Pro Ala
755 760 765

Glu Glu Lys Lys Gly Glu Asp Arg Ser Asp Asp Lys Val Val Val Thr
770 775 780

20 Lys Lys Val Glu Lys Ile Thr Ser Glu Gly Gly Asp Gly Ala Thr Lys
785 790 795 800

Tyr Ile Thr Lys Ser Val Thr Val Thr Gln Lys Val Glu Glu His Glu
805 810 815

25 Glu Thr Phe Glu Glu Lys Leu Val Ser Thr Lys Lys Val Glu Lys Val
820 825 830

Thr Ser His Ala Ile Val Lys Glu Val Thr Gln Gly Asp
835 840 845

30

<210> 62
<211> 2717
<212> DNA
<213> Rattus norvegicus

35

<220>
<223> NF-M protein

<400> 62

40 ggcttccaag atgagctaca cgctggactc gctgggcaac ccgtccgcct accggcgcgt 60
tccaaccgag acccggtcca gcttcagtcg tgtgagcggg tccccgtcca gcggcttcg 120
ctcgcagtcg tgggtccgcg gctcgcaccg caccgtgtcc tcctcctaca agcgcagcgc 180
gctcgcaccg cgctcgcct acagctcggc tatgctcagc tcggccgaga gcagcctcga 240
cttcagccag tctctctcgc tgcctaacgg cggtccggc ggcgactaca agctgtcccg 300
ctcaaaccgag aaagagcagc tgcaggggct gaacgaccgt ttcgcccggc acatcgagaa 360

45 agtgcactac ttggaacaac agaacaagga gatcgaggca gagatccacg cgctgcggca 420
gaagcaggcc tcgcacgccc agctgggtga cgcttacgac caggagatcc gagagctgcg 480
cgccaccctg gagatggtga atcacgagaa ggctcaagtg cagctggact ctgatcactt 540
ggaggaagac atccaccggc tcaaggagcg ctctcaggag gaggcgcggc tgcgggacga 600
cacggaggct gccatccggg cggtgcgcaa agacatagag gattcgtcga tggttaagg 660

50 ggagctggac aagaagggtc agtcgctgca ggatgagggt gccttctcgc ggagcaatca 720
cgaagaggag gtggccgacc tgcctggccca gatccaggcg tcgcacatca ccgtagagcg 780
caaagactac ctgaagacag acatctccac ggcgtgaaa gagatccgct ccagctcga 840
gtgtcactcc caccagaaca tgcaccaggc cgaagagtgg ttcaaatgcc gctacgcaa 900
gctcaccgag gcggccgagc agaacaagga ggcatccgc tccgctaaag aagagatcgc 960
cgagtaccgg cgccagctgc agtccaagag cattgagctc gattcgggtg gaggcactaa 1020

55 ggagtccttg gaacggcagc tcagcgacat cgaggagcgc cacaaccacg acctcagcag 1080
ctaccaggac accatccagc agctggaaaa tgagcttcgg ggaacaaagt gggaaatggc 1140

EP 1 284 298 A2

5 tcgtcatttg cgagaataacc aggatctcct taacgtcaag atggctctgg acatcgagat 1200
 cgccgcataat agggaaactac tggagggtga agagaccaga tttagcacat tttcaggaag 1260
 catcactggg cctctgtaca cacaccgaca gccctcagtc acaatatcca gtaagattca 1320
 gaagacccaaa gtcgagggccc ccaagctcaa ggtccaacac aaatttgtgg aggagatcat 1380
 tgaggagact aaagtgggaag atgagaagtc agaaatggaa gacgccctca cagtcattgc 1440
 agaggaattg gcagcctctg ccaagagga gaaagaagag gcagaagaaa aggaagagga 1500
 accggaagtg aagtctccc tgaagtctcc tgaggctaag gaagaggagg aaggggaaaa 1560
 ggaggaagaa gaggaaggcc aagaggaaga agaggaggaa gatgaagggtg tcaagtcaga 1620
 ccaggcayaa gagggaggat ctgagaagga aggctcgagt gaaaaggatg aaggtgagca 1680
 10 agaagaagaa ggggaaactg aggcagaagg tgaaggagag gaagcagaag ctaaggagga 1740
 aaagaaaaca gagggaaagg tcgaggaaat ggctatcaag gaggaatca aggtcgagaa 1800
 gcccgagaaa gccaaagtccc ctgtgccaaa atcaccggtg gaagaagtaa agccaaaacc 1860
 agaagccaaa gccggaaagg atgagcagaa ggaggaagag aaagttgagg agaagaagga 1920
 ggtagccaag gaatcaccca aggaagagaa ggtggagaaa aaggaggaga agccaaaaga 1980
 15 tgtcccgatg aaaaagaagg ctgagtcctc agtgaaagaa aaggccgtag aggaaatgat 2040
 caccattact aagtcggtaa aggtgagcct ggagaaagac accaaagagg agaagcctca 2100
 gcagcaggag aaggtgaagg agaaggcaga ggaggagggg ggtagtgagg aggaagtggg 2160
 tgacaaaagc ccgcaagaat ccaagaagga agacatagct atcaatgggg aggtggaagg 2220
 aaaagaggag gaggagcagg aaactcagga gaagggcagt gggcaagagg aggaagaaagg 2280
 ggtggtcact aatggcttag atgtgagccc tgcggaggaa aagaaagggg aggatagaag 2340
 20 tgatgacaaa gtgtggtga ccaagaaggt agaaaaaatc accagcgagg gaggcgatgg 2400
 tgctacaaaa tacatcacca aatctgttac tgtcactcaa aaggttgaag agcatgagga 2460
 gacctttgag gagaagctgg tgtcaactaa aaaggtagaa aaggtcactt cacatgccat 2520
 agtcaaggaa gtcacccagg gtgactaaga tcggagtcca ttgcaaaaagg ttaagccata 2580
 caacaatttc aaaatgcatg tgattgacag cttcaaaaaca gaatgggttc tcccatgagg 2640
 25 gctccagaca ttgtattttc ctttgtgcaa tatgagggaa ctgcatgcaa gtcagggtg 2700
 cctcctcagt ccttggg 2717

<210> 63
 <211> 707
 <212> PRT
 30 <213> Rattus norvegicus

<220>
 <223> Neurodegeneration associated protein 1

35 <400> 63
 Met Ser Gln Tyr Thr Glu Lys Glu Pro Ser Val Met Asp Gln Asp Ser
 1 5 10 15
 Ser Lys Ala Ala Trp Pro Arg Ala Ala Gly Gly Tyr Gln Thr Ile Thr
 20 25 30
 40 Gly Arg Arg Tyr Gly Arg Arg His Ala Tyr Val Ser Phe Lys Pro Cys
 35 40 45
 Met Thr Arg His Glu Arg Ser Leu Gly Arg Ala Gly Asp Asp Tyr Glu
 50 55 60
 45 Val Leu Glu Leu Asp Asp Val Ala Lys Glu Asn Thr Ala Gly Ser Ser
 65 70 75 80
 Ser Leu Asp Gln Val His Pro Ser Leu Pro Ser Glu Thr Thr Val Glu
 85 90 95
 50 Lys Ser Glu Thr Glu Ile Pro Thr Cys Gly Pro Ala Leu Asn Gln Ser
 100 105 110
 Thr Glu Ser Asn Pro Ser Val Ala Thr Val Cys His Ser Glu Glu Val
 115 120 125

EP 1 284 298 A2

	Arg	Glu	Thr	Leu	Asp	Ser	Ser	Thr	Asn	Leu	Gln	Asn	His	Ala	Glu	Arg	
	130						135					140					
5	Glu	Cys	Thr	Pro	Ala	Val	Cys	Asn	Ala	Ser	Ser	Val	Gln	Asn	Gly	Ile	
	145					150					155					160	
	Val	Leu	Val	His	Thr	Asp	Ser	Tyr	Asp	Pro	Asp	Ser	Lys	His	Asp	Glu	
					165					170					175		
10	Asn	Asp	Ser	Leu	Gln	Leu	Cys	Ala	Gln	Ala	Val	Glu	Gly	Gly	Arg	Arg	
				180					185					190			
	Gln	Lys	Val	Leu	Gly	Asn	Ala	Val	Phe	Glu	Leu	Glu	Asn	Gly	Glu	Val	
			195					200					205				
15	Glu	Arg	Tyr	Ala	Asp	Leu	Cys	Pro	Ser	Val	Pro	Ser	Leu	Ser	Gly	Glu	
	210						215					220					
	Ile	Arg	Glu	Glu	Ser	Glu	Glu	Leu	Gly	Ser	Ala	Leu	Leu	Glu	Lys	Asn	
	225					230					235					240	
20	Ser	Ala	Gly	Asp	Ala	Glu	Ala	Val	His	Gln	Asp	Gly	Gln	Glu	Phe	Gln	
					245					250					255		
	Arg	Ser	Ser	Glu	Asp	Gly	Ile	Val	Arg	Lys	Arg	Arg	Gln	Asp	Asp	Thr	
				260					265					270			
25	Asp	Gln	Gly	Arg	Gln	Thr	Glu	Asn	Ser	Thr	Glu	Asp	Ala	Asp	Cys	Val	
			275					280					285				
	Pro	Gly	His	Val	Glu	Gln	Asn	Thr	Ser	Glu	Arg	Ala	Asn	His	His	Gly	
	290						295					300					
30	Ser	Ser	Pro	Glu	Gln	Val	Val	Arg	Pro	Lys	Val	Arg	Lys	Val	Ile	Ser	
	305					310					315				320		
	Ser	Ser	Gln	Val	Asp	Gln	Glu	Ser	Gly	Phe	Asn	Arg	His	Glu	Ala	Lys	
				325						330					335		
35	Gln	Arg	Ser	Val	Gln	Arg	Trp	Arg	Glu	Ala	Leu	Glu	Val	Glu	Glu	Cys	
				340					345					350			
	Ser	Ser	Asp	Asp	Pro	Ile	Ile	Lys	Cys	Asp	Asp	Tyr	Asp	Gly	Asp	His	
			355				360						365				
40	Asp	Cys	Met	Phe	Leu	Thr	Pro	Ser	Tyr	Ser	Arg	Val	Thr	Pro	Arg	Glu	
	370						375					380					
	Ala	Glu	Arg	His	Arg	Ala	Thr	Ala	Glu	Asn	Gly	Ala	Thr	Ala	Ser	Gly	
	385					390					395					400	
	Arg	Gln	Glu	Ala	Arg	Glu	Asn	Ala	Phe	Trp	Asn	Ala	Cys	Gly	Glu	Tyr	
				405					410						415		
50	Tyr	Gln	Leu	Phe	Asp	Lys	Asp	Glu	Asp	Ser	Ser	Glu	Cys	Ser	Asp	Gly	
			420					425						430			
	Glu	Trp	Ser	Ala	Ser	Leu	Pro	His	Arg	Phe	Ser	Gly	Thr	Glu	Lys	Asp	
		435					440						445				
55	Gln	Ser	Ser	Ser	Asp	Glu	Ser	Trp	Glu	Thr	Leu	Pro	Gly	Lys	Asp	Glu	
	450						455					460					

EP 1 284 298 A2

5 Asn Glu Pro Glu Leu Gln Ser Asp Ser Ser Gly Pro Glu Glu Glu Asn
 465 470 475 480
 Gln Glu Leu Ser Leu Gln Glu Gly Glu Gln Thr Ser Leu Glu Glu Gly
 485 490 495
 10 Glu Ile Pro Trp Leu Gln Tyr Asn Glu Val Asn Glu Ser Ser Ser Asp
 500 505 510
 Glu Gly Asn Glu Pro Ala Asn Glu Phe Ala Gln Pro Glu Ala Phe Met
 515 520 525
 15 Leu Asp Gly Asn Asn Asn Leu Glu Asp Asp Ser Ser Val Ser Glu Asp
 530 535 540
 Leu Asp Val Asp Trp Ser Leu Phe Asp Gly Phe Ala Asp Gly Leu Gly
 545 550 555 560
 20 Val Ala Glu Ala Ile Ser Tyr Val Asp Pro Gln Phe Leu Thr Tyr Met
 565 570 575
 Ala Leu Glu Glu Arg Leu Ala Gln Ala Met Glu Thr Ala Leu Ala His
 580 585 590
 25 Leu Glu Ser Leu Ala Val Asp Val Glu Val Ala Asn Pro Pro Ala Ser
 595 600 605
 Lys Glu Ser Ile Asp Gly Leu Pro Glu Thr Leu Val Leu Glu Asp His
 610 615 620
 30 Thr Ala Ile Gly Gln Glu Gln Cys Cys Pro Ile Cys Cys Ser Glu Tyr
 625 630 635 640
 Ile Lys Asp Asp Ile Ala Thr Glu Leu Pro Cys His His Phe Phe His
 645 650 655
 35 Lys Pro Cys Val Ser Ile Trp Leu Gln Lys Ser Gly Thr Cys Pro Val
 660 665 670
 Cys Arg Arg His Phe Pro Pro Ala Val Ile Asp Ala Ser Ala Ala Ala
 675 680 685
 40 Ser Ser Glu Pro Asp Leu Asp Ala Ser Pro Ala Asn Asp Asn Ala Glu
 690 695 700
 Glu Ala Pro
 705
 45 <210> 64
 <211> 4758
 <212> DNA
 <213> Rattus norvegicus
 50 <220>
 <223> Neurodegeneration associated protein 1
 <400> 64
 55 tggcgggtgg aggatcgagc gctgttctcg ctctggagcc gctgcacatc tcggaatcat 60
 ttgcagctta ttactgtgt aaggaaaaac caaattacat ccataattct attgaactgg 120
 aagcatagac gctgccatat atgtcacagt atacagaaaa agaaccatca gtaatggatc 180

EP 1 284 298 A2

	aagactccag	caaggctgcg	tggcctagag	cagcaggagg	ataccagacg	attacaggca	240
	ggaggtacgg	aaggagacat	gcgtatgtca	gttttaagcc	atgtatgacc	agggcatgaac	300
	ggagcttggg	tcgggctggc	gatgactatg	aagttctgga	actggatgac	gttgccaagg	360
5	aaaacaccgc	aggttccagt	tcattggatc	aagtcacatc	ttctttaccc	agtgaacta	420
	cagttgaaaa	aagtgaacaa	gaaattccta	cttgtgtgtc	agcactgaat	caaagcacgg	480
	agagcaaccc	atccgttgcc	acagtgtgtc	atagttagga	agtcaggagg	accttagaca	540
	gcagtacgaa	tcttcagaat	cacgctgaga	gagagtgtac	gccagcagtt	tgtaatgcct	600
	caagtgtcca	gaatggaatt	gtgttggttc	atactgactc	ttatgatcca	gacagcaagc	660
	atgatgagaa	tgactctctt	caactttgtg	cccaagctgt	ggaaggtggt	agacgtcaga	720
10	aggtattagg	caatgcagtc	tttgagctgg	aaaatggaga	ggtagagaga	tatgctgatc	780
	tgtgtccctc	agttccctct	ctcagtgggt	aaataaggga	ggagtctgaa	gagctagggt	840
	cagcactctt	agagaaaaat	tctgctggcg	atgcggaggc	tgccatcag	gatgggcagg	900
	aatttcagag	gtcttctgaa	gacggcattg	ttagaaagag	gcgacaagat	galaccgatc	960
	agggaaagaca	gacagaaaaat	tcaactgaag	atgcagactg	tgttccaggc	catgttgaac	1020
	aaaatactag	tgagagagcc	aatcaccatg	gaagttctcc	tgaacaggta	gtgaggccca	1080
15	aagtttagaaa	agtgatcagt	tcaagccagg	tggaccaaga	gagcggtttt	aataggcacg	1140
	aggctaagca	aagaagtgtt	cagagggtga	gagaggctct	ggaagttgag	gaatgcagtt	1200
	cagatgaccc	tataatcaag	tgtagcagtt	atgatggaga	ccatgactgc	atgttccctaa	1260
	ccccatccta	ctcaagagtt	acgccaaagg	aagcagaacg	tcaccgtgcy	acagcagaaa	1320
	atggagccac	agcttcagga	aggcaagagg	ctcgggaaaa	tgcttttttg	aatgcctgtg	1380
	gagagtatta	ccagctcttt	gacaaaagac	atgacagttc	agagtgcagt	gatggggaat	1440
20	ggctctgcttc	tctgctctac	cgattttctg	gcacagaaaa	agaccagtcc	tcaagcgatg	1500
	aaagctggga	aactctgcca	ggaaaagatg	agaatgaacc	tgagctacag	agtgatagta	1560
	gtggccctga	ggaagaaaaac	caagaattgt	ctcttcagga	gggagaacag	acgtccttgg	1620
	aggaggggga	gattccctgg	ttacagtaca	atgaggtcaa	tgagagcagc	agcgatgaag	1680
	ggaacgagcc	tgccaatgag	tttgacacaac	cagaagcttt	catgttggtg	gggaacaaca	1740
25	acctggagga	cgactcgagc	gtgagtgaag	acctggatgt	ggactggagc	ctattttgatg	1800
	gttttgcgga	tggacttggg	gttgctgaag	ctatttcccta	cgtggatcct	cagttccctca	1860
	cctacatggc	actagaagaa	cgcttagccc	aggctatgga	gactgcactg	gcacacttag	1920
	agtctcttgc	tgtagacgtt	gaggtggcta	acccacctgc	cagtaaggaa	agcatcgacg	1980
	gacttccaga	aacccttgtc	ctagaagatc	acaccgctat	tggtcaggag	cagtgtctgtc	2040
	ccatctgctg	cagtgaagtac	attaaggatg	acatcgcaac	agagctgccc	tgccatcact	2100
30	tctttcataa	gccttgtgtc	tccatttggc	tacagaagtc	cggaaactgc	cctgtgtgccc	2160
	gccggcaact	cccacctgca	gtgattgacg	catctgcagc	tgcttccctc	gaaccagacc	2220
	ttgatgcctc	gcctgcaaac	gacaatgctg	aggaagcccc	gtaagccgtc	acggggaaat	2280
	gagatcgaaa	ttctatcaca	gtaaatctgc	aaattccctc	taaatctgat	gtgcaataa	2340
	ttatatataa	atataatttaa	aatgctctat	atagtatatg	ccgtagttta	gaaagagaat	2400
35	attaaccttt	ctaaactgaa	tttaggtttg	cagaagatac	taaacatttt	caagctgaat	2460
	gttgaagcag	tgcatccatt	ttctttagtt	gaacatgggtg	tccattgtaa	cgctcagtag	2520
	catctctgtg	gcatacgttt	ctgttttgtc	tgaagtgtctg	ccactaagag	atcagaatta	2580
	agctctcctt	tccacatcag	atgtgaaagg	agagcttaat	tctgatctct	gtggcatacag	2640
	ttctctgttt	gtctgaagtg	ctgccactaa	gagatcagaa	ttaagctctc	ctttccacat	2700
	cagatgtgaa	aactgtgac	acaacagtag	tacagtttgg	tttcattgaa	aataaactga	2760
40	attctaaagc	atgctttttc	actggctcct	ttgcttttgc	tacttcgaga	cctcttgggt	2820
	tatataaacac	tgaggttaag	attaaagctt	ttcagaatgc	caggcaaaaga	ctagagtttt	2880
	gaccogaaca	cacacacaaa	ataaaaaaat	aaaaaataaa	ttacatctta	gatgtaaact	2940
	tcttgaaact	gtcatgtaat	aaactattca	gtgaacgttg	gatgttttaa	ggctagtaaa	3000
	gcattgtgaat	tatctgatgt	gcttcatgct	cgccacagtc	tcattgagctt	ggcctatgaa	3060
45	acactgteta	agccctcatg	cagtctgctt	ctacttggtt	aacactgaag	gtccagacca	3120
	gtcttggcat	ctgattaaga	aattggatgt	agttagctaa	ggtagtttgg	gttctacttt	3180
	aggagatctg	aagatttgca	catggccatg	tctgttacag	catcacccca	gattagaaag	3240
	gcacagcttt	taggtgggtca	cacgagtagg	caagtctgtg	cagacgctgg	tgtagtaggt	3300
	agcttacagg	tgagccctga	catcagcaca	gggacaacgg	ctcagcaggc	ccagcactgg	3360
	agcccatccg	cgtagcacatc	tacctgccct	gctcatccag	ttcgggaata	tttctatagc	3420
	ttcccaaatc	agcttcatct	gatttgtgta	atatactctga	gtatttatag	tctttctttt	3480
50	ttctccagtc	ttaaaaataa	atgaattttc	actgttggga	catttgaggc	ttaaatataa	3540
	gaaacctaac	acttgcatte	tgatttttgc	atataattgta	aatgtggctg	gtatttacag	3600
	cgaatcctgt	gtgtcccttt	atgggtaaaa	caaaagtga	cattgcatgc	aagtaattgtg	3660
	gtgaatttgt	aatttagggg	ttttctgggg	cttctgtgac	tytgagtgct	taaattcagg	3720
	ccttaattgt	gctctagcta	gcatgtttcc	ttctaattgta	catagtcagc	ctgtatccac	3780
	taatctctgc	tgtcttctc	ttccgtggtc	ttcacaccgt	atccactgat	ggtagtag	3840
55	tgtagaggt	caccaggtt	agcatcagtt	cccatgtgtg	ccgtgcggat	tgtagagcgt	3900

EP 1 284 298 A2

gtgggtgctt gggtgggttt cttttatgta ctttgattag ctgtggcact tactgagtaa 3960
acttacgttg ctgcagactg ctgtgtaaca agccacgttt tgtgtttagt cagtattaca 4020
cacgggacct tgttttattc ttctagatag cagctgtccc aaagaaaata tttcttcttt 4080
5 gcctattaaag atttagctat tatctgccag ttgttaaggg gtttgattcc aaactcaacc 4140
agagtgaac gtaagaaagc tgctgtactc ttgctgtcca tctgttaagt cctccgttgt 4200
tggctcctga ctacgtaccc acggctgctg aaggagactt gttttaattt gttttaaaaa 4260
ggaaaatgaa gtttttaggac tttgatgggt gggaagctga caagttcaga cccagctctg 4320
tcatttgctc ttagcttgga tccttttgaa aagttaagaa tatatgaagg taaattagaa 4380
aaagtaaaaa tattgataaa atgtcattta tcttatgtct attttatgtt gttatttggc 4440
10 ctattaattt taattttttg aacattttct tatttcttgt aatatgaatg ccgatattta 4500
aagtttgact cacttgggtt tcttttgtgt ttcttagttg ttatctctaa gcctaactaa 4560
cttttaagat tatttgtgat atggatttat ataagctgtt aaatatatat gagctgttaa 4620
aatggaaatgc aagggtttcc aaagaccagg tctaaactga atgattgggt tattgttcta 4680
caatcccagc ccggcatttt ccgtgtaaat cataaacaat aaacaggata tactcagtgt 4740
15 tcattttctaa aaaaaaaa 4758

<210> 65

<211> 1488

<212> DNA

<213> Rattus norvegicus

<220>

<223> Brain S-100 protein beta-subunit

<400> 65

25 aagtccacac ccagtcctct ctggagggaag aaaagggagc ttctctgtct accctcctag 60
tccttgagaca ccgaagccag agaggactcc ggcggcaaaa ggtgaccagg agcctccggg 120
atgtctgagc tggagaaggc catggttgcc ctcatgtatg tcttccatca gtattcaggg 180
agagaggggtg acaagcacia gctgaagaag tcagaactga aggagctcat caacaacgag 240
ctctctcact tcctggagga aatcaaagag cagggaagtg tggacaaagt gatggagacg 300
30 ctggacgaag atgggggatgg ggagtgtgac ttccaggagt ttatggcctt cgtctccatg 360
gtgaccacag cctgtcatga gttctttgaa catgagttag acaaaaaaaaa aaaaaaaaaa 420
gtggctgagc cgtttccccg tggcagacat gagggccacg agaggaggca cggcagaagg 480
ctcgtgggct ggaaggagct gcgctctcta gacgcataa actaattagg aagcttgatt 540
tgcttcaggg atgaaactct gaccccggtt ccaagggctg ctttaagtta gcacttcgtt 600
tctgctacac taggtattcc tgtgagctga atgggtcccg gaactattga taagagtcac 660
35 tgagggacga aatcaacact ctgtgggtat agcactgggt gtagaccacc atgctcctgt 720
ggaagggtca cctgtaagaa tcaaggcaga ctaccaatag cacctccgtt ggacagcttt 780
cttaggtgta atgtatgctg tccatgcacg tacagacca cagctggatc cactgccacc 840
cgaagagggt ggctcgccct tacaactgct tgcctctgtg gcaaacgaly ccccggaag 900
ttagacctat caccacacac ctcccaccac cccaggcca aaaggacagc ccaccaagt 960
cccctcccc acagcgaatc gcggtttggt accaagtacg tatttgacat caacagttcc 1020
40 aactgggtgga acgattagat ctgcacact aagtattagc accctaactc acgaccgaga 1080
atcaaaattc tgctcagtag acgtctcctt tcaggatgac accattgtcc ccataggaca 1140
cggacagagg agggcactgg agagagtgtc aggtcttttt ctactgtat cttcctctct 1200
ccctctgctg ccataatgt gactgacctt ctagggtgag acttgacagg tgagctgctg 1260
aggaatgaag ggccactgag atgtgtcctt tagctgctgg gtgtcatgtc tgacctgctg 1320
gtgcctaggg cctgcttaac actcggaag gctgcgagcc gaggactgtg ggaagccgga 1380
45 cttgatgctt tctaacctgc atatttgaat gccgaaggtc aaacaatcca agttacagat 1440
aaataaaaac cgcattgcaa gtattaaaaa gccattctag gaaaattc 1488

<210> 66

<211> 2364

<212> PRT

<213> Rattus norvegicus

<220>

<223> Microtubule associated protein IB

<400> 66

EP 1 284 298 A2

	Gly	Gln	Lys	Ile	Leu	His	His	Arg	Ser	Asp	Val	Leu	Glu	Thr	Val	Val	
	1				5					10					15		
5	Leu	Ile	Asn	Pro	Ser	Asp	Glu	Ala	Val	Ser	Thr	Glu	Val	Arg	Leu	Met	
				20					25					30			
	Ile	Thr	Asp	Ala	Ala	Arg	His	Lys	Leu	Leu	Val	Leu	Thr	Gly	Gln	Cys	
			35					40					45				
10	Phe	Glu	Asn	Thr	Gly	Glu	Leu	Ile	Leu	Gln	Ser	Gly	Ser	Phe	Ser	Phe	
		50					55					60					
	Gln	Asn	Phe	Ile	Glu	Ile	Phe	Thr	Asp	Gln	Glu	Ile	Gly	Glu	Leu	Leu	
		65				70					75					80	
15	Ser	Thr	Thr	His	Pro	Ala	Asn	Lys	Ala	Ser	Leu	Thr	Leu	Phe	Cys	Pro	
					85					90					95		
	Glu	Glu	Gly	Asp	Trp	Lys	Asn	Ser	Asn	Leu	Asp	Arg	His	Asn	Leu	Gln	
				100					105					110			
20	Asp	Phe	Ile	Asn	Ile	Lys	Leu	Asn	Ser	Ala	Ser	Ile	Leu	Pro	Glu	Met	
			115					120					125				
	Glu	Gly	Leu	Ser	Glu	Phe	Thr	Glu	Tyr	Leu	Ser	Glu	Ser	Val	Glu	Val	
		130					135					140					
25	Pro	Ser	Pro	Phe	Asp	Ile	Leu	Glu	Pro	Pro	Thr	Ser	Gly	Gly	Phe	Leu	
		145				150					155					160	
	Lys	Leu	Ser	Lys	Pro	Cys	Cys	Tyr	Ile	Phe	Pro	Gly	Gly	Arg	Gly	Asp	
					165					170					175		
30	Ser	Ala	Leu	Phe	Ala	Val	Asn	Gly	Phe	Asn	Met	Leu	Ile	Asn	Gly	Gly	
				180					185					190			
	Ser	Glu	Arg	Lys	Ser	Cys	Phe	Trp	Lys	Leu	Ile	Arg	His	Leu	Asp	Arg	
			195					200					205				
35	Val	Asp	Ser	Ile	Leu	Leu	Thr	His	Ile	Gly	Asp	Asp	Asn	Leu	Pro	Gly	
		210					215					220					
	Ile	Asn	Ser	Met	Leu	Gln	Arg	Lys	Ile	Ala	Glu	Leu	Glu	Glu	Glu	Ser	
		225				230					235					240	
40	Gln	Gly	Ser	Thr	Ser	Asn	Ser	Asp	Trp	Met	Lys	Asn	Leu	Ile	Ser	Pro	
					245					250					255		
	Asp	Leu	Gly	Val	Val	Phe	Leu	Asn	Val	Pro	Glu	Asn	Leu	Lys	Asn	Pro	
45				260					265					270			
	Glu	Pro	Asn	Ile	Lys	Met	Lys	Arg	Ser	Thr	Glu	Glu	Ala	Cys	Phe	Thr	
			275					280					285				
50	Leu	Gln	Tyr	Leu	Asn	Lys	Leu	Ser	Met	Lys	Pro	Glu	Pro	Leu	Phe	Arg	
		290					295					300					
	Ser	Val	Gly	Asn	Ala	Ile	Glu	Pro	Val	Ile	Leu	Phe	Gln	Lys	Met	Gly	
		305				310					315					320	
55	Val	Gly	Lys	Leu	Lys	Met	Tyr	Val	Leu	Asn	Pro	Val	Lys	Ser	Ser	Lys	
					325					330					335		

EP 1 284 298 A2

	Glu	Met	Gln	Tyr	Phe	Met	Gln	Gln	Trp	Thr	Gly	Thr	Asn	Lys	Asp	Lys	
				340					345					350			
5	Ala	Glu	Leu	Ile	Leu	Pro	Asn	Gly	Gln	Glu	Val	Asp	Ile	Pro	Ile	Ser	
			355					360					365				
	Tyr	Leu	Ala	Ser	Val	Ser	Ser	Leu	Ile	Val	Trp	His	Pro	Ala	Asn	Pro	
		370					375					380					
10	Ala	Glu	Lys	Ile	Ile	Arg	Val	Leu	Phe	Pro	Gly	Asn	Ser	Thr	Gln	Tyr	
	385					390					395					400	
	Asn	Ile	Leu	Glu	Gly	Leu	Glu	Lys	Leu	Lys	His	Leu	Asp	Phe	Leu	Lys	
				405						410					415		
15	Gln	Pro	Leu	Ala	Thr	Gln	Lys	Asp	Leu	Thr	Gly	Gln	Val	Ser	Thr	Pro	
				420					425						430		
	Pro	Val	Lys	Gln	Val	Lys	Leu	Lys	Gln	Arg	Ala	Asp	Ser	Arg	Glu	Ser	
20			435				440						445				
	Leu	Lys	Pro	Ala	Thr	Lys	Pro	Leu	Ser	Ser	Lys	Ser	Val	Arg	Lys	Glu	
		450					455					460					
	Ser	Lys	Glu	Glu	Ala	Pro	Glu	Ala	Thr	Lys	Ala	Ser	Gln	Val	Glu	Lys	
25	465					470					475					480	
	Thr	Pro	Lys	Val	Glu	Ser	Lys	Glu	Lys	Val	Ile	Val	Lys	Lys	Asp	Lys	
				485					490						495		
	Pro	Gly	Lys	Val	Glu	Ser	Lys	Pro	Ser	Val	Thr	Glu	Lys	Glu	Val	Pro	
30				500					505					510			
	Ser	Lys	Glu	Glu	Gln	Ser	Pro	Val	Lys	Ala	Glu	Val	Ala	Glu	Lys	Ala	
			515					520					525				
	Ala	Thr	Glu	Ser	Lys	Pro	Lys	Val	Thr	Lys	Asp	Lys	Val	Val	Lys	Lys	
35		530					535					540					
	Glu	Ile	Lys	Thr	Lys	Pro	Glu	Glu	Lys	Lys	Glu	Glu	Lys	Pro	Lys	Lys	
	545					550					555					560	
	Glu	Val	Ala	Lys	Lys	Glu	Asp	Lys	Thr	Pro	Leu	Lys	Lys	Asp	Glu	Lys	
40				565						570					575		
	Pro	Lys	Lys	Glu	Glu	Ala	Lys	Lys	Glu	Ile	Lys	Lys	Glu	Ile	Lys	Lys	
				580					585					590			
45	Glu	Glu	Lys	Lys	Glu	Leu	Lys	Lys	Glu	Val	Lys	Lys	Glu	Thr	Pro	Leu	
			595					600					605				
	Lys	Asp	Ala	Lys	Lys	Glu	Val	Lys	Lys	Asp	Glu	Lys	Lys	Glu	Val	Lys	
		610					615					620					
50	Lys	Glu	Glu	Lys	Glu	Pro	Lys	Lys	Glu	Ile	Lys	Lys	Ile	Ser	Lys	Asp	
	625					630					635					640	
	Ile	Lys	Lys	Ser	Thr	Pro	Leu	Ser	Asp	Thr	Lys	Lys	Pro	Ala	Ala	Leu	
				645						650					655		
55	Lys	Pro	Lys	Val	Ala	Lys	Lys	Glu	Glu	Pro	Thr	Lys	Lys	Glu	Pro	Ile	

EP 1 284 298 A2

	660	665	670
5	Ala Ala Gly Lys Leu Lys Asp 675	Lys Gly Lys Val Lys 680	Val Ile Lys Lys 685
	Glu Gly Lys Thr Thr Glu 690	Ala Ala Ala Thr Ala 695	Val Gly Thr Ala Ala 700
10	Val Ala Ala Ala Ala Gly 705	Val Ala Ala Ser Gly 710	Pro Ala Lys Glu Leu 715
	Glu Ala Glu Arg Ser Leu Met 725	Ser Ser Pro Glu Asp 730	Leu Thr Lys Asp 735
15	Phe Glu Glu Leu Lys Ala Glu 740	Glu Glu Ile Asp Val 745	Ala Lys Asp Ile Lys 750
	Pro Gln Leu Glu Leu Ile Glu 755	Asp Glu Glu Lys Leu 760	Lys Glu Thr Glu 765
20	Pro Gly Glu Ala Tyr Val 770	Ile Gln Lys Glu Thr 775	Glu Val Ser Lys Gly 780
	Ser Ala Glu Ser Pro Asp 785	Glu Gly Ile Thr Thr 790	Thr Thr Glu Gly Glu Gly 795
25	Glu Cys Glu Gln Thr Pro 805	Glu Glu Leu Glu Pro 810	Val Glu Lys Gln Gly 815
	Val Asp Asp Ile Glu Lys Phe 820	Glu Asp Glu Gly Ala 825	Gly Phe Glu Glu 830
30	Ser Ser Glu Ala Gly Asp 835	Tyr Glu Glu Lys Ala 840	Glu Thr Glu Glu Ala 845
	Glu Glu Pro Glu Glu Asp 850	Gly Glu Asp Asn Val 855	Ser Gly Ser Ala Ser 860
35	Lys His Ser Pro Thr Glu 865	Asp Glu Glu Ile Ala 870	Lys Ala Glu Ala Asp 875
	Val His Ile Lys Glu Lys Arg 885	Glu Ser Val Ala Ser 890	Gly Asp Asp Arg 895
40	Ala Glu Glu Asp Met Asp 900	Glu Ala Leu Glu Lys 905	Gly Glu Ala Glu Gln 910
	Ser Glu Glu Glu Gly Glu 915	Glu Glu Glu Asp Lys 920	Ala Glu Asp Ala Arg 925
45	Glu Glu Asp His Glu Pro 930	Asp Lys Thr Glu Ala 935	Glu Asp Tyr Val Met 940
	Ala Val Val Asp Lys Ala 945	Ala Ala Glu Ala Gly 950	Val Thr Glu Asp Gln Tyr 955
50	Asp Phe Leu Gly Thr Pro 965	Ala Lys Gln Pro Gly 970	Val Gln Ser Pro Ser 975
55	Arg Glu Pro Ala Ser Ser 980	Ile His Asp Glu Thr 985	Leu Pro Gly Gly Ser 990

EP 1 284 298 A2

	Glu Ser Glu Ala Thr Ala Ser Asp Glu Glu Asn Arg Glu Asp Gln Pro	
	995 1000 1005	
5	Glu Glu Phe Thr Ala Thr Ser Gly Tyr Thr Gln Ser Thr Ile Glu Ile	
	1010 1015 1020	
	Ser Ser Glu Pro Thr Pro Met Asp Glu Met Ser Thr Pro Arg Asp Val	
	1025 1030 1035 1040	
10	Met Thr Asp Glu Thr Asn Asn Glu Glu Thr Glu Ser Pro Ser Gln Glu	
	1045 1050 1055	
	Phe Val Asn Ile Thr Lys Tyr Glu Ser Ser Leu Tyr Ser Gln Glu Tyr	
	1060 1065 1070	
15	Ser Lys Pro Val Val Ala Ser Phe Asn Gly Leu Ser Asp Gly Ser Lys	
	1075 1080 1085	
	Thr Asp Ala Thr Asp Gly Arg Asp Tyr Asn Ala Ser Ala Ser Thr Ile	
	1090 1095 1100	
20	Ser Pro Pro Ser Ser Met Glu Glu Asp Lys Phe Ser Lys Ser Ala Leu	
	1105 1110 1115 1120	
	Arg Asp Ala Tyr Arg Pro Glu Glu Thr Asp Val Lys Thr Gly Ala Glu	
	1125 1130 1135	
25	Leu Asp Ile Lys Asp Val Ser Asp Glu Arg Leu Ser Pro Ala Lys Ser	
	1140 1145 1150	
	Pro Ser Leu Ser Pro Ser Pro Pro Ser Pro Ile Glu Lys Thr Pro Leu	
	1155 1160 1165	
30	Gly Glu Arg Ser Val Asn Phe Ser Leu Thr Pro Asn Glu Ile Lys Ala	
	1170 1175 1180	
	Ser Ala Glu Gly Glu Ala Thr Ala Val Val Ser Pro Gly Val Thr Gln	
	1185 1190 1195 1200	
35	Ala Val Val Glu Glu His Cys Ala Ser Pro Glu Glu Lys Thr Leu Glu	
	1205 1210 1215	
	Val Val Ser Pro Ser Gln Ser Val Thr Gly Ser Ala Gly His Thr Pro	
	1220 1225 1230	
40	Tyr Tyr Gln Ser Pro Thr Asp Glu Lys Ser Ser His Leu Pro Thr Glu	
	1235 1240 1245	
	Val Thr Glu Asn Ala Gln Ala Val Pro Val Ser Phe Glu Phe Thr Glu	
	1250 1255 1260	
45	Ala Lys Asp Glu Asn Glu Arg Ser Ser Ile Ser Pro Met Asp Glu Pro	
	1265 1270 1275 1280	
	Val Pro Asp Ser Glu Ser Pro Ile Glu Lys Val Leu Ser Pro Leu Arg	
	1285 1290 1295	
	Ser Pro Pro Leu Ile Gly Ser Glu Ser Ala Tyr Glu Asp Phe Leu Ser	
	1300 1305 1310	
55	Ala Asp Asp Lys Ala Leu Gly Arg Arg Ser Glu Ser Pro Phe Glu Gly	
	1315 1320 1325	

EP 1 284 298 A2

Lys Asn Gly Lys Gln Gly Phe Ser Asp Lys Glu Ser Pro Val Ser Asp
 1330 1335 1340
 5 Leu Thr Ser Asp Leu Tyr Gln Asp Lys Gln Glu Glu Lys Arg Ala Gly
 1345 1350 1355 1360
 Phe Ile Pro Ile Lys Glu Asp Phe Ser Pro Glu Lys Lys Ala Ser Asp
 1365 1370 1375
 10 Ala Glu Ile Met Ser Ser Gln Ser Ala Leu Ala Leu Asp Glu Arg Lys
 1380 1385 1390
 Leu Gly Gly Asp Gly Ser Pro Thr Gln Val Asp Val Ser Gln Phe Gly
 1395 1400 1405
 15 Ser Phe Lys Glu Asp Thr Lys Met Ser Ile Ser Glu Gly Thr Val Ser
 1410 1415 1420
 Asp Lys Ser Ala Thr Pro Val Asp Glu Gly Ala Glu Asp Thr Tyr Ser
 1425 1430 1435 1440
 20 His Met Glu Gly Val Ala Ser Val Ser Thr Ala Ser Val Ala Thr Ser
 1445 1450 1455
 Ser Phe Pro Glu Pro Thr Thr Asp Asp Val Ser Pro Ser Leu His Ala
 1460 1465 1470
 25 Glu Val Gly Ser Pro His Ser Thr Glu Val Asp Asp Ser Leu Ser Val
 1475 1480 1485
 Ser Val Val Gln Thr Pro Thr Thr Phe Gln Glu Thr Glu Met Ser Pro
 1490 1495 1500
 30 Ser Lys Glu Glu Cys Pro Arg Pro Met Ser Ile Ser Pro Pro Asp Phe
 1505 1510 1515 1520
 Ser Pro Lys Thr Ala Lys Ser Arg Thr Pro Val Gln Asp His Arg Ser
 1525 1530 1535
 35 Glu Gln Ser Ser Met Ser Ile Glu Phe Gly Gln Glu Ser Pro Glu His
 1540 1545 1550
 Ser Leu Ala Met Asp Phe Ser Arg Gln Ser Pro Asp His Pro Thr Val
 1555 1560 1565
 40 Gly Ala Gly Met Leu His Ile Thr Glu Asn Gly Pro Thr Glu Val Asp
 1570 1575 1580
 Tyr Ser Pro Ser Asp Ile Gln Asp Ser Ser Leu Ser His Lys Ile Pro
 1585 1590 1595 1600
 Pro Thr Glu Glu Pro Ser Tyr Thr Gln Asp Asn Asp Leu Ser Glu Leu
 1605 1610 1615
 50 Ile Ser Val Ser Gln Val Glu Ala Ser Pro Ser Thr Ser Ser Ala His
 1620 1625 1630
 Thr Pro Ser Gln Ile Ala Ser Pro Leu Gln Glu Asp Thr Leu Ser Asp
 1635 1640 1645
 55 Val Val Pro Pro Arg Asp Met Ser Leu Tyr Ala Ser Leu Ala Ser Glu

EP 1 284 298 A2

	1650	1655	1660
5	Lys Val Gln Ser Leu Glu Gly Glu Lys Leu Ser Pro Lys Ser Asp Ile 1665 1670 1675 1680		
	Ser Pro Leu Thr Pro Arg Glu Ser Ser Pro Thr Tyr Ser Pro Gly Phe 1685 1690 1695		
10	Ser Asp Ser Thr Ser Gly Ala Lys Glu Ser Thr Ala Ala Tyr Gln Thr 1700 1705 1710		
	Ser Ser Ser Pro Pro Ile Asp Ala Ala Ala Glu Pro Tyr Gly Phe 1715 1720 1725		
15	Arg Ser Ser Met Leu Phe Asp Thr Met Gln His His Leu Ala Leu Ser 1730 1735 1740		
	Arg Asp Leu Thr Thr Ser Ser Val Glu Lys Asp Asn Gly Gly Lys Thr 1745 1750 1755 1760		
20	Pro Gly Asp Phe Asn Tyr Ala Tyr Gln Lys Pro Glu Ser Thr Thr Glu 1765 1770 1775		
	Ser Pro Asp Glu Glu Asp Tyr Asp Tyr Glu Ser His Glu Lys Thr Ile 1780 1785 1790		
25	Gln Ala His Asp Val Gly Gly Tyr Tyr Tyr Glu Lys Thr Glu Arg Thr 1795 1800 1805		
	Ile Lys Ser Pro Cys Asp Ser Gly Tyr Ser Tyr Glu Thr Ile Glu Lys 1810 1815 1820		
30	Thr Thr Lys Thr Pro Glu Asp Gly Gly Tyr Ser Cys Glu Ile Thr Glu 1825 1830 1835 1840		
	Lys Thr Thr Arg Thr Pro Glu Glu Gly Gly Tyr Ser Tyr Glu Ile Ser 1845 1850 1855		
35	Glu Lys Thr Thr Arg Thr Pro Glu Val Ser Gly Tyr Thr Tyr Glu Lys 1860 1865 1870		
	Thr Glu Arg Ser Arg Arg Leu Leu Asp Asp Ile Ser Asn Gly Tyr Asp 1875 1880 1885		
40	Asp Thr Glu Asp Gly Gly His Thr Leu Gly Asp Cys Ser Tyr Ser Tyr 1890 1895 1900		
	Glu Thr Thr Glu Lys Ile Thr Ser Phe Pro Glu Ser Glu Ser Tyr Ser 1905 1910 1915 1920		
45	Tyr Glu Thr Thr Thr Lys Thr Thr Arg Ser Pro Asp Thr Ser Ala Tyr 1925 1930 1935		
	Cys Tyr Glu Thr Met Glu Lys Ile Thr Lys Thr Pro Gln Ala Ser Thr 1940 1945 1950		
50	Tyr Ser Tyr Glu Thr Ser Asp Arg Cys Tyr Thr Pro Glu Arg Lys Ser 1955 1960 1965		
	Pro Ser Glu Ala Arg Gln Asp Val Asp Leu Cys Leu Val Ser Ser Cys 1970 1975 1980		
55			

EP 1 284 298 A2

	Glu Phe Lys His Pro Lys Thr Glu Leu Ser Pro Ser Phe Ile Asn Pro	1985	1990	1995	2000
5	Asn Pro Leu Glu Trp Phe Ala Gly Glu Glu Pro Thr Glu Glu Ser Glu	2005	2010	2015	
	Arg Pro Leu Thr Gln Ser Gly Gly Ala Pro Pro Pro Ser Gly Gly Lys	2020	2025	2030	
10	Gln Gln Gly Arg Gln Cys Asp Glu Thr Pro Pro Thr Ser Val Ser Glu	2035	2040	2045	
	Ser Ala Pro Ser Gln Thr Asp Ser Asp Val Pro Pro Glu Thr Glu Glu	2050	2055	2060	
15	Cys Pro Ser Ile Thr Ala Asp Ala Asn Leu Asp Ser Glu Asp Glu Ser	2065	2070	2075	2080
	Glu Thr Ile Pro Thr Asp Lys Thr Val Thr Tyr Lys His Met Asp Pro	2085	2090	2095	
20	Pro Pro Ala Pro Met Gln Asp Arg Ser Pro Ser Pro Arg His Pro Asp	2100	2105	2110	
	Val Ser Met Val Asp Pro Glu Ala Leu Ala Ile Glu Gln Asn Leu Gly	2115	2120	2125	
25	Lys Ala Leu Lys Lys Asp Leu Lys Glu Lys Ala Lys Thr Lys Lys Pro	2130	2135	2140	
	Gly Thr Lys Thr Lys Ser Ser Ser Pro Val Lys Lys Gly Asp Gly Lys	2145	2150	2155	2160
30	Ser Lys Pro Ser Ala Ala Ser Pro Lys Pro Gly Ala Leu Lys Glu Ser	2165	2170	2175	
	Ser Asp Lys Val Ser Arg Val Ala Ser Pro Lys Lys Lys Glu Ser Val	2180	2185	2190	
35	Glu Lys Ala Met Lys Thr Thr Thr Thr Pro Glu Val Lys Ala Thr Arg	2195	2200	2205	
	Gly Glu Glu Lys Asp Lys Glu Thr Lys Asn Ala Ala Asn Ala Ser Ala	2210	2215	2220	
40	Ser Lys Ser Val Lys Thr Ala Thr Ala Gly Pro Gly Thr Thr Lys Thr	2225	2230	2235	2240
	Ala Lys Ser Ser Thr Val Pro Pro Gly Leu Pro Val Tyr Leu Asp Leu	2245	2250	2255	
45	Cys Tyr Ile Pro Asn His Ser Asn Ser Lys Asn Val Asp Val Glu Phe	2260	2265	2270	
	Phe Lys Arg Val Arg Ser Ser Tyr Tyr Val Val Ser Gly Asn Asp Pro	2275	2280	2285	
50	Ala Ala Glu Glu Pro Ser Arg Ala Val Leu Asp Ala Leu Leu Glu Gly	2290	2295	2300	
	Lys Ala Gln Trp Gly Ser Asn Met Gln Val Thr Leu Ile Pro Thr His	2305	2310	2315	2320

EP 1 284 298 A2

Asp Ser Glu Val Met Arg Glu Trp Tyr Gln Glu Thr His Glu Lys Gln
2325 2330 2335

Gln Asp Leu Asn Ile Met Val Leu Ala Ser Ser Ser Thr Val Val Met
2340 2345 2350

Gln Asp Glu Ser Phe Pro Ala Cys Lys Ile Glu Leu
2355 2360

<210> 67

<211> 7095

<212> DNA

<213> Rattus norvegicus

<220>

<223> Microtubule associated protein IB

<400> 67

```

ggacaaaaga tcctccatca ccgaagtgc gtcttagaaa ctgtagttct gatcaaccct 60
tcggatgaag cagtcagcac cgaggtgcgt ttgatgatca ctgacgccgc ccgccataaa 120
ctgctggtgc tcaccggaca gtgctttgag aacactggag agctcaccct ccagtcaggc 180
tctttctcct tcacagaact catagagatt ttcaccgacc aagagattgg ggagctccta 240
agcaccaccc atcctgcaca caaagccagc ctcaccctct tctgccctga ggaaggagac 300
tggaagaact ccaaccttga cagacacaat ctccaagact tcatcaacat caagctcaac 360
tcagcttcta tcttgccaga aatggaggga ctttctgagt tcaccgagta cctctcggag 420
tctgtcgaag tccctcccc ctttgacatc ctggagcccc cgacctcggg cggatttctg 480
aagctctcca agccttggtg ttacattttt ccggggggcc gcgggggactc tgccctgttc 540
gcagtgaacg gattcaacat gctcattaac ggaggatcag aaagaaagtc ctgcttcttg 600
aagctcattc ggcaacttga ccgggtggac tccatcctgc tcaccacatc tggggatgac 660
aacttgcccg ggatcaacag catggtgcaa cgcaagattg cagagctgga agaggagtcc 720
cagggctcca ccagcaacag tgactggatg aaaaacctca tctcccctga cttgggggtt 780
gtgtttctca atgtacctga aaatctgaaa aaccacagaac ccaacatcaa gatgaagaga 840
agtacagaag aagcatgctt caccctccag tacctaaaca aactgtccat gaaaccagag 900
cctttattta gaagtgtagg caatgccatt gagcctgtca tctgtttcca aaaaatggga 960
gtgggtaaac tgaagatgta tgtgcttaac ccagtcacaaa gcagcaagga aatgcagtat 1020
ttcatgcagc agtggactgg aaccaacaaa gacaaggctg aacttatcct gcccaatggt 1080
caagaagtag acatcccgat ttctacctta gcttccgtct cgtctttgat tgtgtggcac 1140
ccagccaacc ctgctgagaa aatcatccgg gttctgtttc ctggaaacag caccagtagc 1200
aacatcctag aagggttggg aaaaactcaa catctagact tcctaaagca gccactggcc 1260
acccaaaaag atctcactgg ccaggtgtcc accccccag tgaaacaggt caagttgaaa 1320
cagcgggctg acagccgaga gactctgaag ccagccacaa aaccactttc cagtaaatca 1380
gtgaggaagg agtccaaaga ggaggcccct gaagccacaa aagccagcca agtggaaaaa 1440
acacccaaag ttgaaagcaa agagaaagtg atagtgaata aagacaagcc aggaaggta 1500
gaaagtaagc catcggtgac ggaaggagg gtgccagca aagaggagca gtcgccctgc 1560
aaagctgagg tggctgagaa ggcggccacg gagagcaaac ccaaagtcac caaagacaaa 1620
gtggtaaaaa aggaataaaa gacaaaaccc gaagaaanga aagaggagaa gcccaagaag 1680
gaagtggcta aaaaggaaga caaaactccc ctcaagaaag acgagaagcc caaaaaggaa 1740
gaggcgaaga aggagatcaa gaaagaaatc aaaaagggaag agaaaaagga gctgaagaaa 1800
gaggtgaaga aggaacgcc cctgaaggac gccaaagaag aggtgaagaa agacgagaag 1860
aaagaagtta aaaaggaaga gaaggaaccc aaaaaggaga ttaagaagat cccaaggac 1920
ataaagaaat cactcctct gtcagacaca aagaaaccgg ctgcattgaa accaaaagta 1980
gcaaagaaag aagagccac caagaaggag cctattgctg ctgggaaact caaggacaag 2040
gggaaggtea agtcatataa aaaggaaggc aagaccacag aggccgctgc cacagctgtt 2100
ggcactgctg ccgtggctgc agcagccgga gtagcggcca gcggtcctgc caaagaactt 2160
gaagctgagc ggtccctcat gtcgtccctt gaggatctaa ccaaggactt tgaggagcta 2220
aaggctgagg agatcgatgt agcgaaggac atcaagcctc agctggagct cattgaagat 2280
gaagagaaac tgaaggaaac cgagccgga gaaagctacg tcattcagaa agagacggaa 2340
gtcagcaaaag gttctgctga gtcacctgat gaagggatca ccaccactga gggggaaggg 2400
gagtcgagc aaacccccga ggagctggag ccagttgaga agcaggcgt ggatgacatc 2460
gagaagttcg aggatgaagg cgtggtttt gaagaatcct cagaggcccg agactacgaa 2520

```

EP 1 284 298 A2

	gagaaggcag	aaactgagga	ggccgaggag	ccggaagaag	acggggaaga	caatgtgagc	2580
	gggagcgct	cgaagcacag	ccccacagaa	gacgaagaaa	tcgctaaggc	tgaggcgagc	2640
	gtacacatca	aggagaagag	ggagtctgtg	gccagcgggc	atgaccgggc	cgaagaagac	2700
5	atggatgaag	cgcttgagaa	aggagaagct	gaacagtctg	aggaggaggg	tgaggaggag	2760
	gaggacaaag	cagaggacgc	cagagaggaa	gaccatgagc	ccgacaaaac	tgaggctgaa	2820
	gattatgtga	tggctgtggt	tgacaaggcc	cgggaggccg	gagtcaccga	ggatcagtat	2880
	gatttcctgg	ggacaccggc	caagcaacct	ggagtccagt	ctcctagccg	agaacccgcg	2940
	tcttcaattc	atgatgagac	cctaccggga	ggctccgaga	gagaggccac	tgcttcagat	3000
	gaggagaatc	gagaagacca	gcctgaggaa	ttcactgcta	cctccggata	tactcagtc	3060
10	accatcgaga	tatctagtga	gccgactcca	atggatgaga	tgctccactcc	tcgagatgtg	3120
	atgaccgacg	agaccaacaa	tgaggagaca	gagtccccgt	ctcaggagtt	cgtgaacatt	3180
	accaaatacg	agtcttcgct	gtactctcag	gagtactcca	aacctgtggt	tgcatcattc	3240
	aatggattgt	cagacgggtc	aaagacagac	gccactgacg	gtagggatta	caacgcttcc	3300
	gcctccacca	tatcaccacc	ttcgtccatg	gaagaagaca	aattcagcaa	gtctgtctct	3360
	cgtgacgctt	accgcccaga	agagacggac	gtgaaaaccg	gtgccgagtt	ggacatcaaa	3420
15	gatgtttcgg	atgagagact	tagcccagcc	aagagtccat	ccctgagtc	ttctccacca	3480
	tcacccatag	agaagactcc	cctgggtgaa	cgtagcgtga	atttctctct	gacacccaac	3540
	gagatcaaag	cctctgcaga	gggagaggca	acagcagtag	tgccccccg	agtgacccaa	3600
	gcagtagttg	aagaacactg	tgccagtcct	gaggagaaga	ccttgagggt	agtgtcaccg	3660
	tctcagctcg	tgacaggcag	tgccggccac	acaccttact	accaatctcc	caccgcgaa	3720
	aagtcacgtc	acctaccctc	agaagtcact	gagaacgcgc	aggcagtcct	ggtgagcttt	3780
20	gaattcactg	aggccaaaga	tgagaacgag	aggtcgtcca	tcagccccat	ggatgaacct	3840
	gtgcctgact	cagagtctcc	tatcgagaaa	gttctgtctc	cgttacgcag	ccctccctct	3900
	attggatccg	agtcgcgata	tgaagacttc	ctgagtgcgg	atgacaaggc	tcttggcaga	3960
	cgttcagaaa	gcccccttga	agggaaagaat	ggaaagcaag	gcttctcaga	caaagaaagc	4020
	ccagtttctg	acctgacttc	cgatctttac	caagacaagc	aggaagagaa	aagggcgggc	4080
25	ttcataccga	taaagggaaga	cttttagtcca	gaaaagaaaag	ccagcgatgc	tgaaatcatg	4140
	agtttcaaat	cagctctggc	tttggatgaa	aggaaactgg	gaggagatgg	atctccaacg	4200
	caagtagatg	tcagtcagtt	tggctctttc	aaagaagaca	ccaagatgtc	catttcggaa	4260
	ggcaccggtt	cagcaagtc	cgccacgcct	gtggatgagg	gcgcggaaga	cacctattca	4320
	cacatggaag	gtgtggcctc	agtgtcaacg	gcctctgtgg	ctaccagctc	gtttccagag	4380
	ccaaccacag	atgacgtgtc	tccttctctc	cacgctgaag	tgggctctcc	acattccaca	4440
30	gagggtggatg	actccctgtc	ggtgtcgggtg	gtgcaaacac	caactacttt	ccaggaaaca	4500
	gaaatgtctc	cgtctaaaga	agagtgccta	agaccaatgt	cgatttctcc	tcctgacttc	4560
	tcccctaaga	cagccaaatc	caggacacca	gttcaagatc	accgatccga	acagtcttca	4620
	atgtctattg	aattcggtea	ggaatcccc	gagcattctc	ttgctatgga	ctttagtcgg	4680
	cagtcctccag	accaccttac	tgtgggtgct	ggtatgcttc	acatcaccga	aaatggggca	4740
35	actaggtgg	actacagtc	ctccgatata	caggactcta	gtttgtcaca	taagattcct	4800
	cctacagaag	agccatccta	cacctaggat	aatgatctgt	ccgagctcat	ctctgtgtct	4860
	cagggtggagg	cttccccatc	cacctcttct	gtcacactc	cttctcagat	agcctctcct	4920
	cttcaggaag	acactctctc	tgatgtcgtt	cctcccagag	atatgtcctt	atatgcctcg	4980
	cttgcgtctg	agaaagtgca	gagcctggaa	ggagagaaac	tctctccaaa	atccgatatt	5040
	tctccgctca	cccctcgaga	gtcctcacct	acatattcac	ctggcttttc	agattctacc	5100
40	tctggagcta	aagagagtac	agcggcttac	caaacctcct	cttccccacc	aatagatgca	5160
	gcagccgcag	agccctacgg	cttccgctcc	tcaatgttat	ttgatacaat	gcagcatcac	5220
	ctggccttga	gtagagattt	gaccacatct	agtgtggaga	aggacaatgg	aggggaagaca	5280
	cccgggtgact	ttaactatgc	ctatcaaaag	cccagagagc	ccaccgaatc	cccagatgaa	5340
	gaagatttatg	actatgaatc	tcacgagaaa	accatccagg	cccacgatgt	gggtgggttac	5400
45	tactatgaga	agacagagag	aaccataaaa	tccccatgtg	acagtggata	ctcctatgag	5460
	accattgaga	agaccacca	gaccccagaa	gatggtggct	actcctgtga	aattaccgag	5520
	aaaaccactc	ggacccttga	agagggcggg	tactcgtatg	agatcagcga	gaagacaaca	5580
	cgaacccctg	aagtaagtgg	ctacacctat	gagaagaccg	agayglccag	aaggctcttc	5640
	gatgacatta	gcaatggcta	cgatgacact	gaggaatggg	gccacacact	tgccgactgt	5700
	agctattcct	acgaaaccac	tgagaaaatt	accagctttc	ctgaatctga	aagctattcc	5760
	tatgagacaa	ctacaaaaac	aacacggagt	ccagacacct	ctgcatactg	ttacgagacc	5820
50	atggagaaga	tcaccaagac	cccacaggca	tccacatact	cctatgagac	ctcagaccga	5880
	tgctacactc	cagaaaggaa	gtccccctcg	gagggcacgc	aggatgttga	cttgtgtctg	5940
	gtgtcctcct	gtgaattcaa	gcatcccaag	accgagctct	caccttctct	cattaatcca	6000
	aaccctctcg	agtgttttgc	tggggaagag	ccactgaag	aatctgagag	gcctctcact	6060
	cagtcctggg	gagccccccc	accttcagga	ggaaaacaac	agggcgagaca	atgcatgaa	6120
	actccacca	cctcagtcag	tgagtcagct	cagcccaaga	cggaactctga	tgttcccca	6180
55	gagacagaag	agtgcctctc	catcacagct	gatgccaacc	ttgactctga	agatgagtca	6240

EP 1 284 298 A2

5
10
15

```

gaaaccatcc ccacagacaa aacgggttacg tacaacacac tggacccgcc tccagccccc 6300
atgcaagacc gaagcccttc tcctcgccac cctgatgtgt ccatggtgga tccagaggcc 6360
ttggctattg agcagaacct aggcaaggct ctgaaaaagg atctgaagga gaaggccaag 6420
accaagaaac caggcacaaa gaccaagtcc tcttcacctg tcaaaaaggg tgatgggaag 6480
tccaagcctt cagcagcttc ccccaaacca ggagccttga aggaatcctc tgacaagggtg 6540
tccagagtgg cttctcccaa gaagaaagag tctgtggaga aagctatgaa gaccaccacc 6600
actcctgagg tcaaagccac acgaggggaa gagaaggaca aggaaactaa gaatgcagcc 6660
aatgcttctg catccaagtc agtgaagact gcaacagcag gaccaggaac cactaagacg 6720
gccaagtctg ccaccgtgcc tcccgccctc cctgtgtatt tggacctctg ctatattccc 6780
aaccacagca acagtaagaa tgtcgatggt gagtttttca agagagttag gtcattctac 6840
tacgtggtga gtgggaacga ccctgccgcg gaggagccca gccgggctgt cctggatgcc 6900
ttgttggaag ggaaggctca gtgggaagc aacatgcagg tgactctgat cccaacacat 6960
gactctgagg tgatgagga gtggtaccag gagaccacg agaagcagca agacctcaac 7020
atcatggtcc tagcaagcag tagtacagt gtcatgcaag acgagtcctt ccctgcagtc 7080
aagatagaac tgtag 7095

```

20
25
30
35
40
45
50
55

```

<210> 68
<211> 379
<212> PRT
<213> Rattus norvegicus

<220>
<223> cdc 37 homolog

<400> 68
Met Val Asp Tyr Ser Val Trp Asp His Ile Glu Val Ser Asp Asp Glu
 1             5             10             15

Asp Glu Thr His Pro Asn Ile Asp Thr Ala Ser Leu Phe Arg Trp Arg
          20             25             30

His Gln Ala Arg Val Glu Arg Met Glu Gln Phe Gln Lys Glu Lys Glu
 35             40             45

Glu Leu Asp Arg Gly Cys Arg Glu Cys Lys Arg Lys Val Ala Glu Phe
 50             55             60

Gln Arg Lys Leu Lys Glu Leu Glu Val Ala Glu Gly Gly Gly Gln Val
 65             70             75             80

Glu Leu Glu Arg Leu Arg Ala Glu Ala Gln Leu Arg Lys Glu Glu
          85             90             95

Arg Thr Gly Ser Arg Ser Trp Arg Thr Cys Gly Lys Lys Glu Lys Asn
 100             105             110

Met Pro Trp Asn Val Asp Thr Leu Ser Lys Asp Gly Phe Ser Lys Ser
 115             120             125

Met Val Asn Thr Lys Pro Glu Lys Ala Glu Glu Asp Ser Glu Glu Ala
 130             135             140

Arg Glu Gln Lys His Lys Thr Phe Val Glu Lys Tyr Glu Lys Gln Ile
 145             150             155             160

Lys His Phe Gly Met Leu His Arg Trp Asp Asp Ser Gln Lys Tyr Leu
          165             170             175

Ser Asp Asn Val His Leu Val Cys Glu Thr Ala Asn Tyr Leu Val
          180             185             190

```

EP 1 284 298 A2

Ile Trp Cys Ile Asp Leu Glu Val Glu Glu Lys Cys Ala Leu Met Glu
195 200 205

5 Gln Val Ala His Gln Thr Met Val Met Gln Phe Ile Leu Glu Leu Ala
210 215 220

Lys Ser Leu Lys Val Asp Pro Arg Ala Cys Phe Arg Gln Phe Phe Thr
225 230 235 240

10 Lys Ile Lys Thr Ala Asp Gln Gln Tyr Met Glu Gly Phe Lys Tyr Glu
245 250 255

Leu Glu Ala Phe Lys Glu Arg Val Arg Gly Arg Ala Lys Leu Arg Ile
260 265 270

15 Glu Lys Ala Met Lys Glu Tyr Glu Glu Glu Glu Arg Lys Lys Arg Leu
275 280 285

Gly Pro Gly Gly Leu Asp Pro Val Glu Val Tyr Glu Ser Leu Pro Glu
290 295 300

20 Glu Leu Gln Lys Cys Phe Asp Val Lys Asp Val Gln Met Leu Gln Asp
305 310 315 320

Ala Ile Ser Lys Met Asp Pro Thr Asp Ala Lys Tyr His Met Gln Arg
325 330 335

25 Cys Ile Asp Ser Gly Leu Trp Val Pro Asn Ser Lys Ser Gly Glu Ala
340 345 350

Lys Glu Gly Glu Glu Ala Gly Pro Gly Asp Pro Leu Leu Glu Ala Val
355 360 365

30 Pro Lys Ala Gly Phe Glu Lys Asp Ile Ser Ala
370 375

<210> 69
35 <211> 1604
<212> DNA
<213> Rattus norvegicus

<220>
40 <223> cdc 37 homolog

<400> 69
cgagcggact ctctagccct tgtgggtccc tgttcagcgc cgggccgtgt ggagacccgg 60
gagccagtcg gggcctccga ggcgaagatg gtggactaca gcgtttggga tcacatcgag 120
gtgtcggacg atgaggacga gacgcacccc aacatagaca cggccagcct gttccgctgg 180
45 cggcaccagg cccgggtgga acgcatggaa cagtttcaga aggagaaaga agaactggac 240
cggggctgcc gggaaatgcaa gcgcaaggta gccgagttcc agcgcaagct gaaggaaactg 300
gaagtggctg aggggtggtg ccaggtggag cttgagcggc ttcgagcggg ggcacagcag 360
ctgcgcaagg aggagcgaac tgggagcaga agctggagga catgcggcaa aaaggagaag 420
aacatgccct ggaatgtgga cacactcagc aaagatggct tcagcaagag catggtcaat 480
50 accaagcctg agaaggcaga ggaagactca gaggaggcaa gggagcagaa acacaagacc 540
ttcgttgaaa aatacgagaa acagatcaaa catttcggca tgctccaccg ctgggatgac 600
agccagaagt acctgtcaga caatgtccac ctggtgtgcg aggagacagc caactacctg 660
gttatctggt gcattgacct ggaagtgcag gagaagtgtg cctgatgga gcaggtggct 720
caccagacca tggcatgca gttcatcctg gagctggcca agagtctgaa ggtcgacccc 780
cgggcctgct tccggcagtt ttccaccaag atcaagactg ctgaccagca gtacatggag 840
55 ggcttcaagt atgaactgga ggcctttaag gagcgtgtgc ggggccgcgc caagctgcga 900
atagagaagg ccatgaagga gtacgaggag gaggagcgca agaagaggct aggccttgg 960

EP 1 284 298 A2

5
 10
 15
 20
 25
 30
 35
 40
 45
 50
 55

ggccctggacc ctgtggaggt ctacgaatct ctgcctgagg agctgcagaa gtgctttgat 1020
 gtgaaggatg tacagatgct gcaagacgcc atcagcaaga tggatcctac tgatgccaag 1080
 tatcacatgc agcgttgcat cgattctggc ctctgggtcc ccaactccaa gtctggtgag 1140
 gccaaggagg gggaggaggc gggccccggg gaccattgc tggaagccgt ccccaaagcg 1200
 ggcttcgaga aagacatcag tgcgtgaccc ttctccagaa aaggaaaccc agccaccatg 1260
 tccctagctc ccgacttctt cacttctgct gctcctcacg tcctggccca tggcctgccc 1320
 catgtcccct ctctccggc ctgtcccag cactcatcag attctctgct tcgggttgag 1380
 gggctctgct gtctgcagcc cccccacccc catcagcgtt atgccaaagt cctgggggtc 1440
 tggggagggg cagcagctgc caggttggtc caccgggttg gggatacaca tgtccccatc 1500
 tgggcagggt ctgtccctat ggggtctatg tcaactgtttc tcttctgtct agctttctgt 1560
 cctgcaactg gcaacaatgt ccaataaaca gttccagggtg ctgg 1604

<210> 70
 <211> 216
 <212> PRT
 <213> Homo sapiens

<220>
 <223> Rab5c-like protein

20
 25
 30
 35
 40
 45
 50
 55

<400> 70
 Met Ala Gly Arg Gly Gly Ala Arg Arg Pro Asn Gly Pro Ala Ala Gly
 1 5 10 15
 Asn Lys Ile Cys Gln Phe Lys Leu Val Leu Leu Gly Glu Ser Ala Val
 20 25 30
 Gly Lys Ser Ser Leu Val Leu Arg Phe Val Lys Gly Gln Phe His Glu
 35 40 45
 Tyr Gln Glu Ser Thr Ile Gly Ala Ala Phe Leu Thr Gln Thr Val Cys
 50 55 60
 Leu Asp Asp Thr Thr Val Lys Phe Glu Ile Trp Asp Thr Ala Gly Gln
 65 70 75 80
 Glu Arg Tyr His Ser Leu Ala Pro Met Tyr Tyr Arg Gly Ala Gln Ala
 85 90 95
 Ala Ile Val Val Tyr Asp Ile Thr Asn Thr Asp Thr Phe Ala Arg Ala
 100 105 110
 Lys Asn Trp Val Lys Glu Leu Gln Arg Gln Ala Ser Pro Asn Ile Val
 115 120 125
 Ile Ala Leu Ala Gly Asn Lys Ala Asp Leu Ala Ser Lys Arg Ala Val
 130 135 140
 Glu Phe Gln Glu Ala Gln Ala Tyr Ala Asp Asp Asn Ser Leu Leu Phe
 145 150 155 160
 Met Glu Thr Ser Ala Lys Thr Ala Met Asn Val Asn Glu Ile Phe Met
 165 170 175
 Ala Ile Ala Lys Lys Leu Pro Lys Asn Glu Pro Gln Asn Ala Thr Gly
 180 185 190
 Ala Pro Gly Arg Asn Arg Gly Val Asp Leu Gln Glu Asn Asn Pro Ala
 195 200 205
 Ser Arg Ser Gln Cys Cys Ser Asn

EP 1 284 298 A2

210

215

5

<210> 71
<211> 1529
<212> DNA
<213> Homo sapiens

10

<220>
<223> Rab5c-like protein

15

20

25

30

35

<400> 71
cttacactaa gtgcctcttt gcatagcacc agtccccacc cgcacgctct ctggaccact 60
acagctggac gggcaatggc gggtcgggga ggcgcacgac gacccaatgg accagctgct 120
gggaacaaga tctgtcaatt taagctgggt ctgctggggg agtctgcggg aggcaaatcc 180
agcctcgctc tccgctttgt caagggacag ttacacgagt accaggagag cacaattgga 240
gcggccttcc tcacacagac tgtctgcctg gatgacacaa cagtcaagtt tgagatctgg 300
gacacagctg gacaggagcg gtatcacagc ctggccccca tgtactatcg gggggcccag 360
gctgccatcg tgggtctatga catcaccaac acagatacat ttgcacgggc caagaactgg 420
gtgaaggagc tacagaggca ggcagcccc aacatcgtca ttgcactcgc gggtaacaag 480
gcagacctgg ccagcaagag agccgtggaa ttccaggaag cacaagccta tgcagacgac 540
aacagtttgc tgttcatgga gacatcagca aagactgcaa tgaacgtgaa cgaaatcttc 600
atggcaatag ctaagaagct tccaagaac gagccccaga atgcaactgg tgctccaggc 660
cgaaaccgag gtgtggacct ccaggagaac aaccagacca gccggagcca gtgctgcagc 720
aactgagccc cccttgccctg cccgctgccc ccgctcctc cgcctgaatg acccgactgg 780
aatccactct aaccaatcgc acttaacgac tcggggccacc actggggggg cagggggagg 840
ggtccaccat gatttctcca tataattttg atcataggcc ggagtgagtc attccacctg 900
cacctttctg tacaaatact aattcaattt taagtcttaa gtcacttttt taatatatat 960
gatcttctgc tcttcccact tcctcccctt tctactgtc tcccattttt ccttgctggg 1020
agttagccaca tgctcttgcc ccccaacct tgtatatggg gacagtgggg tcagtgcagc 1080
taccctttct ttccctctgc ggaacagcgg acccagcaag agcatccaca tcctcacttt 1140
gttcggagtg gtctttgggt tgggcgggtg ggcagacctt ggggaagggg ttaggaaggg 1200
agaggcagct cttccttcag ctggctctca tcaggctgca gccccctccc cgtctccacc 1260
tccctgctgg gaaaccacag cattatcaca gcattattgt gacagccacg aaccatttgc 1320
ccacaacccc tccacctcgc gtcaccccaa cctctggctc tgagccctgt tctgacccaa 1380
tcatgatgat gagtatttgg gggtgggtgg gtaagggggg gagtgggagg ggacggaacc 1440
aactttttct gtattttgta ttgtatgttt tcttcaacat gtaaccaatc agtatcttgt 1500
caatatagtc agccgatcga tcgacctca 1529

40

<210> 72
<211> 731
<212> PRT
<213> Mus musculus

45

<220>
<223> Gelsolin

50

55

<400> 72
Met Val Val Glu His Pro Glu Phe Leu Lys Ala Gly Lys Glu Pro Gly
1 5 10 15
Leu Gln Ile Trp Arg Val Glu Lys Phe Asp Leu Val Pro Val Pro Pro
20 25 30
Asn Leu Tyr Gly Asp Phe Phe Thr Gly Asp Ala Tyr Val Ile Leu Lys
35 40 45
Thr Val Gln Leu Arg Asn Gly Asn Leu Gln Tyr Asp Leu His Tyr Trp
50 55 60
Leu Gly Asn Glu Cys Ser Gln Asp Glu Ser Gly Ala Ala Ala Ile Phe

EP 1 284 298 A2

	65		70		75		80									
	Thr	Val	Gln	Leu	Asp	Asp	Tyr	Leu	Asn	Gly	Arg	Ala	Val	Gln	His	Arg
					85					90					95	
5	Glu	Val	Gln	Gly	Phe	Glu	Ser	Ser	Thr	Phe	Ser	Gly	Tyr	Phe	Lys	Ser
				100					105					110		
	Gly	Leu	Lys	Tyr	Lys	Lys	Gly	Gly	Val	Ala	Ser	Gly	Phe	Lys	His	Val
10			115					120					125			
	Val	Pro	Asn	Glu	Val	Val	Val	Gln	Arg	Leu	Phe	Gln	Val	Lys	Gly	Arg
		130					135					140				
	Arg	Val	Val	Arg	Ala	Thr	Glu	Val	Pro	Val	Ser	Trp	Asp	Ser	Phe	Asn
15		145				150					155					160
	Asn	Gly	Asp	Cys	Phe	Ile	Leu	Asp	Leu	Gly	Asn	Asn	Ile	Tyr	Gln	Trp
				165						170					175	
	Cys	Gly	Ser	Gly	Ser	Asn	Lys	Phe	Glu	Arg	Leu	Lys	Ala	Thr	Gln	Val
20				180					185					190		
	Ser	Lys	Gly	Ile	Arg	Asp	Asn	Glu	Arg	Ser	Gly	Arg	Ala	Gln	Val	His
			195				200						205			
	Val	Ser	Glu	Glu	Glu	Thr	Glu	Pro	Glu	Ala	Met	Leu	Gln	Val	Leu	Gly
25		210					215					220				
	Pro	Lys	Pro	Ala	Leu	Pro	Glu	Gly	Thr	Glu	Asp	Thr	Ala	Lys	Glu	Asp
		225				230					235					240
	Ala	Ala	Asn	Arg	Lys	Leu	Ala	Lys	Leu	Tyr	Lys	Val	Ser	Asn	Gly	Ala
30					245					250					255	
	Gly	Ser	Met	Ser	Val	Ser	Leu	Val	Ala	Asp	Glu	Asn	Pro	Phe	Ala	Gln
				260					265					270		
	Gly	Pro	Leu	Arg	Ser	Glu	Asp	Cys	Phe	Ile	Leu	Asp	His	Gly	Arg	Asp
35			275					280					285			
	Gly	Lys	Ile	Phe	Val	Trp	Lys	Gly	Lys	Gln	Ala	Asn	Met	Glu	Glu	Arg
		290					295					300				
	Lys	Ala	Ala	Leu	Lys	Thr	Ala	Ser	Asp	Phe	Ile	Ser	Lys	Met	Gln	Tyr
40		305				310				315					320	
	Pro	Arg	Gln	Thr	Gln	Val	Ser	Val	Leu	Pro	Glu	Gly	Gly	Glu	Thr	Pro
				325						330					335	
	Leu	Phe	Lys	Gln	Phe	Phe	Lys	Asn	Trp	Arg	Asp	Pro	Asp	Gln	Thr	Asp
45				340					345					350		
	Gly	Pro	Gly	Leu	Gly	Tyr	Leu	Ser	Ser	His	Ile	Ala	Asn	Val	Glu	Arg
		355					360						365			
50	Val	Pro	Phe	Asp	Ala	Gly	Thr	Leu	His	Thr	Ser	Thr	Ala	Met	Ala	Ala
		370					375						380			
	Gln	His	Gly	Met	Asp	Asp	Asp	Gly	Thr	Gly	Gln	Lys	Gln	Ile	Trp	Arg
55		385			390						395				400	

EP 1 284 298 A2

	Ile	Glu	Gly	Ser	Asn	Lys	Val	Pro	Val	Asp	Pro	Ala	Thr	Tyr	Gly	Gln	
					405					410					415		
5	Phe	Tyr	Gly	Gly	Asp	Ser	Tyr	Ile	Ile	Leu	Tyr	Asn	Tyr	Arg	His	Gly	
				420					425					430			
	Gly	Arg	Gln	Gly	Gln	Ile	Ile	Tyr	Asn	Trp	Gln	Gly	Ala	Gln	Ser	Thr	
			435					440					445				
10	Gln	Asp	Glu	Val	Ala	Ala	Ser	Ala	Ile	Leu	Thr	Ala	Gln	Leu	Asp	Glu	
		450					455					460					
	Glu	Leu	Gly	Gly	Thr	Pro	Val	Gln	Ser	Arg	Val	Val	Gln	Gly	Lys	Glu	
	465					470				475					480		
15	Pro	Ala	His	Leu	Met	Ser	Leu	Phe	Gly	Gly	Lys	Pro	Met	Ile	Ile	Tyr	
				485						490					495		
	Lys	Gly	Gly	Thr	Ser	Arg	Asp	Gly	Gly	Gln	Thr	Ala	Pro	Ala	Ser	Ile	
				500					505					510			
20	Arg	Leu	Phe	Gln	Val	Arg	Ala	Ser	Ser	Ser	Gly	Ala	Thr	Arg	Ala	Val	
			515					520					525				
	Glu	Val	Met	Pro	Lys	Ser	Gly	Ala	Leu	Asn	Ser	Asn	Asp	Ala	Phe	Val	
		530					535					540					
25	Leu	Lys	Thr	Pro	Ser	Ala	Ala	Tyr	Leu	Trp	Val	Gly	Ala	Gly	Ala	Ser	
	545				550					555						560	
	Glu	Ala	Glu	Lys	Thr	Ala	Ala	Gln	Glu	Leu	Leu	Lys	Val	Leu	Arg	Ser	
					565				570						575		
30	Gln	His	Val	Gln	Val	Glu	Glu	Gly	Ser	Glu	Pro	Asp	Gly	Phe	Trp	Glu	
				580					585					590			
	Ala	Leu	Gly	Gly	Lys	Thr	Ser	Tyr	Arg	Thr	Ser	Pro	Arg	Leu	Lys	Asp	
			595					600					605				
35	Lys	Lys	Met	Asp	Ala	His	Pro	Pro	Arg	Leu	Phe	Ala	Cys	Ser	Asn	Arg	
		610					615					620					
	Ile	Gly	Arg	Phe	Val	Ile	Glu	Glu	Val	Pro	Gly	Glu	Leu	Met	Gln	Glu	
	625					630					635					640	
40	Asp	Leu	Ala	Thr	Asp	Asp	Val	Met	Leu	Leu	Asp	Thr	Trp	Asp	Gln	Val	
				645					650					655			
	Phe	Val	Trp	Val	Gly	Lys	Asp	Ser	Gln	Glu	Glu	Glu	Lys	Thr	Glu	Ala	
				660					665					670			
45	Leu	Thr	Ser	Ala	Lys	Arg	Tyr	Ile	Glu	Thr	Asp	Pro	Ala	Asn	Arg	Asp	
		675						680					685				
	Arg	Arg	Thr	Pro	Ile	Thr	Val	Val	Arg	Gln	Gly	Phe	Glu	Pro	Pro	Ser	
		690				695						700					
	Phe	Val	Gly	Trp	Phe	Leu	Gly	Trp	Asp	Asn	Asn	Tyr	Trp	Ser	Val	Asp	
	705					710				715						720	
55	Pro	Leu	Asp	Arg	Ala	Leu	Ala	Glu	Leu	Ala	Ala						
					725					730							

<210> 73
 <211> 2447
 <212> DNA
 <213> Mus musculus

<220>
 <223> Gelsolin

<400> 73
 tgagcgcggc ccagcactat ggtggtggag caccgccaat tcctgaaggc aggggaaggag 60
 cctggcctgc agatctggcg tgtggagaag tttgacctgg tgctgtgcc ccccaacctc 120
 tatggagact tcttcacggg tgatgcctat gtcacacctga agactgtgca gctgaggaat 180
 gggaatctgc agtatgacct ccactattgg ctgggcaatg aatgcagcca ggatgagagc 240
 ggggctgctg ccatctttac tgtgcaactg gatgactacc tgaacggccg ggctgtgcag 300
 caccgtgagg ttccagggtt tgagtcgtcc accttctccg gctacttcaa gtctggactt 360
 aagtacaaga aaggaggtgt ggcatctgga ttcaaacacg tggtagccaa tgagggtggtg 420
 gtccagaggc tcttccaggc caaaggacgc cgtgtagtcc gtgctactga ggtacctgtg 480
 tcctgggaca gtttcaacaa tggcgactgc ttcattctgg acctgggaaa caatatctat 540
 cagtgggtgt gctctggcag caacaaatth gaaaggctga aggccacaca ggtgtccaag 600
 ggcacccggg acaacgagag gagtggccgt gctcaagtac acgtgtctga agaggagact 660
 gagcccaggc cgatgctgca ggtgctgggc cccaagccgg ctctgcctga aggtaccgag 720
 gacacagcca aggaagatgc agccaaccgc aagctggcca agctctacaa ggtctccaac 780
 ggtgcaggtg gcatgtcagt ctccctagt gctgatgaga acccttccg ccaggggccc 840
 ctgagatctg aggactgctt catcctggac catggcagag atgggaaaat ctttgttttg 900
 aaaggcaagc aggccaacat ggaggagcgg aaggctgccc tcaaacagc ctctgacttc 960
 atctccaaga tgcagtacct caggcagacc caggtttcag ttctccaga gggcggtgag 1020
 accctctctt ttaagcagtt cttcaagaac tggcgggacc cagaccagac agatggcccc 1080
 ggctctgggt acctctccag ccacattgcc aacgtggagc gcgtaccttt cgatgccggc 1140
 acgtctgaca cctccaccgc catggccgct cagcacggca tggatgatga tgggaactggc 1200
 cagaaacaga tctggagaat tgaaggttcc aacaagggtg cagtggacct tgccacatac 1260
 ggacagttct atggaggcga cagetacatc attctgtaca actaccgcca cgggtggccgc 1320
 cagggacaga tcatctacaa ctggcagggt gctcagttta cccaggatga ggttgctgct 1380
 tctgcatctc tgactgcccc gctggatgag gagctgggag gaactcctgt ccagagccga 1440
 gtggtccaag gcaaagagcc tgcacacctc atgagcttgt ttggcgggaa gcccatgatc 1500
 atctacaagg gtggcacctc ccgtgatggt gggcagacag ctctgccag tatccgcctc 1560
 ttccaagtgc gtgccagcag ctctggagcc accagggtg tggaggtgat gcctaagtct 1620
 ggtgctctga actccaacga tgcctttgtg ctgaaaaccc cctccgctgc ctacctgtg 1680
 gtgggagcag gagccagtga ggcagagaag acggcggccc aggagcttct gaaggctctt 1740
 cggtcccagc atgtgcaggt ggaagaaggc agtgagccag atggcttctg ggaggctctg 1800
 ggcggaaga cgtcctaccg cacatcccc aggttaagg acaagaagat ggatgcccc 1860
 cctcctcgac tctttgcctg ctccaacagg atcggacgct ttgtgatcga agaggttctt 1920
 ggcgagctta tgcaggaaga cctgggtact gatgacgtca tgctcctgga cacctgggac 1980
 cagggtctttg tctgggttgg aaaagactcc caggaagaag aaaagacgga agccttgact 2040
 tctgctaagc ggtacatcga gacagatcca gcaaactcgg acaggcggac ccccatcaca 2100
 gtcgttaggc agggctttga gcctccttcc ttcgtgggct ggttctctcg ctgggacaac 2160
 aactactggt cggtggatcc tttggaccgg gccttggctg agctggctgc ctgagtaagg 2220
 accaagccat caatgtcacc aatcagtgcc tttgaggggt gtccatctcc caaagacatc 2280
 atatggcaag caggaaaact atgatgtgtg cgcgctgtt tttgtttttg ttttttacgg 2340
 tagccaaaac aagcccttgt ggaaactcag ggtctttaca gaattgcttc aaatgtctgt 2400
 acttttgaaa tgaaagccaa taaaagcttt ttgaagtga aaaaaa 2447

<210> 74
 <211> 236
 <212> PRT
 <213> Rattus norvegicus

<220>
 <223> Cd81 antigen

EP 1 284 298 A2

<400> 74
 Met Gly Val Glu Gly Cys Thr Lys Cys Ile Lys Tyr Leu Leu Phe Val
 1 5 10 15
 5 Phe Asn Phe Val Phe Trp Leu Ala Gly Gly Val Ile Leu Gly Val Ala
 20 25 30
 Leu Trp Leu Arg His Asp Pro Gln Thr Thr Thr Leu Leu Tyr Leu Glu
 35 40 45
 10 Leu Gly Asp Lys Pro Ala Pro Ser Thr Phe Tyr Val Gly Ile Tyr Ile
 50 55 60
 Leu Ile Ala Val Gly Ala Val Met Met Phe Val Gly Phe Leu Gly Cys
 65 70 75 80
 15 Tyr Gly Ala Ile Gln Glu Ser Gln Cys Leu Leu Gly Thr Phe Phe Thr
 85 90 95
 Cys Leu Val Ile Leu Phe Ala Cys Glu Val Ala Ala Gly Ile Trp Gly
 100 105 110
 20 Phe Val Asn Lys Asp Gln Ile Ala Lys Asp Val Lys Gln Phe Tyr Asp
 115 120 125
 Gln Ala Leu Gln Gln Ala Val Met Asp Asp Asp Ala Asn Asn Ala Lys
 130 135 140
 25 Ala Val Val Lys Thr Phe His Glu Thr Leu Asn Cys Cys Gly Ser Asn
 145 150 155 160
 Thr Leu Thr Thr Leu Thr Thr Ala Val Leu Arg Asn Ser Leu Cys Pro
 165 170 175
 30 Ser Ser Ser Asn Ser Phe Thr Gln Leu Leu Lys Glu Asp Cys His Gln
 180 185 190
 Lys Ile Asp Glu Leu Phe Ser Gly Lys Leu Tyr Leu Ile Gly Ile Ala
 195 200 205
 35 Ala Ile Val Val Ala Val Ile Met Ile Phe Glu Met Ile Leu Ser Met
 210 215 220
 Val Leu Cys Cys Gly Ile Arg Asn Ser Ser Val Tyr
 225 230 235
 40
 <210> 75
 <211> 1303
 <212> DNA
 <213> Rattus norvegicus
 <220>
 <223> Cd81 antigen
 50
 <400> 75
 gtggcggtct gagcgagcgc gcccttgctt caaagcggta gcgactctag cgctccggc 60
 taggctccaa cccttctcta ccctacgtct caatagccac accgcagtct ccggcctcaa 120
 gcgacccagg ctatcttcca gtcccgggac tccgggtact gcggtcccca gaaccgccc 180
 tccaggggacc aacccaagtt ccgcaggccg cgggcgccgc caatgggggt ggagggctgc 240
 accaaatgca tcaaatacct gctcttcgtc ttcaatttcg tcttctggct ggctggaggt 300
 55 gtgatccctag gtgtagctct gtgggttgcc catgatccac agaccaccac cttgctctac 360

EP 1 284 298 A2

5 ctggaactgg gagacaaacc agcacctagc accttctatg tgggcatcta cattctcatt 420
 gctgtgggag ctgtgatgat gttttagggc ttcttggggg gctatggggc catccaggag 480
 tcccagtgcc tgcgtggggac gttcttcact tgccttgtga tcctgtttgc ctgtgaggta 540
 gctgcgggca tctggggcctt tgtaaacaaa gaccagatcg ccaaggatgt gaagcagttc 600
 tacgaccagg cccttcagca ggctgtgatg gatgatgatg ccaacaatgc caaggcagtg 660
 gtgaagacct tccatgagac gctcaactgt tgtggctcca atacgctgac cacactgacc 720
 accgccgtgc tgaggaacag cctgtgtccc tcaagcagca actcattcac tcagcttctg 780
 aaggaagact gccatcagaa aatcgatgag ctcttttctg ggaagctgta cctcattgga 840
 attgcagcca ttgtggtagc tgtcattatg atcttcgaga tgattctgag catggtgctg 900
 10 tgctgtggca tccggaacag ctccgtgtac tgaggccctt cgcttcgcac cagagggtcc 960
 ctggaatgac cagagggcac cttggggggc atggcctgtg tatatactat ttctgtatta 1020
 ctctgctaca cttagccctt ttacttttga gtcttttttg ttctgaactt ttcctgtcac 1080
 cttttggagc cgacaccaca cataggtggc gtatgtgggg acgtagaggt ggagctggcc 1140
 ctagctggca gggccctgta cttctgggac ccctggagag ttctgcctgc tgagccaaac 1200
 ctctccata gctacttgtc cagagggcac atagccaagc tagaaggcca tgtccacca 1260
 15 ctctgcccac tgtgggtcac atcgctccca tctttttaat ccg 1303

<210> 76
 <211> 81
 <212> PRT
 20 <213> Rattus norvegicus

<220>
 <223> MOBP-81 protein
 25 <400> 76
 Met Ser Gln Lys Val Ala Lys Glu Gly Pro Arg Leu Ser Lys Asn Gln
 1 5 10 15
 Lys Phe Ser Glu His Phe Ser Ile His Cys Cys Pro Pro Phe Thr Phe
 20 25 30
 30 Leu Asn Ser Lys Arg Glu Ile Val Asp Arg Lys Tyr Ser Ile Cys Lys
 35 40 45
 Ser Gly Cys Phe Tyr Gln Lys Lys Glu Glu Asp Trp Ile Cys Cys Ala
 50 55 60
 35 Cys Gln Lys Thr Arg Leu Arg Arg Arg Ser Arg Ser Thr Pro Arg Lys
 65 70 75 80
 Lys

40
 <210> 77
 <211> 2405
 <212> DNA
 45 <213> Rattus norvegicus

<220>
 <223> MOBP-81 protein
 50 <400> 77
 ctttcacagc agccaatacc tgcagggcaa caaagaatca aatgagagcg agacaagctg 60
 ggaatgaagt cctgggttgc agatgggagc ttgaaaacac agtaagatga gtcaaaaagt 120
 ggccaaggag ggccccaggc tctccaagaa ccagaagttc tcagagcact tcagcatcca 180
 ctgctgcca cccttcacct tctcaactc caagcgtgag atcgtggacc gcaagtacag 240
 catctgcaag agcggttgct tttaccagaa gaaggaggag gactggatct gctgtgcctg 300
 ccagaagacc agattgagaa ggaggagcag gtcaacccca agaaaaaagt gaccgagaag 360
 55 ggacttctcg tgaatggaca gcctctgctt gtggatttac tgcttcaccg caaccatct 420

EP 1 284 298 A2

gccctcagac ttatctggcc tcgagtatga cgcaggggtg gacacctgct gatgtaacaa 480
 ctacagatgc cctcagtcct catggtgtgg gagccttagg gcagcctgcc tggagcactt 540
 ggacgatgcc actccatcac ctccctctat aaccgccgaa gaggcattctc tgtccacctt 600
 ctgaccctcc atggttgttc agtctgaaga ttcctgtgtc ttcagggatg tgcaaaacaa 660
 5 ggtcatggtg tgcgaccatc caaatggcaa atataaaaaa gaaattgtca agtgttggcg 720
 gtgacgcaag aaaaatccta gaagccacag atggggattt atacactgtc gcaacaccgt 780
 tgagatgtac tctggggaca ctatcaaggc aaagtatctt aaaacctcta atcaagcgac 840
 tgtaatttta ggcattccatc ctggggaaaa ctcacaccct tttagagaaa ggagaaatgc 900
 ccaaatttgt ttaaaagatc gtggtttgta gttaagagag gtagaatgag attaaccaaa 960
 10 atgtcgggtcc acgggagagc aagagagtca atcttgggtat gtccacaaag tcctaagagc 1020
 agttaaaagc caatctgtca gacagacca tgccgagcag gtaaatctag aaagcaaac 1080
 aaggactata aaagtcaagc accaggcagt aaatccagaa taagagccta tgcatacata 1140
 ttgacagctc acaatcctgt actggttatt gcttacataa ggagaagcca cagatctcat 1200
 tctttcttct agaatgcaat agaatttaaa aatgacagca gaacaaaagg aactagaaa 1260
 15 ttatcctctc agaaataaaa gtataagaaa taatttctgg cttgaggaaa taaccaggc 1320
 taaaagctac acaggcctgg cttaaccata ccagcagggc atacctttgt taggagaggg 1380
 tcaattcgaa gtttgtgaac agcctgggct gtttccgagg ctgcataaat cttaaacacc 1440
 aaaaatgtgt gttttgaatt aactttgggt ctggtctaca gagtccggct tgtgatggct 1500
 cctgacacgg gagaaaaggg gataagttaa tataaggctc tgggattttc ctttgaggaa 1560
 caggcaggtg ggaaggaca ctagaatgtt ggggaatgtg gagggatgta aaacagacag 1620
 tattatgatg gggggaactc aggaaggaaac ggtaaggaca ccagaatggc ctctgtctgg 1680
 20 gagccagggt ggccaagccc aggcagatgc acaaagacc caaaggccac cattgcctca 1740
 caaccagacc cagcaaagtt cagatcaagt gcataaatgg gggtcacgtc agtggaact 1800
 gtccggagca tggagcaggg ggtgaggaag acagtcagaa ggaagcaaga gatggcttag 1860
 agtggttgcag ggcagcaaga agaagcagtc caaatatcat cccaaggcag ccatggcttc 1920
 ctctcccgag gacactgtgg ccctgtggaa gtgccaaggc agaggcagag gaatttaacc 1980
 25 gcacacaaac tacatgcaga aactaaggtg ctaaatgaac atctacgtga caacctttct 2040
 gaggaccagg ttccagttag cggcccaggg ccgttatctt cgcgatggtg actgagctga 2100
 gaagaatggg aaccggatag gagcacacag tagcccactg gtgagacaaa tccacgggag 2160
 agcctcaacc aaccactaa ggaaacttca cgccctttca tctagttttc attttggcaa 2220
 agcaaagcca tcttgagtgc ttgcttgtct cgcacctcca cgccaccccc gagacacaga 2280
 30 gcatgcgcat taaccagag cgcgctaaca catgcacagc gttggacatt agcctattaa 2340
 tgggaataac cagaaactac taaattttgt ttgtttaga aataaaacct ggggatggat 2400
 caaaa 2405

<210> 78
 <211> 590
 35 <212> PRT
 <213> Homo sapiens

 <220>
 <223> Syntaxin binding protein 2

 40 <400> 78
 Met Ala Pro Ser Gly Leu Lys Ala Val Val Gly Glu Lys Ile Leu Ser
 1 5 10 15
 Gly Val Ile Arg Ser Val Lys Lys Asp Gly Glu Trp Lys Val Leu Ile
 20 25 30
 45 Met Asp His Pro Ser Met Arg Ile Leu Ser Ser Cys Cys Lys Met Ser
 35 40 45
 Asp Ile Leu Ala Glu Gly Ile Thr Ile Val Glu Asp Ile Asn Lys Arg
 50 55 60
 Arg Glu Pro Ile Pro Ser Leu Glu Ala Ile Tyr Leu Leu Ser Pro Thr
 65 70 75 80
 55 Glu Lys Ala Leu Ile Lys Asp Phe Gln Gly Thr Pro Thr Phe Thr Tyr
 85 90 95

EP 1 284 298 A2

	Lys	Ala	Ala	His	Ile	Phe	Phe	Thr	Asp	Thr	Cys	Pro	Glu	Pro	Leu	Phe	
				100					105					110			
5	Ser	Glu	Leu	Gly	Arg	Ser	Arg	Leu	Ala	Lys	Val	Val	Lys	Thr	Leu	Lys	
			115					120					125				
	Glu	Ile	His	Leu	Ala	Phe	Leu	Pro	Tyr	Glu	Ala	Gln	Val	Phe	Ser	Leu	
		130					135					140					
10	Asp	Ala	Pro	His	Ser	Thr	Tyr	Asn	Leu	Tyr	Cys	Pro	Phe	Arg	Ala	Glu	
	145					150					155					160	
	Glu	Arg	Thr	Arg	Gln	Leu	Glu	Val	Leu	Ala	Gln	Gln	Ile	Ala	Thr	Leu	
					165					170					175		
15	Cys	Ala	Thr	Leu	Gln	Glu	Tyr	Pro	Ala	Ile	Arg	Tyr	Arg	Lys	Gly	Pro	
				180					185					190			
	Glu	Asp	Thr	Ala	Gln	Leu	Ala	His	Ala	Val	Leu	Ala	Lys	Leu	Asn	Ala	
		195						200					205				
20	Phe	Lys	Ala	Asp	Thr	Pro	Ser	Leu	Gly	Glu	Gly	Pro	Glu	Lys	Thr	Arg	
		210					215					220					
	Ser	Gln	Leu	Leu	Ile	Met	Asp	Arg	Ala	Ala	Asp	Pro	Val	Ser	Pro	Leu	
25	225					230					235					240	
	Leu	His	Glu	Leu	Thr	Phe	Gln	Ala	Met	Ala	Tyr	Asp	Leu	Leu	Asp	Ile	
					245					250					255		
	Glu	Gln	Asp	Thr	Tyr	Arg	Tyr	Glu	Thr	Thr	Gly	Leu	Ser	Glu	Ala	Arg	
30				260					265						270		
	Glu	Lys	Ala	Val	Leu	Leu	Asp	Glu	Asp	Asp	Asp	Leu	Trp	Val	Glu	Leu	
			275					280					285				
	Arg	His	Met	His	Ile	Ala	Asp	Val	Ser	Lys	Lys	Val	Thr	Glu	Leu	Leu	
35		290					295					300					
	Arg	Thr	Phe	Cys	Glu	Ser	Lys	Arg	Leu	Thr	Thr	Asp	Lys	Ala	Asn	Ile	
	305					310					315					320	
	Lys	Asp	Leu	Ser	Gln	Ile	Leu	Lys	Lys	Met	Pro	Gln	Tyr	Gln	Lys	Glu	
40					325					330					335		
	Leu	Asn	Lys	Tyr	Ser	Thr	His	Leu	His	Leu	Ala	Asp	Asp	Cys	Met	Lys	
				340					345					350			
45	His	Phe	Lys	Gly	Ser	Val	Glu	Lys	Leu	Cys	Ser	Val	Glu	Gln	Asp	Leu	
			355					360					365				
	Ala	Met	Gly	Ser	Asp	Ala	Glu	Gly	Glu	Lys	Ile	Lys	Asp	Ser	Met	Lys	
		370					375					380					
50	Leu	Ile	Val	Pro	Val	Leu	Leu	Asp	Ala	Ala	Val	Pro	Ala	Tyr	Asp	Lys	
	385					390					395					400	
	Ile	Arg	Val	Leu	Leu	Leu	Tyr	Ile	Leu	Leu	Arg	Asn	Gly	Val	Ser	Glu	
					405					410					415		
55	Glu	Asn	Leu	Ala	Lys	Leu	Ile	Gln	His	Ala	Asn	Val	Gln	Ala	His	Ser	

EP 1 284 298 A2

	420	425	430
5	Ser Leu Ile Arg Asn Leu Glu Gln Leu Gly Gly Thr Val Thr Asn Pro 435 440 445		
	Gly Gly Ser Gly Thr Ser Ser Arg Leu Glu Pro Arg Glu Arg Met Glu 450 455 460		
10	Pro Thr Tyr Gln Leu Ser Arg Trp Thr Pro Val Ile Lys Asp Val Met 465 470 475 480		
	Glu Asp Ala Val Glu Asp Arg Leu Asp Arg Asn Leu Trp Pro Phe Val 485 490 495		
15	Ser Asp Pro Ala Pro Thr Ala Ser Ser Gln Ala Ala Val Ser Ala Arg 500 505 510		
	Phe Gly His Trp His Lys Asn Lys Ala Gly Ile Glu Ala Arg Ala Gly 515 520 525		
20	Pro Arg Leu Ile Val Tyr Val Met Gly Gly Val Ala Met Ser Glu Met 530 535 540		
	Arg Ala Ala Tyr Glu Val Thr Arg Ala Thr Glu Gly Lys Trp Glu Val 545 550 555 560		
25	Leu Ile Gly Ser Ser His Ile Leu Thr Pro Thr Arg Phe Leu Asp Asp 565 570 575		
	Leu Lys Ala Leu Asp Lys Lys Leu Glu Asp Ile Ala Leu Pro 580 585 590		
30	<210> 79 <211> 1888 <212> DNA <213> Homo sapiens		
35	<220> <223> Syntaxin binding protein 2		
	<400> 79		
40	ggcacgaggg ggcgcggcgc ccctcgggga agatggcgcc ctcggggctg aaggcgggtgg 60 tgggggaaaa aattctgagc ggagttattc ggagtgtaa gaaggatggg gaggggaagg 120 tgcttatcat ggatcaccca agcatgcgca tcttgctctc ctgctgcaaa atgtcagata 180 tcctggctga gggcatcacc attgttgaag acatcaacaa acggcgggaa cccattccca 240 gtctggaggc catttatctg ctgagcccca cggagaaggc cctgatcaaa gacttcagg 300 ggaccccgac ttacacctac aaagcggccc atatcttctt caccgacacc tgccccgagc 360 ccctgttcag tgagctaggc cgctctcgtc tggcaaagggt ggtgaagacg ttgaaggaga 420 ttcaccttgc ctctctccc taccaggccc aggtgttctc cctcgatgct cccacagca 480 cctacaacct ctactgcccc ttccgggcag aggagcgac gcggcagctc gaggtgctgg 540 cccagcagat tgccacgctg tgcgccacc tgcaggagta cccggccatc cgctaccgca 600 aggcggcaga ggacacagcc cagttggccc acgcccctct ggccaagctg aacgccttca 660 aggcagacac tcccagctct ggcgagggcc cagagaaaac ccgctcccag ctgctgataa 720 tggaccgggc agctgacccc gtgtccccac tactgcatga gctcacgttc caggccatgg 780 cgtatgatct gctggacata gaggcaggca catacaggta tgagaccacc gggctgagcg 840 aggcgcggga gaaggccgtc ttgctggacg aggacgatga cttgtgggtg gagcttcgcc 900 acatgcatat cgcagatgtg tccaagaagg tcacggagct cctgaggacc ttctgtgaga 960 gcaagaggct gaccacggac aaggcgaaca tcaaagacct atcccagatc ctgaaaaaga 1020 tgcccgagta ccagaaggag ctgaataagt attctacgca cctgcatcta gcagatgatt 1080 gtatgaagca cttcaagggc tcggtggaga agctgtgtag tgtggagcag gacctggcca 1140 tgggctccga cgcagagggg gagaagatca aggactccat gaagctgac gttccgggtgc 1200		

EP 1 284 298 A2

5
10
tgctggacgc ggcggtgccc gcctacgaca agatccgggt cctgctgctc tacatcctcc 1260
ttcggaatgg tgtgagttag gagaacctgg ccaagctgat ccagcatgcc aatgtacagg 1320
cgcacagcag cctcatccgt aacctggagc agctgggagg cactgtcacc aaccccgggg 1380
gctcggggac ctccagccgg ctggagccga gagaacgcat ggagcccacc tatcagctgt 1440
cccgtggac cccggtcatc aaggatgtaa tggaggacgc cgtggaggac cggctggaca 1500
ggaacctgtg gcccttcgta tccgaccccg cccccacggc cagctcccag gccgctgtca 1560
gtgcccgctt cggctactgg cacaagaaca aggctggcat agaagcccgg gcgggcccc 1620
ggctcatcgt gtatgtcatg ggcggtgtgg ccatgtcaga gatgaggggc gcctacgagg 1680
tgaccagggc caccgagggc aagtgggagg tgctcattgg ctctcacac atctcaccc 1740
cgacctgctt cctggatgac ctgaaggcac tggacaagaa gctggaggac attgccctgc 1800
cctgacctct ggccccgcc cctacctctc cctttccaga gaaataaaact cttcccgtcg 1860
ctctgccaaa aaaaaaaaaa aaaaaaaa 1888

15
<210> 80
<211> 505
<212> PRT
<213> Rattus norvegicus

20
<220>
<223> Alpha-internexin

25
30
35
40
45
50
55
<400> 80
Met Ser Phe Gly Ser Glu His Tyr Leu Cys Ser Ala Ser Ser Tyr Arg
1 5 10 15
Lys Val Phe Gly Asp Gly Ser Arg Leu Ser Ala Arg Leu Ser Gly Pro
20 25 30
Gly Ala Ser Gly Ser Phe Arg Ser Gln Ser Leu Ser Arg Ser Asn Val
35 40 45
Ala Ser Thr Ala Ala Cys Ser Ala Ser Ser Leu Gly Leu Gly Leu
50 55 60
Ala Tyr Arg Arg Leu Pro Ala Ser Asp Gly Leu Asp Leu Ser Gln Ala
65 70 75 80
Ala Ala Arg Thr Asn Glu Tyr Lys Ile Ile Arg Thr Asn Glu Lys Glu
85 90 95
Gln Leu Gln Gly Leu Asn Asp Arg Phe Ala Val Phe Ile Glu Lys Val
100 105 110
His Gln Leu Glu Thr Gln Asn Arg Ala Leu Glu Ala Glu Leu Ala Ala
115 120 125
Leu Arg Gln Arg His Ala Glu Pro Ser Arg Val Gly Glu Leu Phe Gln
130 135 140
Arg Glu Leu Arg Glu Leu Arg Ala Gln Leu Glu Glu Ala Ser Ser Ala
145 150 155 160
Arg Ala Gln Ala Leu Leu Glu Arg Asp Gly Leu Ala Glu Glu Val Gln
165 170 175
Arg Leu Arg Ala Arg Cys Glu Glu Glu Ser Arg Gly Arg Glu Gly Ala
180 185 190
Glu Arg Ala Leu Lys Ala Gln Gln Arg Asp Val Asp Gly Ala Thr Leu
195 200 205

EP 1 284 298 A2

	Ala	Arg	Leu	Asp	Leu	Glu	Lys	Lys	Val	Glu	Ser	Leu	Leu	Asp	Glu	Leu	
	210						215					220					
5	Ala	Phe	Val	Arg	Gln	Val	His	Asp	Glu	Glu	Val	Ala	Glu	Leu	Leu	Ala	
	225					230					235					240	
	Thr	Leu	Gln	Ala	Ser	Ser	Gln	Ala	Ala	Ala	Glu	Val	Asp	Val	Ala	Val	
					245					250					255		
10	Ala	Lys	Pro	Asp	Leu	Thr	Ser	Ala	Leu	Arg	Glu	Ile	Arg	Ala	Gln	Tyr	
				260					265					270			
	Glu	Ser	Leu	Ala	Ala	Lys	Asn	Leu	Gln	Ser	Ala	Glu	Glu	Trp	Tyr	Lys	
			275					280					285				
15	Ser	Lys	Phe	Ala	Asn	Leu	Asn	Glu	Gln	Ala	Ala	Arg	Ser	Thr	Glu	Ala	
		290					295					300					
	Ile	Arg	Ala	Ser	Arg	Glu	Glu	Ile	His	Glu	Tyr	Arg	Arg	Gln	Leu	Gln	
	305					310					315					320	
20	Ala	Arg	Thr	Ile	Glu	Ile	Glu	Gly	Leu	Arg	Gly	Ala	Asn	Glu	Ser	Leu	
					325					330					335		
	Glu	Arg	Gln	Ile	Leu	Glu	Leu	Glu	Glu	Arg	His	Ser	Ala	Glu	Val	Ala	
				340				345						350			
25	Gly	Tyr	Gln	Asp	Ser	Ile	Gly	Gln	Leu	Glu	Ser	Asp	Leu	Arg	Asn	Thr	
			355					360					365				
	Lys	Ser	Glu	Met	Ala	Arg	His	Leu	Arg	Glu	Tyr	Gln	Asp	Leu	Leu	Asn	
		370					375					380					
30	Val	Lys	Met	Ala	Leu	Asp	Ile	Glu	Ile	Ala	Ala	Tyr	Arg	Lys	Leu	Leu	
	385					390					395					400	
	Glu	Gly	Glu	Glu	Thr	Arg	Phe	Ser	Thr	Ser	Gly	Leu	Ser	Ile	Ser	Gly	
					405					410					415		
35	Leu	Asn	Pro	Leu	Pro	Asn	Pro	Ser	Tyr	Leu	Leu	Pro	Pro	Arg	Ile	Leu	
				420					425					430			
	Ser	Ser	Thr	Thr	Ser	Lys	Val	Ser	Ser	Ala	Gly	Leu	Ser	Leu	Lys	Lys	
40			435					440					445				
	Glu	Glu	Glu	Glu	Glu	Glu	Glu	Glu	Glu	Glu	Gly	Ala	Ser	Lys	Glu	Val	
			450				455					460					
45	Thr	Lys	Lys	Thr	Ser	Lys	Val	Gly	Glu	Ser	Phe	Glu	Glu	Thr	Leu	Glu	
	465					470					475					480	
	Glu	Thr	Val	Val	Ser	Thr	Lys	Lys	Thr	Glu	Lys	Ser	Thr	Ile	Glu	Glu	
					485					490					495		
50	Ile	Thr	Thr	Ser	Ser	Ser	Gln	Lys	Met								
			500						505								
	<210> 81																
	<211> 4593																
55	<212> DNA																
	<213> Rattus norvegicus																

<220>

<223> Alpha-internexin

5
 <400> 81
 gaattctgaa ctacaaagca aagcgcttca catttccctg acttgtgcca taggctggaa 60
 ggtaaactca gacaactgag ccattccattg ttccaggctct actctgtcct taccgggtgt 120
 ggcgagggtg gccagttctg tcagccgtgc tcctgcttca ctccctggaat tgaatcaaaag 180
 actaatcccc acagaaaaatg gttctcccat ctaattcaaa atggaatgac aaacgcatac 240
 10 agggccagac agatgaaaag acgaggtgga aagggttagct ctggagtgct gggagctgtg 300
 aggaacaccg cacttaaaaca aaggcactca ctccgcctct ctgcagtcac cctaaacctt 360
 ctactttcaa gagtggcagg ggctgggcat taaaagggtca aaatcaatcc agtctctttt 420
 tagatgaaac ctccctgacta aaaattcatt aaaaaaaaac attttgaaat ctattgtttt 480
 gttgggttgg gtctttttgt ttaaaccaaa gcctgcagac tcctttctac cagcctgcgg 540
 tcctgggagtg cgcggttgat tggaggtcta gagatgaacc ctgctaattc tcaacgcttt 600
 15 gctccttttc caggcctagc ctctttccct ccccgtaacc ctccgcaccc ttggaaataa 660
 gcctcttggtt cttaccaat gtccggagca tctcacgctc tctgcgaatc ctcccgttta 720
 ctgtggctgc ggagctgaga gatgctctct gaagtggacc cactttctcc gaaaaggacc 780
 aggagacacc taagtccaga agataaagag gagggtgctt ctccccctga aaagggtggg 840
 gacagggcct cacccttggg aactctygga tgcagatgag aacagagaca cctttcagaa 900
 20 aaacctactc tccttggggg ataagcacag aaaaggaaag acaggctcta aagccatcaa 960
 agagctgagt gctctgggct ggggaagcaa ggttggtggg gcactccctc cctcccggtc 1020
 attccctagg cagattcttg gggcacaggc gcagcggcca gggacggccc aggtcgggtg 1080
 cgcgcagctg cgggtggcact gcgcttcccc gcccccgag gcccccttc ctctccccgc 1140
 tagatctgaa gatgaagtc cacccttagc gcgtcgcccc agccccgcgc cttaaaagcc 1200
 ccgcacaccg ccccgccgca cccagccttg ccgcaccttc gcgtcctcgc caggctccgc 1260
 25 gcagccgcgc acccgccccc gaccccgcca ccatgagctt cggatcagag cactacttgt 1320
 gctccgcctc ctccctaccg aaggtgttcg gggatggctc gcgcctgtct gcgcgctgt 1380
 ccgggcccgg agcgtccggc agctttcgct cgcagtcgct gtccccgagc aatgtggcct 1440
 ccacggccgc ttgctcctcg gcctcgtctc tcggcctggg cctggcctac cgcgcctgc 1500
 cggccctcga cgggctggac ctgagccaag cagcggcgcg caccaacgag tacaagatca 1560
 tccgactaa cgagaaggag cagctgcagg gcctcaacga ccgcttcgag gtgttcacag 1620
 30 aaaagggtgca ccagctggag acgcagaacc gcgcgctcga ggccgagctg gccgcgctgc 1680
 gccagcgcca cgcgcagccg tcgcgcgctc gcgagctctt ccagcgcgag ctgcgcgagc 1740
 tgcgcgcgca gctggaggag gcgagctccg cgcgcgcgca ggccctgctg gagcgcgacg 1800
 ggctggccga ggaggtgcag cgactgcggg cgcgctgcga ggaggagagc cgcgggcgcg 1860
 aaggcgcgga gcgcgcctc aaggcgcagc agcgcgacgt ggacggcgcc actctggccc 1920
 gcctggatct ggagaagaag gtggagtgcg tgctggacga gctggccttc gtgcgcagag 1980
 35 tgcagacga ggagtgggc gcgctcctg ccacgtgcga ggctgtcttc caagccgccc 2040
 ccgaggtgga cgtggctgtg gctaaaccag acctgacttc ggcgctgagg gagatccgag 2100
 cccagtatga gtccttggcc gctaagaacc tgagtcggc cgaggagtgg tacaagtcca 2160
 agttcgccaa cctgaacgag caggctgcgc gcagcacgga agccatccga gccagccgag 2220
 aggagatcca cgagtaccgg cgcagctcc aggtcgttac cattagata gagggcctgc 2280
 40 gcggagccaa tgaatccctg gagagcgaga tcttggaaact ggaggagcgg cacagcgtg 2340
 aggtggccgg ctaccaggat agcattgggc agctggagag tgacctgagg aacaccaaga 2400
 gcgagatggc ccgccacctt cgggaatacc aggaactgct caatgtcaaa atggctcttg 2460
 acattgagat agcagcttac aggaagctgc tggaaaggca agagacacga tttagcacca 2520
 gcgggttaag catctcaggg ctgaatccac ttcccaatcc cagttatttg ctccctccta 2580
 45 gaatccttag ttctacaacc tccaaagtct catccgctgg gctgtccctg aaaaaggagg 2640
 aggaggagga ggaggagag gaagaagggg ctcttaagga agtcactaag aaaacatcca 2700
 aggtagggga aagtctcgaa gaaacactgg aggaacgggt ggtatctacg aagaaaaccg 2760
 aaaaagtcac tatagaagaa atcaccacca gtccagcca aaaaatgtaa tgctgtgtgt 2820
 taaaaaaaaa aaacaaaaaa aggcgatgcc taagagggaa tgcacttggc ttattcacag 2880
 ctactcctg aaccacacct accaccgcaa tagaatgtct tcaaggcttc aatgtcatag 2940
 50 tctgtaccga atcctcgtc tctccagtag gaaggccact gtagctggga gcaactgca 3000
 gtgctggagg aggagcagga ggagctctct aagatcacag ctctcctacc tacagctcag 3060
 gcctcatagt cacaggtgac ccaggtgcag aggaggtctc aacgaagggt ctaaatctgg 3120
 tcatcgctcg ctgtgagctg aaatcgaaac ctgtttctcc accgtacccc gccagtacc 3180
 agccatagaa cctcactgta gatgtctaaa aatatacagt cactgcccag gacaagctag 3240
 tgctccagac accattctcc catccccctc tgaatagagt gagtacaaa acgacggctg 3300
 55 tctctcatgg gcaggtttcc ttctctctc ttcaatcccc tattgccatt tctcccacct 3360
 gagaggaagg aacaaagttt agtgtggtat ccccttctag acacgcatag aacttaagcc 3420

EP 1 284 298 A2

5 ctttagtcct cactccgtgg gtaaattaga tgcattgtga ccattcccgt gatttgtata 3480
 acgcaccctt gtccatttca tgacctttca tgcccgtagc ttaaaaaata gaaagtgatt 3540
 aatgataatg gcagtgattg gttttaaggg ttttcctaaa ataatactaa ttataataat 3600
 aatcataaaa gggatctcta gacttttaggc tttcagctta tccagatcca cttaattaga 3660
 gaggaaaaaa attaccttaa atgatgtagc atttcacctt aaatttagag gcacggtgat 3720
 agttgcctta ctctgcgctt aagctgacct tagacctcgt atcgtaagta gagtgaagtga 3780
 gtgagtgctc tgaaagggaa agaacaaggt ctctctgtg ttggtttcta tgtagtgcta 3840
 tagaattagc tttctcatac ccttgcccta ggatctacat aattcccttc ccattagggt 3900
 agtatgctat gtataggaca ttttatcacc agacacaacg ctactgccc aaagtgaata 3960
 10 acacacactt ctgggtcaatc aacaccacca gcaaatattt aaaaaaata aaaaagggaag 4020
 gaagaaagaa agaaagaaag aaagaaagaa agagagagag agagagaaag agagaaagaa 4080
 agagaaagat tgattctcag agtcttttcc taacagggtt acattgcttc agttggtgga 4140
 tgccctctcc ctgaaggaaa gacagaaaca ttattcaggg tccaggagggt gtatgcacac 4200
 ttctccccca cctcaagaag gcaggctgga aagtcagctc ttcgtgcaact caactgtggc 4260
 atccacatga cctgtctgcc tcgctgcca aacttgatgc aggttttggc ctgtctctgc 4320
 15 tcaactccac caagctgtat aactgtctgt cctgtcccg cccaccccat cgcaagctct 4380
 gtgctgataa ggacatgatg cttctactga attcacattc tagcacgtgc ttcaatatag 4440
 ctcaaggaac cggaaagaca cttcgttttt cctgacccat cccctcttga ccccccccc 4500
 acactgtaag acattagtaa tattaagaaa ttaaaagtca ttaatcctat gtggttcttg 4560
 tctgtggtct ctatagctcc tgaggtgtgc att 4593

20

<210> 82
 <211> 320
 <212> PRT
 <213> Mus musculus

25

<220>
 <223> Beta-sarcoglycan

30

<400> 82
 Met Ala Ala Ala Ala Ala Ala Ala Ala Thr Glu Gln Gln Gly Ser
 1 5 10 15

35

Asn Gly Pro Val Lys Lys Ser Met Arg Glu Lys Ala Val Glu Arg Arg
 20 25 30

40

Asn Val Asn Lys Glu His Asn Ser Asn Phe Lys Ala Gly Tyr Ile Pro
 35 40 45

Ile Asp Glu Asp Arg Leu His Lys Thr Gly Leu Arg Gly Arg Lys Gly
 50 55 60

45

Asn Leu Ala Ile Cys Val Ile Val Leu Leu Phe Ile Leu Ala Val Ile
 65 70 75 80

Asn Leu Leu Ile Thr Leu Val Ile Trp Ala Val Ile Arg Ile Gly Pro
 85 90 95

50

Asn Gly Cys Asp Ser Met Glu Phe His Glu Ser Gly Leu Leu Arg Phe
 100 105 110

Lys Gln Val Ser Asp Met Gly Val Ile His Pro Leu Tyr Lys Ser Thr
 115 120 125

55

Val Gly Gly Arg Arg Asn Glu Asn Leu Val Ile Thr Gly Asn Asn Gln
 130 135 140

Pro Ile Val Phe Gln Gln Gly Thr Thr Lys Leu Ser Val Glu Lys Asn
 145 150 155 160

Lys Thr Ser Ile Thr Ser Asp Ile Gly Met Gln Phe Phe Asp Pro Arg

EP 1 284 298 A2

	165	170	175
	Thr His Asn Ile Leu Phe Ser Thr Asp Tyr Glu Thr His Glu Phe His		
5	180	185	190
	Leu Pro Ser Gly Val Lys Ser Leu Asn Val Gln Lys Ala Ser Thr Glu		
	195	200	205
10	Arg Ile Thr Ser Asn Ala Thr Ser Asp Leu Asn Ile Lys Val Asp Gly		
	210	215	220
	Arg Ala Ile Val Arg Gly Asn Glu Gly Val Phe Ile Met Gly Lys Thr		
	225	230	235
15	Ile Glu Phe His Met Gly Gly Asp Val Glu Leu Lys Ala Glu Asn Ser		
	245	250	255
	Ile Ile Leu Asn Gly Thr Val Met Val Ser Pro Thr Arg Leu Pro Ser		
	260	265	270
20	Ser Ser Ser Gly Asp Gln Ser Gly Ser Gly Asp Trp Val Arg Tyr Lys		
	275	280	285
	Leu Cys Met Cys Ala Asp Gly Thr Leu Phe Lys Val Gln Val Thr Gly		
	290	295	300
25	His Asn Met Gly Cys Gln Val Ser Asp Asn Pro Cys Gly Asn Thr His		
	305	310	315
30			
	<210> 83		
	<211> 1237		
	<212> DNA		
	<213> Mus musculus		
35	<220>		
	<223> Beta-sarcoglycan		
	<400> 83		
40	gagagcgcaa ggcggggctg cggcggggcca agatggcggc agcggcgggcg ggcggcgag 60		
	cgaccgagca gcaaggggtcc aacggggccag tgaagaaatc catgcgggag aaggctgtgg 120		
	agcggaggaa tgtaataaaa gagcacaaca gcaatttcaa agctggatat atccccatcg 180		
	atgaggaccg gctccataag actgggctga gggggcgaaa gggcaactta gccatctgcg 240		
	tgatcgctct cctgtttatc ctggccgtca tcaatctact cattacactt gtcactctggg 300		
	cggtgatccg cattggggcca aatgggtgtg atagcatgga gttccacgag agcgggtctgc 360		
	tgaggttcaa gcaagtgtct gacatgggag tcatccaccc gctttataag agcacgggtgg 420		
45	gaggacggcg gaatgaaaac ctggtcatca ctggcaacaa ccagccaatt gtcttccagc 480		
	aagggaagac caagctgagt gttgaaaaga acaagacctc catcaccagc gacatcggga 540		
	tgcagttttt tgacccaagg acacacaata tcctgttcag cacggactat gagacgcacg 600		
	agtttcatct gccaaagtgg gtgaaaagtt tgaacgttca gaaagcatcg actgaaagga 660		
	ttaccagcaa tgctaccagt gacttaaaaca tcaaagtcga tgggctgca attgtgcgag 720		
	gcaacgaagg cgtcttcac atgggcaaaa ccattgaatt tcacatggga ggagatgtgg 780		
50	agttaaaagc tgaaaacagc atcatctca acggcacggt gatggtcagc cctacgcgcc 840		
	tgcccagttc ctccagcggg gaccagtcag ggagtgggtga ctgggtgcgc tacaagctct 900		
	gcatgtgtgc agatggcaca ctcttcaaag tacaagtaac aggtcacaac atgggctgcc 960		
	aggtctcaga caaccctgt gggaaacactc attagacggt gcatccgcag gctcagcgcg 1020		
	ctcagatctg acttgacctt ccccttttta agaatgcatg tgaacctatg ttgtacagcg 1080		
	tttgccataa cttgtaatta ttttacctgg ggagcaccac tgtgtctatt atgtactctc 1140		
55	catattttaag ggatcttgag tgcctacatt ctaatacatt ttagtaagtt gcactgatac 1200		

EP 1 284 298 A2

tcaacagttc tctaaaacaa tgatgagaat taataaa

1237

5 <210> 84
 <211> 251
 <212> PRT
 <213> Homo sapiens

10 <220>
 <223> CGI-78 protein

<400> 84
 Met Gly Ala Ala Val Phe Phe Gly Cys Thr Phe Val Ala Phe Gly Pro
 1 5 10 15

15 Ala Phe Ala Leu Phe Leu Ile Thr Val Ala Gly Asp Pro Leu Arg Val
 20 25 30

Ile Ile Leu Val Ala Gly Ala Phe Phe Trp Leu Val Ser Leu Leu Leu
 35 40 45

20 Ala Ser Val Val Trp Phe Ile Leu Val His Val Thr Asp Arg Ser Asp
 50 55 60

Ala Arg Leu Gln Tyr Gly Leu Leu Ile Phe Gly Ala Ala Val Ser Val
 65 70 75 80

25 Leu Leu Gln Glu Val Phe Arg Phe Ala Tyr Tyr Lys Leu Leu Lys Lys
 85 90 95

Ala Asp Glu Gly Leu Ala Ser Leu Ser Glu Asp Gly Arg Ser Pro Ile
 100 105 110

30 Ser Ile Arg Cln Met Ala Tyr Val Ser Gly Leu Ser Phe Gly Ile Ile
 115 120 125

Ser Gly Val Phe Ser Val Ile Asn Ile Leu Ala Asp Ala Leu Gly Pro
 130 135 140

35 Gly Val Val Gly Ile His Gly Asp Ser Pro Tyr Tyr Phe Leu Thr Ser
 145 150 155 160

Ala Phe Leu Thr Ala Ala Ile Ile Leu Leu His Thr Phe Trp Gly Val
 165 170 175

40 Val Phe Phe Asp Ala Cys Glu Arg Arg Arg Tyr Trp Ala Leu Gly Leu
 180 185 190

Val Val Gly Ser His Leu Leu Thr Ser Gly Leu Thr Phe Leu Asn Pro
 195 200 205

45 Trp Tyr Glu Ala Ser Leu Leu Pro Ile Tyr Ala Val Thr Val Ser Met
 210 215 220

Gly Leu Trp Ala Phe Ile Thr Ala Gly Gly Ser Leu Arg Ser Ile Gln
 225 230 235 240

Arg Ser Ser Cys Val Arg Thr Asp Tyr Leu Asp
 245 250

55 <210> 85

EP 1 284 298 A2

<211> 1967
<212> DNA
<213> Homo sapiens

<220>
<223> CGI-78 protein

<400> 85
gtggggtcgc gttgccaccc cacgaggact cccagctgg cgcgccctc ccatttgct 60
gtcctgggtca ggccccacc ccccttccca cctgaccagc catggggggt gcggtgtttt 120
tcggtgcac tttcgtcgcg ttcggcccg ccttcgcgt tttcttgatc actgtggctg 180
gggacccgct tcgcggtatc atcctggtcg caggggcatt tttctggctg gtctccctgc 240
tcctggcctc tgtgggtctg ttcattcttg tccatgtgac cgaccgggtc gatgccccgc 300
tccagtacgg cctcctgatt tttgggtgct ctgtctctgt cctctacag gaggtgttcc 360
gctttgccta ctacaagctg cttaagaagg cagatgaggg gtttagcatc ctgagtggag 420
acggaagatc acccatctcc atccgccaga tggcctatgt ttctgggtct tccttcggta 480
tcatcagtgg tgtcttctct gttatcaata ttttggctga tgcacttggg ccagggtgtg 540
ttgggatcca tggagactca ccttattact tcctgacttc agcctttctg acagcagcca 600
ttatcctgct ccataacctt tggggagatt tgttcttga tgcctgtgag aggagacggg 660
actgggcttt gggcctgggt gttgggagtc acctactgac atcgggactg acattcctga 720
acccctggta tgaggccagc ctgctgcccc tctatgcagt cactgtttcc atggggctct 780
gggccttcat cacagctgga ggggtccctc gaagtattca gcgcagctct tgtgtaagga 840
ctgactacct ggactgatcg cctgacagat cccacctgcc tgtccactgc ccatgactga 900
gcccagcccc agcccggggt ccattgcccc cattctctgt ctcttctctg tcggtctacc 960
ccactacctc cagggttttg ctttgcctt ttgtgacct tagtctctaa gctttaccag 1020
gagcagctg ggttcagcca gtcagtgaat ggtgggttg aatctgcact tatccccacc 1080
acctggggac ccccttgttg tgtccaggac tccccctgtg tcagtgtctt gctctcacc 1140
tgcccaagac tcacctccct tccccctctg aggccgacgg caggaggaca gtcgggtgat 1200
ggtgtattct gccctgcgca tcccaccgga ggactgaggg aacctagggg ggacccttg 1260
gcttgggggt cctcctgat gtcctgcgcc tgtatttct catctccagt tctggacagt 1320
gcaggttgcc aagaaaaggg acctagttaa gccattgccc tggagatgaa attaatggag 1380
gtcaaggat agatgagctc tgagtttctc agtactccct caagactgga catcttggtc 1440
tttttctcag gcctgagggg gaaccatttt tgggtgtgata aataccctaa actgcctttt 1500
ttctttttt gaggtggggg gagggaggag gtatattgga actcttctaa cctccttggg 1560
ctatattttc tctcctcgag ttgctcctca tggctgggct catttcggtc cctttctcct 1620
tgggtccaga ccttggggga aaggaaggaa gtgcatgttt ggggaactggc attactggaa 1680
ctaattggtt taacctcctt aaccaccagc atccctcctc tccccaaggt gaagtggagg 1740
gtgctgtggt gagctggcca ctccagagct gcagtgccac tggaggagtc agactaccat 1800
gacatcgtag ggaaggagg gagatttttt ttagtatttt aattgggggtg tgggaggggc 1860
ggggagggtt tctataaact gtatcatttt ctgctgaggg tggagtgtcc catcctttta 1920
atcaagggtga ttgtgatttt gactaataaa aaagaatttg taaaaaa 1967

<210> 86
<211> 885
<212> PRT
<213> Homo sapiens

<220>
<223> KIAA0143 protein

<400> 86
Ala Gly Gly Gly Ser Cys Arg Pro Leu Gly Cys Val Thr Ala Gly Ser
1 5 10 15
Ala Ser Ala Pro Ser Thr Leu Arg Pro Ser Pro Phe Ala Ser Ser Arg
20 25 30
Pro Pro Arg Pro Ser Asn Gly Arg His Gly Ala Val Gly Ala Pro Cys
35 40 45
Ala Ala Pro Leu Ser Leu Gly Ala Ala Ala Ser Ala Val Glu Ile Ala

EP 1 284 298 A2

	50		55		60												
	Met	Pro	Thr	Arg	Val	Cys	Cys	Cys	Cys	Ser	Ala	Leu	Arg	Pro	Arg	Tyr	
	65					70					75					80	
5	Lys	Arg	Leu	Val	Asp	Asn	Ile	Phe	Pro	Glu	Asp	Pro	Lys	Asp	Gly	Leu	
					85					90					95		
	Val	Lys	Thr	Asp	Met	Glu	Lys	Leu	Thr	Phe	Tyr	Ala	Val	Ser	Ala	Pro	
				100					105					110			
10	Glu	Lys	Leu	Asp	Arg	Ile	Gly	Ser	Tyr	Leu	Ala	Glu	Arg	Leu	Ser	Arg	
			115					120					125				
	Asp	Val	Val	Arg	His	Arg	Ser	Gly	Tyr	Val	Leu	Ile	Ala	Met	Glu	Ala	
15				130			135					140					
	Leu	Asp	Gln	Leu	Leu	Met	Ala	Cys	His	Ser	Gln	Ser	Ile	Lys	Pro	Phe	
	145					150					155					160	
	Val	Glu	Ser	Phe	Leu	His	Met	Val	Ala	Lys	Leu	Leu	Glu	Ser	Gly	Glu	
20					165					170					175		
	Pro	Lys	Leu	Gln	Val	Leu	Gly	Thr	Asn	Ser	Phe	Val	Lys	Phe	Ala	Asn	
				180					185					190			
	Ile	Glu	Glu	Asp	Thr	Pro	Ser	Tyr	His	Arg	Arg	Tyr	Asp	Phe	Phe	Val	
25			195					200					205				
	Ser	Arg	Phe	Ser	Ala	Met	Cys	His	Ser	Cys	His	Ser	Asp	Pro	Glu	Ile	
		210					215					220					
	Arg	Thr	Glu	Ile	Arg	Ile	Ala	Gly	Ile	Arg	Gly	Ile	Gln	Gly	Val	Val	
30						230					235					240	
	Arg	Lys	Thr	Val	Asn	Asp	Glu	Leu	Arg	Ala	Thr	Ile	Trp	Glu	Pro	Gln	
				245						250					255		
	His	Met	Asp	Lys	Ile	Val	Pro	Ser	Leu	Leu	Phe	Asn	Met	Gln	Lys	Ile	
35				260					265					270			
	Glu	Glu	Val	Asp	Ser	Arg	Ile	Gly	Pro	Pro	Ser	Ser	Pro	Ser	Ala	Thr	
			275					280					285				
	Asp	Lys	Glu	Glu	Asn	Pro	Ala	Val	Leu	Ala	Glu	Asn	Cys	Phe	Arg	Glu	
40							295					300					
	Leu	Leu	Gly	Arg	Ala	Thr	Phe	Gly	Asn	Met	Asn	Asn	Ala	Val	Arg	Pro	
	305					310					315					320	
	Val	Phe	Ala	His	Leu	Asp	His	His	Lys	Leu	Trp	Asp	Pro	Asn	Glu	Phe	
45					325					330					335		
	Ala	Val	His	Cys	Phe	Lys	Ile	Ile	Met	Tyr	Ser	Ile	Gln	Ala	Gln	Tyr	
				340					345					350			
50	Ser	His	His	Val	Ile	Gln	Glu	Ile	Leu	Gly	His	Leu	Asp	Ala	Arg	Lys	
			355					360					365				
	Lys	Asp	Ala	Pro	Arg	Val	Arg	Ala	Gly	Ile	Ile	Gln	Val	Leu	Leu	Glu	
55							375					380					

EP 1 284 298 A2

	Ala	Val	Ala	Ile	Ala	Ala	Lys	Gly	Ser	Ile	Gly	Pro	Thr	Val	Leu	Glu	
	385					390					395					400	
5	Val	Phe	Asn	Thr	Leu	Leu	Lys	His	Leu	Arg	Leu	Ser	Val	Glu	Phe	Glu	
					405					410					415		
	Ala	Asn	Asp	Leu	Gln	Gly	Gly	Ser	Val	Gly	Ser	Val	Asn	Leu	Asn	Thr	
				420					425					430			
10	Ser	Ser	Lys	Asp	Asn	Asp	Glu	Lys	Ile	Val	Gln	Asn	Ala	Ile	Ile	Gln	
			435					440					445				
	Thr	Ile	Gly	Phe	Phe	Gly	Ser	Asn	Leu	Pro	Asp	Tyr	Gln	Arg	Ser	Glu	
		450					455					460					
15	Ile	Met	Met	Phe	Ile	Met	Gly	Lys	Val	Pro	Val	Phe	Gly	Thr	Ser	Thr	
	465					470					475					480	
	His	Thr	Leu	Asp	Ile	Ser	Gln	Leu	Gly	Asp	Leu	Gly	Thr	Arg	Arg	Ile	
					485					490					495		
20	Gln	Ile	Met	Leu	Leu	Arg	Ser	Leu	Leu	Met	Val	Thr	Ser	Gly	Tyr	Lys	
				500					505					510			
	Ala	Lys	Thr	Ile	Val	Thr	Ala	Leu	Pro	Gly	Ser	Phe	Leu	Asp	Pro	Leu	
			515					520					525				
25	Leu	Ser	Pro	Ser	Leu	Met	Glu	Asp	Tyr	Glu	Leu	Arg	Gln	Leu	Val	Leu	
		530					535					540					
	Glu	Val	Met	His	Asn	Leu	Met	Asp	Arg	His	Asp	Asn	Arg	Ala	Lys	Leu	
	545					550					555					560	
30	Arg	Gly	Ile	Arg	Ile	Ile	Pro	Asp	Val	Ala	Asp	Leu	Lys	Ile	Lys	Arg	
					565					570					575		
	Glu	Lys	Ile	Cys	Arg	Gln	Asp	Thr	Ser	Phe	Met	Lys	Lys	Asn	Gly	Gln	
				580					585					590			
35	Gln	Leu	Tyr	Arg	His	Ile	Tyr	Leu	Gly	Cys	Lys	Glu	Glu	Asp	Asn	Val	
			595					600					605				
	Gln	Lys	Asn	Tyr	Glu	Leu	Leu	Tyr	Thr	Ser	Leu	Ala	Leu	Ile	Thr	Ile	
		610					615					620					
40	Glu	Leu	Ala	Asn	Glu	Glu	Val	Val	Ile	Asp	Leu	Ile	Arg	Leu	Ala	Ile	
	625					630					635					640	
	Ala	Leu	Gln	Asp	Ser	Ala	Ile	Ile	Asn	Glu	Asp	Asn	Leu	Pro	Met	Phe	
					645					650					655		
45	His	Arg	Cys	Gly	Ile	Met	Ala	Leu	Val	Ala	Ala	Tyr	Leu	Asn	Phe	Val	
				660					665					670			
	Ser	Gln	Met	Ile	Ala	Val	Pro	Ala	Phe	Cys	Gln	His	Val	Ser	Lys	Val	
			675					680					685				
50	Ile	Glu	Ile	Arg	Thr	Met	Glu	Ala	Pro	Tyr	Phe	Leu	Pro	Glu	His	Ile	
		690					695					700					
	Phe	Arg	Asp	Lys	Cys	Met	Leu	Pro	Lys	Ser	Leu	Glu	Lys	His	Glu	Lys	
55	705					710					715					720	

EP 1 284 298 A2

5 Asp Leu Tyr Phe Leu Thr Asn Lys Ile Ala Glu Ser Leu Gly Gly Ser
 725 730 735
 Gly Tyr Ser Val Glu Arg Leu Ser Val Pro Tyr Val Pro Gln Val Thr
 740 745 750
 10 Asp Glu Asp Arg Leu Ser Arg Arg Lys Ser Ile Val Asp Thr Val Ser
 755 760 765
 Ile Gln Val Asp Ile Leu Ser Asn Asn Val Pro Ser Asp Asp Val Val
 770 775 780
 Ser Asn Thr Glu Glu Ile Thr Phe Glu Ala Leu Lys Lys Ala Ile Asp
 785 790 795 800
 15 Thr Ser Gly Met Glu Glu Gln Glu Lys Glu Lys Arg Arg Leu Val Ile
 805 810 815
 Glu Lys Phe Gln Lys Ala Pro Phe Glu Glu Ile Ala Ala Gln Cys Glu
 820 825 830
 20 Ser Lys Ala Asn Leu Leu His Asp Arg Leu Ala Gln Ile Leu Glu Leu
 835 840 845
 Thr Ile Arg Pro Pro Pro Ser Pro Ser Gly Thr Leu Thr Ile Thr Ser
 850 855 860
 25 Gly His Ala Gln Tyr Gln Ser Val Pro Val Tyr Glu Met Lys Phe Pro
 865 870 875 880
 Asp Leu Cys Val Tyr
 885
 30
 <210> 87
 <211> 5286
 <212> DNA
 35 <213> Homo sapiens
 <220>
 <223> KIAA0143 protein
 40
 <400> 87
 ggctggcggc ggtagctgtc gcccgcttgg ttgctgacc gcgggggtccg cgtccgctcc 60
 ctccaccctt cgccttctgc ccttcgcctc gtcccgccct ccgcggccca gcaacggccg 120
 tcatggtgcc gtccggcgtc cctgcgcggc ccgctgagc ctccggtgcg cgccgagcgc 180
 ggtcgagatc gccatgccta cccgagtatg ctgctgctgt tccgctttgc gtcctcgcta 240
 45 caaacgcctg gtggacaaca tattccctga agatccaaaa gatggccttg tgaaaactga 300
 tatggagaaa ttgacatttt atgcagtatc tgctccagag aaactggatc gaattgggtc 360
 ttacctggca gaaagggtga gcagggatgt gtcagacat cgttctgggt atgttttgat 420
 tgctatggag gcaactggacc aacttctcat ggcttgccat tctcaaagca ttaagccatt 480
 tgtagaaagc tttcttcata tgggtggcaa gctgctggaa tcgggggaac caaagcttca 540
 agttcttgga acaaattctt ttgtcaaatt tgcaaatatt gaagaagaca caccatccta 600
 50 tcacagacgt tatgactttt ttgtgtctcg attcagtgcc atgtgccatt cctgtcatag 660
 tgatccagaa atacgaacag agatacgaat tgctggaatt agaggatttc aagggtgtgt 720
 tcgcaaaaca gtcaacgatg aacttcgggc caccatttgg gaacctcagc atatggataa 780
 gattgttcca tccctcctgt ttaacatgca aaagatagaa gaagttgaca gtcgcatagg 840
 cctccttct tctccttctg caactgacaa agaagagaat cctgctgtgc tggctgaaaa 900
 55 ctgtttcaga gaactgctgg gtcgagcaac ttttgggaat atgaataatg ctgttagacc 960
 agtttttgcg catttagatc atcacaaact gtgggatccc aatgaatttg cagttcactg 1020

EP 1 284 298 A2

	ctttaaaatt	ataatgtatt	ccattcaggc	tcagtattct	caccatgtga	tccaggagat	1080
	tctaggacac	cttgatgctc	gtaaaaaaga	tgctccccgg	gttcgagcag	gtattattca	1140
	ggttctgtta	gaggctgttg	ccattgctgc	ttaagggttc	atagggccga	cagtgcgtga	1200
5	agtcttcaat	acccttttga	aacatctgcg	tctcagcggt	gaattcgaag	caaatgattt	1260
	acagggggga	tctgtaggca	gtgtcaactt	aaatacaagt	tccaaagaca	atgatgagaa	1320
	gattgtgcag	aatgctatca	tccaaacaat	aggatttttt	ggaagtaacc	taccagatta	1380
	tcagaggcca	gaaatcatga	tggtcattat	ggggaaagta	cctgtctttg	gaacatctac	1440
	ccatactttg	gatatcagtc	aactagggga	tttgggaacc	aggagaattc	agataatgtt	1500
	gctgagatct	ttgcttatgg	tgacctctgg	atataaagcg	aagacgattg	ttactgcact	1560
10	gccagggtct	ttcctggatc	ctttgtttatc	accatctctc	atggaggact	acgaactgag	1620
	acagttggtc	ttggaagtaa	tgcataatct	catggatcgt	catgacaata	gggcaaagct	1680
	tcgaggggatc	agaataatc	cggatgtagc	tgacctaaag	ataaaaagag	aaaaaatttg	1740
	cagacaagac	acaagtttca	tgaaaaagaa	tgggcaacag	ctgtatcggc	acatatattt	1800
	gggttgtaaa	gaggaagaca	acgttcagaa	aaactatgaa	ctactttata	cttctcttgc	1860
	tcttataact	attgaactgg	ctaatagaag	agtagttatt	gatctcattc	gactggccat	1920
15	tgctttacag	gacagtgcac	ttatcaatga	ggataatttg	ccaatgttcc	atcgtttgtg	1980
	aatcatggca	ctggttgcag	cataacctca	ctttgtaagt	cagatgatag	ctgtccctgc	2040
	attttgccag	catgttagca	aggttattga	aattcgaact	atggaagccc	cttattttct	2100
	accagagcat	atcttcagag	ataagtgcac	gcttccaaaa	tcttttagaga	agcatgaaaa	2160
	agatttgtac	tttctgacca	acaagatttc	agagtcgcta	ggtggaagtg	gatataagtg	2220
20	tgagagattg	tcagttccgt	atgtaccaca	agataacagat	gaagatcgac	ttcttagaag	2280
	aaaaagcatt	gtggacacg	tatccattca	ggtggatatt	ttatccaaca	atgttccctc	2340
	tgatgatgtg	gttagtaaca	ctgaagaaat	cacttttgaa	gcattgaaga	aagcaattga	2400
	taccagtggga	atggaagaac	aggaaaagga	aaagaggcgt	cttgtgatag	agaaaatttc	2460
	gaaagcacct	tttgaagaaa	tagcagcaca	gtgtgaatcc	aaagcaaatt	tgcttcatga	2520
	tagacttgcc	caaataattg	aactcaccat	acgtcctcct	cccagtcctc	caggaacact	2580
25	gaccattact	tctgggcatg	cccaatacca	atctgtccca	gtctatgaga	tgaagtttcc	2640
	agatctgtgt	gtgtactgat	cggcgcatga	agacctcagc	atatgatattg	taaagcctaa	2700
	aaattaaggc	caagctgagc	tttcagggtt	tacttaatgt	gtattaacat	acttcttgaa	2760
	aataatgatg	gaacatatct	ttaaccaaat	gtttggcata	ccatattaga	agttttggag	2820
	ctatatataa	tttcgagtag	tttcaaagat	agatttatgc	catgttaatt	tgctttgagg	2880
	ttcctgttgc	cttttttaagt	tgaacatgtt	ttggtttcac	tttattccac	tgtaagtag	2940
30	tatgttttaa	acttttccac	aatgtaattg	tttttaaaaa	gtaagccttc	agaggattga	3000
	aactgtataa	attgtttatc	tcttaaacat	ctacacagcc	gcttagatgt	agaatttttg	3060
	ttgtttgttt	ctgcaaaggc	agatacattt	aaatatattc	ctagtcctgg	ggctgcaaaa	3120
	ctgttcgggtg	gctttttgtc	cccatgcttt	agataagctg	ggataggcac	cttgcatttc	3180
	agttactata	ataatatgtg	ataggcattc	ctcatcttct	tcacaataat	aggacatctg	3240
35	ttgaatagca	ttcctcgaat	ataaccctaa	aaacgccata	ctttaaattg	tctggttctt	3300
	gtaaatattg	gtttcctgcc	aaagatttga	ccattctgct	tgagaagtgt	agagcttact	3360
	cttggagtag	caaactgtgc	aatattttta	catcataaga	tgtattagtt	tacaggctgt	3420
	gctttgaaat	tatagtagta	ttttgctgtg	gctccattaa	ttaaatgaga	tatatattta	3480
	gtgcagaaaa	aagacattta	aaacagctat	tagttcacct	gtgaagagtc	tgtacatttt	3540
	gatttctatt	aagagcacat	ttattttacat	ttgtatatata	ttttaaatcc	tcatagtcac	3600
40	aaaattctcc	agatggactt	ttaatttgta	agatttgaac	tgtgacttgt	atacatctgt	3660
	ttagaatcaa	ttatatattg	aaagctgcct	gtgttttaac	agtcaagtgt	gctaaagtgt	3720
	gtcaatttaa	gctgcttttg	atttcagcta	ccaagattac	agggtgcactc	tacacataac	3780
	actgacagac	ccataacatt	acatacatct	tagtgaattc	tatcacatgg	taaaatgaac	3840
	agctttcttt	gtaactcata	aaattctctt	aggacatttt	tataaagtca	cctgtttata	3900
45	gttctatctt	ttcagattcc	atttcttttt	acataaaaaca	gcatacatat	caaaaactgt	3960
	agcctagaat	acagtttaat	ttttggcttt	tgtttttggt	taaaaaattg	cagtgaagaa	4020
	tgggatgttt	gtgtttatgg	ctatttgggc	accttttagta	gaaacagaca	aaagtaagga	4080
	aacgataata	ggacaagcat	acttgaaaat	ttctgaatac	ttaaacaaaa	gcgcaacatc	4140
	ttgaaaacca	gtctagtcac	tgaaacctat	gaaatgacac	tgaaagatcc	tgggctgctt	4200
	cttaataaag	tagatcagca	agacttggtt	cagagtgaca	gtggagtcgt	taccgctgga	4260
50	ggactaaagg	gccctgtggc	agctgtcact	ggaactttgc	ctcttgatca	ggaaaaatgc	4320
	ttcaccagtc	cgtaaagcca	agttgtattt	tttttattgc	ccttttttcc	ttctgtattt	4380
	ttgaaagagg	atgttaattt	ttgactatat	attttataaaa	aatctaagca	gggggacatg	4440
	caaaaacaat	catcatccac	ttggatgtca	ttttatagat	taacactgtg	tgcttttgta	4500
	tggaaaaaat	atatataatt	taatagtata	aaaaataaaa	tatatattca	tttgcattta	4560
	cgtgaaacac	aaactttgct	ctacaaaatt	tcgtgttctt	tagtgatttt	aaaatgcattg	4620
55	tattgcatgt	aaaggaaaaa	cattacaatt	aatgtttatc	acacctttat	cttgggtcttt	4680
	gttgatttgg	gttttgttgg	ggtttttgtt	actgttttta	aattacagta	ggcttctata	4740

EP 1 284 298 A2

5 tatcctggat ttctgaactg gtcttggtga caaggattcc caagaaatgg atcttttcac 4800
 tggtgactc tcccataatc gcaagagatt ctgcaggaac tgggtgtgca cacggtgttg 4860
 tagccagttc aggtactgaa tatttaggat ttggtgaagt tcactgtatt gctatatatt 4920
 tgtagataaa taaaactcaa taaattgtta atcattctct ttttgcgtga tagaattgct 4980
 tatatcactc tttctttcat gacattgggt aacatttaaa tgttcctcct gtacttgtgt 5040
 tgtctgtgac cgcttataga gttttattgt tattgggtgt tacctgaata cctatgcgta 5100
 cacacacaca tatttcctta atacttctga actcattatc ttttagaata ataatactac 5160
 tacactttac cagcaattaa cttctcccta cccaaaatgt ttttcttct gtctgaaaat 5220
 10 ggaactaatt tgtcttattc gtgcttatat ctgtattaaa tgcaataaag ttagtttttg 5280
 aaatgt 5286

<210> 88
 <211> 424
 <212> PRT
 15 <213> Homo sapiens

<220>
 <223> Septin 2

20 <400> 88
 Thr Asp Ile Ala Arg Gln Val Gly Glu Gly Cys Arg Thr Val Pro Leu
 1 5 10 15
 Ala Gly His Val Gly Phe Asp Ser Leu Pro Asp Gln Leu Val Asn Lys
 20 25 30
 25 Ser Val Ser Gln Gly Phe Cys Phe Asn Ile Leu Cys Val Gly Glu Thr
 35 40 45
 Gly Leu Gly Lys Ser Thr Leu Met Asp Thr Leu Phe Asn Thr Lys Phe
 50 55 60
 30 Glu Gly Glu Pro Ala Thr His Thr Gln Pro Gly Val Gln Leu Gln Ser
 65 70 75 80
 Asn Thr Tyr Asp Leu Gln Glu Ser Asn Val Arg Leu Lys Leu Thr Ile
 85 90 95
 35 Val Ser Thr Val Gly Phe Gly Asp Gln Ile Asn Lys Glu Asp Ser Tyr
 100 105 110
 Lys Pro Ile Val Glu Phe Ile Asp Ala Gln Phe Glu Ala Tyr Leu Gln
 115 120 125
 40 Glu Glu Leu Lys Ile Arg Arg Val Leu His Thr Tyr His Asp Ser Arg
 130 135 140
 Ile His Val Cys Leu Tyr Phe Ile Ala Pro Thr Gly His Ser Leu Lys
 145 150 155 160
 45 Ser Leu Asp Leu Val Thr Met Lys Lys Leu Asp Ser Lys Val Asn Ile
 165 170 175
 Ile Pro Ile Ile Ala Lys Ala Asp Ala Ile Ser Lys Ser Glu Leu Thr
 180 185 190
 50 Lys Phe Lys Ile Lys Ile Thr Ser Glu Leu Val Ser Asn Gly Val Gln
 195 200 205
 Ile Tyr Gln Phe Pro Thr Asp Asp Glu Ser Val Ala Glu Ile Asn Gly
 210 215 220

EP 1 284 298 A2

Thr Met Asn Ala His Leu Pro Phe Ala Val Ile Gly Ser Thr Glu Glu
225 230 235 240

5 Leu Lys Ile Gly Asn Lys Met Met Arg Ala Arg Gln Tyr Pro Trp Gly
245 250 255

Thr Val Gln Val Glu Asn Glu Ala His Cys Asp Phe Val Lys Leu Arg
260 265 270

10 Glu Met Leu Ile Arg Val Asn Met Glu Asp Leu Arg Glu Gln Thr His
275 280 285

Thr Arg His Tyr Glu Leu Tyr Arg Arg Cys Lys Leu Glu Glu Met Gly
290 295 300

15 Phe Lys Asp Thr Asp Pro Asp Ser Lys Pro Phe Ser Leu Gln Glu Thr
305 310 315 320

Tyr Glu Ala Lys Arg Asn Glu Phe Leu Gly Glu Leu Gln Lys Lys Glu
325 330 335

20 Glu Glu Met Arg Gln Met Phe Val Gln Arg Val Lys Glu Lys Glu Ala
340 345 350

Glu Leu Lys Glu Ala Glu Lys Glu Leu His Glu Lys Phe Asp Arg Leu
355 360 365

25 Lys Lys Leu His Gln Asp Glu Lys Lys Lys Leu Glu Asp Lys Lys Lys
370 375 380

Ser Leu Asp Asp Glu Val Asn Ala Phe Lys Gln Arg Lys Thr Ala Ala
385 390 395 400

Glu Leu Leu Gln Ser Gln Gly Ser Gln Ala Gly Gly Ser Gln Thr Leu
405 410 415

Lys Arg Asp Lys Glu Lys Lys Asn
420

35

<210> 89
<211> 4612
<212> DNA
40 <213> Homo sapiens

<220>
<223> Septin 2

45 <400> 89
cgaccgatat agctcgccag gtgggtgaag gttgccgaac tgtccccctg gctggacatg 60
tgggggtlta cagcttgccct gaccagctgg tgaataagtc cgtcagccag ggccllctgct 120
tcaacatcct gtgcgtggga gagacagggt tgggcaagtc caccctcatg gacaccctgt 180
tcaacaccaa attcgaaggg gagccagcca cccacacaca gccgggtgtc cagctccagt 240
ctaataccta tgacctccaa gagagcaacg tgaggctaaa gctcacgata gttagcacag 300
50 ttggctttgg ggaccagatc aacaaagagg acagctacaa gcctatcgtg gaattcatcg 360
atgcacaatt cgaggcctac ctgcaggaag agctaaagat ccgaagagtg ctacacacct 420
accatgactc ccgaatccat gtctgcttgt atttcattgc ccccaagggt cattccctga 480
agtctctgga cctagtgact atgaagaagc tggacagtaa ggtgaacatc atccccatca 540
ttgcaaagc agatgccatt tcgaagagtg agctaacaaa gttcaaaatc aaaatcacca 600
gcgagcttgt cagcaacgga gtccagatct atcagtttcc tacagatgat ggtcggtgg 660
55 cagagatcaa tggaaccatg aacgcccacc tgccgtttgc tgtcattggc agcacagaag 720

EP 1 284 298 A2

	aactgaagat	aggcaacaag	atgatgaggg	cgcgggcagta	tccttgggggc	actgtgcagg	780
	ttgaaaacga	ggcccactgc	gactttgtga	agctgcggga	gatgctgatt	cgggtcaaca	840
	tggaggatct	gcgggagcag	acccacaccc	ggcactatga	gctgtatcgc	cgtgtgaagc	900
5	tggaggagat	gggcttcaag	gacaccgacc	ctgacagcaa	acccttcagt	tacaggaga	960
	catatgaggg	caaaaggaac	gagttcctag	gggaactcca	gaaaaaagaa	gaggagatga	1020
	gacagatggt	cgtccagcga	gtcaaagaga	aagaagcggg	gctcaaagag	gcagagaaaag	1080
	agctgcacga	gaagtttgac	cgtctgaaga	aactgcacca	ggacgagaag	aagaaactgg	1140
	aggataagaa	gaaatccctg	gatgatgaag	tgaatgcttt	caagcaaaga	aagacggcgg	1200
	ctgagctgct	ccagtcccag	ggctcccagg	ctggaggctc	acagactctg	aagagagaca	1260
10	aagagaagaa	aaattaactc	tgctgtttgc	tgcatgctgc	atgagaccca	gggtcctggt	1320
	tgggcttctc	gtagacaccc	ttttcctgcg	caacagagct	gggcctccct	ttctctaatt	1380
	tcccccttaa	catgcctggg	gggcatacaa	tccaacccgc	gcccctcctc	ctcttctgc	1440
	caaggtttat	agaaacctga	gaatctgagg	gtgatgtctg	gccgctgggt	aagaagccaa	1500
	cagtcagtgt	gctcgcagat	gcatacctga	tcccagtcct	cctcccagca	ccccagcca	1560
	tccccctgt	cttccccac	atcttttgcca	gaggtgtgac	atggtcaggg	ggcccatctg	1620
15	ctactcttcc	ccaccagctc	cctgttcca	gttctgggtg	ctgttagttt	ccctgaggga	1680
	tttgcaacca	ccatggctgg	gtaaccaccg	atcagcacag	ctgtccctt	ggtctcctgt	1740
	atcccagtc	ctagtctctc	ctgggtccacc	ccaccctcat	cctcaggagc	cacagccatt	1800
	tcttagaggg	tttcaaaagg	acagcctttg	gcgccttttc	cttctaacct	ttgagtccag	1860
	ccctttccag	ttttcattca	ctcgaagtaa	ctgcactcaa	gctgtgctca	aaatcggcaa	1920
20	cgcattttat	tacaccaagc	ccttcccata	aaacacaact	gctgaagaaa	atagcagacg	1980
	tttccctct	ctctaactct	gggtatccca	cagatgcaaa	agggagaata	aacctgaata	2040
	ttattaccag	cctagagtct	tgaatgatag	ccttaccgaa	ttcttcttgt	gaggtatttc	2100
	agcatctcgg	ggggtaattt	ccggaagggc	tccatactgt	cccaataagg	tgaggccagt	2160
	agcaggaata	ataaatccca	ctttgtaggc	tggaaaaactg	agctgtcaaa	agaatcaagt	2220
	gtttgggggt	ttgctctgat	gagtccttca	gttcatttgg	tgaatgtcat	gatgattttt	2280
25	aacatgcatt	ttgcatgcat	cccccaataa	gaagagatga	gactcggctg	gagagaagaa	2340
	aaggccctta	actttctttc	caatttaagg	agttgagagt	ttaaaaatat	tccagcccta	2400
	agttttttat	atgggtccca	tctgatagtg	gctttgggaa	cctctgtgaa	gtagagagcc	2460
	ctcccttgct	agggttatga	ggcacagtgg	cctttggtgt	ttggccagtg	acagtgtgag	2520
	agatggagtt	gacctggcaa	tgatctgtgg	ctaacatgcc	gtctctctgc	ccttctcttg	2580
	cagtaatcca	tggctgtgta	ctgaatagta	ttccccgcta	cagctggact	ggactccatt	2640
30	tagcctttta	agccgaggtt	cctattttta	ctgacagctt	tcctttgggg	tgccaggcag	2700
	cgaggccccc	cacccttate	ctgccatgta	ccttcaagctc	acttcttctt	tttgagttcc	2760
	gcaacttgct	cctgcctccc	agccccactg	gcactgacca	tgaccaccta	cttctatttt	2820
	tttttttagag	tttctttttt	tgatcactta	ctttcaaagc	acacagtcaa	acaaggttat	2880
	gccaaatttc	caggcctttt	tgaagtattg	agaaggggaa	ggggatttct	cacttcaatt	2940
	atagatcata	ataggaagca	aaaagaaaaa	aatgaaaagc	aaacatatgc	acgcactttt	3000
35	cttgttgaca	aagcaagaat	ataggtttgc	tgtgtagggt	tgggtgctcta	ttgatgtgtg	3060
	agtgaccaga	gcaagtatga	aggtgatgct	gccaaagcac	aagccttttt	gaagtattga	3120
	gaaggggaag	gggattttct	acttcaatta	tagatcataa	taggaagcaa	aaagaaaaaa	3180
	atgaaaagca	aacatatgca	cgcacttttc	ttgttgacaa	agcaagaata	taggtttgct	3240
	gtgtagggtt	ggtgctctat	tgattggtga	gtgaccagag	caagtatgaa	ggtgatgctg	3300
40	ccaaagcaca	agccagtttc	ttgggaaaaa	tcaagttaca	gtggagtatt	tttttgaaag	3360
	ccatatgctt	ggaggtagaa	acaaaccaac	gaccaaataa	aaaaataaaa	aatctgctca	3420
	gatactcagc	cagtagctca	gagagatgct	gagttaggcc	tgtaggtctt	ccttgggaaa	3480
	ggcttcatat	ttgcaacttt	gatgattcta	tgtccagctt	cagagctgct	ttcccagaaa	3540
	ttcacgctta	aacaaccaac	cggtaaccac	cacttcccca	caccgccgcc	cggtaattat	3600
	ttgcattaca	aaccggaggc	gccctcattt	gcattttgtg	acagattaac	tagttaaggc	3660
45	ttgagaagct	ctgaataatt	caaaagtatt	agaccacac	agccttggag	agaccttcag	3720
	aaactaagga	ggagttttat	attaaggggag	acatttttagt	cagtaagacg	atataacctta	3780
	cttactccgt	aaggggaaa	gaaggccag	agaagggaag	ggacttgacc	gagggtcccac	3840
	ttctgtttcg	agggcagaagc	cagactaatt	ttcatgcctc	ctgactccca	atcagtttca	3900
	caaagggatt	caatctgttt	atatacgtta	catttctgga	tacgaggtct	tttgatgttc	3960
	agagtaactg	actagttagt	attagaagac	cctcgaggtt	tttttccaca	gaaaaacatc	4020
50	tgaagatgga	ttgggtgagg	gctggcaaaa	cgaaggcatg	ccgggccagc	tccttaacct	4080
	aatgacccag	tgatgctgca	aggctggaac	gggttccagg	agactgtgtg	taacaggtgc	4140
	cctaggtgac	ccttataatc	agggaaagttt	gggtgaacaaa	aatcgaacct	atgagtgaac	4200
	ataaattaaa	aagttgalca	acctattaaa	atgtgtattt	cattgggtag	cttttctcac	4260
	tgtagacaga	ttttttcctt	cttcaatgaa	aaggctttta	aattagtaca	actgttacta	4320
55	tttaaaaaaa	aaatacccta	agtactctgt	ttacttctgg	tgaacaaaaa	ccagtcatta	4380
	gaaatgggtc	gtgcttttat	tttcccagac	tggagtggct	tttctgaaac	acacacacac	4440

EP 1 284 298 A2

acacacacac acacacacac gtacacacat ccctcacttc tcttaagcca agaagtttgc 4500
 tttccctagc tgcagtgtag atggctcttg tttttgtttt tttgttttaa tcatttggca 4560
 ttcacatgtg gctgttaata tgtgcttgtt ttttaattaaa acaagaagct tt 4612

<210> 90
 <211> 459
 <212> PRT
 <213> Rattus norvegicus

<220>
 <223> Nucleobindin

<400> 90

Met	Pro	Thr	Ser	Val	Pro	Arg	Gly	Ala	Pro	Phe	Leu	Leu	Leu	Pro	Pro
1				5					10					15	
Leu	Leu	Met	Leu	Ser	Ala	Val	Leu	Ala	Val	Pro	Val	Asp	Arg	Ala	Ala
			20					25					30		
Pro	His	Gln	Glu	Asp	Asn	Gln	Ala	Thr	Glu	Thr	Pro	Asp	Thr	Gly	Leu
		35					40					45			
Tyr	Tyr	His	Arg	Tyr	Leu	Gln	Glu	Val	Ile	Asn	Val	Leu	Glu	Thr	Asp
	50					55					60				
Gly	His	Phe	Arg	Glu	Lys	Leu	Gln	Ala	Ala	Asn	Ala	Glu	Asp	Ile	Lys
	65				70					75					80
Ser	Gly	Lys	Leu	Ser	Gln	Glu	Leu	Asp	Phe	Val	Ser	His	Asn	Val	Arg
				85					90					95	
Thr	Lys	Leu	Asp	Glu	Leu	Lys	Arg	Gln	Glu	Val	Ser	Arg	Leu	Arg	Met
			100					105					110		
Leu	Leu	Lys	Ala	Lys	Met	Asp	Ala	Lys	Gln	Glu	Pro	Asn	Leu	Gln	Val
		115					120					125			
Asp	His	Met	Asn	Leu	Leu	Lys	Gln	Phe	Glu	His	Leu	Asp	Pro	Gln	Asn
	130					135					140				
Gln	His	Thr	Phe	Glu	Ala	Arg	Asp	Leu	Glu	Leu	Leu	Ile	Gln	Thr	Ala
	145				150					155					160
Thr	Arg	Asp	Leu	Ala	Gln	Tyr	Asp	Ala	Ala	His	His	Glu	Glu	Phe	Lys
			165					170						175	
Arg	Tyr	Glu	Met	Leu	Lys	Glu	His	Glu	Arg	Arg	Arg	Tyr	Leu	Glu	Ser
			180					185					190		
Leu	Gly	Glu	Glu	Gln	Arg	Lys	Glu	Ala	Glu	Arg	Lys	Leu	Gln	Glu	Gln
		195				200						205			
Gln	Arg	Arg	His	Arg	Glu	His	Pro	Lys	Val	Asn	Val	Pro	Gly	Ser	Gln
	210					215					220				
Ala	Gln	Leu	Lys	Glu	Val	Trp	Glu	Glu	Leu	Asp	Gly	Leu	Asp	Pro	Asn
	225				230					235					240
Arg	Phe	Asn	Pro	Lys	Thr	Phe	Phe	Ile	Leu	His	Asp	Ile	Asn	Ser	Asp
				245					250					255	

EP 1 284 298 A2

Gly Val Leu Asp Glu Gln Glu Leu Glu Ala Leu Phe Thr Lys Glu Leu
 260 265 270
 5 Glu Lys Val Tyr Asp Pro Lys Asn Glu Glu Asp Asp Met Arg Glu Met
 275 280 285
 Glu Glu Glu Arg Leu Arg Met Arg Glu His Val Met Lys Asn Val Asp
 290 295 300
 10 Thr Asn Gln Asp Arg Leu Val Thr Leu Glu Glu Phe Leu Ala Ser Thr
 305 310 315 320
 Gln Arg Lys Glu Phe Gly Glu Thr Ala Glu Gly Trp Lys Thr Val Glu
 325 330 335
 15 Met Tyr Pro Ala Tyr Thr Glu Glu Glu Leu Lys Arg Phe Glu Glu Glu
 340 345 350
 Leu Ala Ala Arg Glu Ala Glu Leu Asn Ala Arg Ala Gln Arg Leu Ser
 355 360 365
 20 Gln Glu Thr Glu Ala Leu Gly Arg Ser Gln Asp Arg Leu Glu Ala Gln
 370 375 380
 Lys Arg Glu Leu Gln Gln Ala Val Leu Gln Met Glu Gln Arg Lys Gln
 385 390 395 400
 25 Gln Gln Gln Glu Gln Ser Ala Pro Pro Ser Gln Pro Asp Gly Gln Leu
 405 410 415
 Gln Phe Arg Ala Asp Thr Gly Asp Ala Pro Val Pro Ala Pro Ala Gly
 420 425 430
 30 Asp Gln Lys Asp Val Pro Ala Ser Glu Lys Lys Val Pro Glu Gln Pro
 435 440 445
 Pro Val Leu Pro Gln Leu Asp Ser Gln His Leu
 450 455

<210> 91
 <211> 2152
 <212> DNA
 <213> Rattus norvegicus

<220>
 <223> Nucleobindin

<400> 91

45 ccagaaacct. ggcggagggtc gcgggctggg aaaacgccct ctgcgctagg agagaccagc 60
 tacgatgcct acctctgtgc cccgcggggc gcctttccct ctcctaccac ctttactgat 120
 gctgtctgct gtgctggcag tgcctgtgga ccgcgcagca cctcatcagg aggacaacca 180
 ggccactgag accccggaca caggcctgta ctaccatcgg tacctccagg aggtcatcaa 240
 cgtgctagag acagatgggc acttcgggga gaagctgcaa gctgccaaac ctgaggacat 300
 50 taagagtggg aagctgagtc aagagctgga cttcgtcagc cacaacgtcc gcaccaagct 360
 ggatgagctc aagcgacagg aggtatcaag gcttcggatg ctgctcaagg ccaagatgga 420
 tgcaaaagcag gagcctaact tgcaggtgga ccacatgaac cttctgaagc agtttgaaca 480
 cctggaccct cagaaccagc acacgtttga ggctcgggac ctagagctgc tgatccagac 540
 ggccaccgga gacctcgcgc agtatgacgc tgcacaccat gaagagttca aacgctacga 600
 gatgtcaag gaacatgagc gaagacgtta cctggagtct ctgggagagg agcagcggaa 660
 55 ggaggctgag aggaagctac aagagcagca gcgcagacac cggaacacc ccaaagtcaa 720
 tgttcctggc agccaagccc agttgaagga ggtgtgggag gagctagatg gattggacc 780

EP 1 284 298 A2

5 caacaggttc aaccccaaga cttctttcat actgcatgac atcaacagcg atggtgtcct 840
 agatgagcaa gaactggaag ctctgtttac caaggagctg gagaagggtg acgacccgaa 900
 gaacgaggag gacgacatga gggagatgga ggaggagcgg ctgcgcatgc gggagcatgt 960
 gatgaagaac gtggacacca accaggaccg acttgtgacc ctggaggaat tcctggcatc 1020
 cacacagagg aaggagtttg gggaaactgc ggagggatgg aagacagtgg aaatgtatcc 1080
 agcctacaca gaggaagagc tgaagcgttt tgaagaggag cttgctgccc gggagggtga 1140
 gctaaatgcc agagcccagc gcctcagcca ggagacagag gccctggggc gctcccagga 1200
 ccgcttagag gctcagaaga gagagctgca gcaggccgtt ctgcagatgg agcaaaggaa 1260
 gcagcaacag caagagcaga gcgtccgcc ttccaacct gatgggcagc tgcagttccg 1320
 10 tgcagacaca ggggatgctc ctgtcccagc tccagcaggt gaccagaaaag acgtgcctgc 1380
 ttctgaaaag aaggttccag agcagccccc tgtgctgcca cagctggatt ctacgattt 1440
 ataagccctc agagatcccc gccctcaagt tcccacagac agtgatggaa gctggatgaa 1500
 gtgtccttgc agcctttctg gagaccaaag ccttcatggc ctccagggga gaacagggcc 1560
 accctgttcc tcagatgcgc ttctgcccac gtctaccagt ctgttctcac agcctctggg 1620
 tcccagtcct gccttctctc ctcccttctc tggcagggac tcaactgcag gagccccctc 1680
 15 ccccacctga gtgcacacc caggcctgcc tgccttccat gctttgctct tactgtccc 1740
 aggtcacaac ttctgtctc ctgtacctgt cagtgggtca caggagcttg acttgggtctc 1800
 tccaactctt tgccttgtga gaggccaatg atctcaattc cttttggtgg cttagaggccg 1860
 ccacaatgtg ggggtgtcta tcagctctgc ctgggactcc tgaactccac caccacccca 1920
 ccagccttac cctaaccacc tgggcccatt acctacctga ggggtcccaga aggggcccag 1980
 atattggtac accccttact gaggtccagc ctactccca cgtatggggg ctctgaaaa 2040
 20 ttggttcacc cacttccctg gcttcaggcc acactgtgtg gtcctgtctt gtgtcccagt 2100
 ctcatccaac tatagcctgg cacaaataaa cattagatat ctgtgtgaat gt 2152

25 <210> 92
 <211> 160
 <212> PRT
 <213> Rattus norvegicus

30 <220>
 <223> Myelin structural protein SR 13

35 <400> 92
 Met Leu Leu Leu Leu Leu Gly Ile Leu Phe Leu His Ile Ala Val Leu
 1 5 10 15
 Val Leu Leu Phe Val Ser Thr Ile Val Ser Gln Trp Leu Val Gly Asn
 20 25 30
 Gly His Arg Thr Asp Leu Trp Gln Asn Cys Thr Thr Ser Ala Leu Gly
 35 40 45
 40 Ala Val Gln His Cys Tyr Ser Ser Ser Val Ser Glu Trp Leu Gln Ser
 50 55 60
 Val Gln Ala Thr Met Ile Leu Ser Val Ile Phe Ser Val Leu Ser Leu
 65 70 75 80
 45 Phe Leu Phe Phe Cys Gln Leu Phe Thr Leu Thr Lys Gly Gly Arg Phe
 85 90 95
 Tyr Ile Thr Gly Val Phe Gln Ile Leu Ala Gly Leu Cys Val Met Ser
 100 105 110
 50 Ala Ala Ala Ile Tyr Thr Val Arg His Ser Glu Trp His Val Asn Asn
 115 120 125
 Asp Tyr Ser Tyr Gly Phe Ala Tyr Ile Leu Ala Trp Val Ala Phe Pro
 130 135 140
 55 Leu Ala Leu Leu Ser Gly Ile Ile Tyr Val Ile Leu Arg Lys Arg Glu

EP 1 284 298 A2

145

150

155

160

5

<210> 93
<211> 1736
<212> DNA
<213> Rattus norvegicus

10

<220>
<223> Myelin structural protein SR 13

<400> 93

15 gggggaagcc agcaacctag aggacgcccc cgagtgtgtg cctgaggcta ctccgctctg 60
agccggctgt ccctttgaac tgaaagcacc gctccaccga gcccagagccc aactccagcc 120
accatgcttc tactcttgtt ggggatcctg ttccctcaca tcgcggtgct agtgttgctc 180
ttcgtctcca ccatcgtcag ccaatggctc gtgggcaatg gacacaggac tgatctctgg 240
cagaactgta ccacatccgc cttgggagcc gtccagcact gctactcctc atctgtgagc 300
gaatggcttc agtctgtcca cctccaccatg atcctgtctg tcactcttcag cgtcctgtcc 360
20 ctgttctctg tcttctgcca gctcttccact ctacacaaag gcggccgctt ttacatcact 420
ggagtcttcc aaatccttgc tgggtctgtg gtgatgagtg cagcggccat ctacacagtg 480
agacacagtg agtggcatgt caacaacgac tactcctatg gctttgctta catcctggcc 540
tgggtggctt tcccgttggc cctccttagt ggcatcatct acgtgatcct gcggaacgc 600
gaatgaggcg cccgacgcac catccgtcta ggctctgagc gtgcataggg tacacagggg 660
25 gggaggaagg aaaccagaaa accaaaccaa ccaacccaaa agagctagcc cccaaaccca 720
aacgcaagcc aaaccaaaaca gaacacagtt gagtggggat tgctgtcgat tgaagatgta 780
tataatatct atggtttata aaacctatct ataacacttt ttacatacat gtacatagga 840
ttgtttgctt tttatgttga ccgtcagcct cgtgttgaat cttaaaccgac tctacatcct 900
aacactataa ccaagctcag tattttcgtt ttgtttcgtt tttttcatct tttgttttg 960
ctcagacata aaaaaaaaaa aaaaatccac gtggccccct ttcatctgaa agcagatccc 1020
30 tccctcccat tcaacctcat aggataacca aagtgcgggg acaaacccca gatggccaga 1080
ggccttcaca ctatgggtga cccagtgaat tttagcaggaa taatccgctg cccgaatcaa 1140
tgtgtgaagc cctaagcact cacagacgaa acgcccctgac cagagccctc tgcgaaacca 1200
atagctggtg gctgcggaac acttgaccct gaaggcggag tactggggca catgtttaaa 1260
tgagacgtca gagacaagca atctgtgaaa tgggtgtata gattttaccat tccttggtat 1320
tactaatcat ttaaaccact cactggaaac tcaattaaca gttttatgac ctacagcaga 1380
35 acagagaccc gatacaaacg gttcgttaact gctttcgtac atagctaggg tgtgttatt 1440
actacaataa ataaatctca aagccttctg cactcccaca gttttctcac ggtcggagca 1500
tcaggacgag ggtctagacc cttgggacta gcaaattccc tggctttctg ggtctagagt 1560
gttctgtgcc tccaaggact gtctagcgat gacttgtatt ggccaccaac tgtagatgta 1620
tatacgggtg cttctgatg ctaagactcc agacctttct tggttttgct ggctttttct 1680
40 gatttttatac caactgtgtg gactaagatg cattaaaata aacatcagag taactc 1736

40

<210> 94
<211> 375
<212> PRT
<213> Rattus norvegicus

45

<220>
<223> Cytoplasmic beta-actin

<400> 94

50 Met Asp Asp Asp Ile Ala Ala Leu Val Val Asp Asn Gly Ser Gly Met
1 5 10 15
Cys Lys Ala Gly Phe Ala Gly Asp Asp Ala Pro Arg Ala Val Phe Pro
20 25 30
55 Ser Ile Val Gly Arg Pro Arg His Gln Gly Val Met Val Gly Met Gly

EP 1 284 298 A2

	35	40	45
	Gln Lys Asp Ser Tyr Val	Gly Asp Glu Ala Gln Ser Lys Arg Gly Ile	
5	50	55	60
	Leu Thr Leu Lys Tyr Pro Ile Glu His Gly Ile Val Thr Asn Trp Asp		
	65	70	75 80
10	Asp Met Glu Lys Ile Trp His His Thr Phe Tyr Asn Glu Leu Arg Val		
	85	90	95
	Ala Pro Glu Glu His Pro Val Leu Leu Thr Glu Ala Pro Leu Asn Pro		
	100	105	110
15	Lys Ala Asn Arg Glu Lys Met Thr Gln Ile Met Phe Glu Thr Phe Asn		
	115	120	125
	Thr Pro Ala Met Tyr Val Ala Ile Gln Ala Val Leu Ser Leu Tyr Ala		
	130	135	140
20	Ser Gly Arg Thr Thr Gly Ile Val Met Asp Ser Gly Asp Gly Val Thr		
	145	150	155 160
	His Thr Val Pro Ile Tyr Glu Gly Tyr Ala Leu Pro His Ala Ile Leu		
	165	170	175
25	Arg Leu Asp Leu Ala Gly Arg Asp Leu Thr Asp Tyr Leu Met Lys Ile		
	180	185	190
	Leu Thr Glu Arg Gly Tyr Ser Phe Thr Thr Thr Ala Glu Arg Glu Ile		
	195	200	205
30	Val Arg Asp Ile Lys Glu Lys Leu Cys Tyr Val Ala Leu Asp Phe Glu		
	210	215	220
	Gln Glu Met Ala Thr Ala Ala Ser Ser Ser Ser Leu Glu Lys Ser Tyr		
	225	230	235 240
35	Glu Leu Pro Asp Gly Gln Val Ile Thr Ile Gly Asn Glu Arg Phe Arg		
	245	250	255
	Cys Pro Glu Ala Leu Phe Gln Pro Ser Phe Leu Gly Met Glu Ser Cys		
	260	265	270
40	Gly Ile His Glu Thr Thr Phe Asn Ser Ile Met Lys Cys Asp Val Asp		
	275	280	285
	Ile Arg Lys Asp Leu Tyr Ala Asn Thr Val Leu Ser Gly Gly Thr Thr		
	290	295	300
45	Met Tyr Pro Gly Ile Ala Asp Arg Met Gln Lys Glu Ile Thr Ala Leu		
	305	310	315 320
	Ala Pro Ser Thr Met Lys Ile Lys Ile Ile Ala Pro Pro Glu Arg Lys		
	325	330	335
50	Tyr Ser Val Trp Ile Gly Gly Ser Ile Leu Ala Ser Leu Ser Thr Phe		
	340	345	350
55	Gln Gln Met Trp Ile Ser Lys Gln Glu Tyr Asp Glu Ser Gly Pro Ser		
	355	360	365

Ile Val His Arg Lys Cys Phe
370 375

```

5      <210> 95
      <211> 4100
      <212> DNA
      <213> Rattus norvegicus

10     <220>
      <221> misc_feature
      <222> 3859
      <223> n is a or g or c or t

15     <220>
      <223> Cytoplasmic beta-actin

      <400> 95
acctcttcct caactcactt ctctctactc tcactttttt ttttcttctt cttttttttt 60
tttttttttt tttttttttt tgcaaaagaa gggggtaaaa aaatgctgca ctgtcgggcg 120
aggccggtga gtgagcgagc cggagccaat cagcgcccg cgttcgaaa ttgcctttta 180
tggtctcgagt ggccgctgtg gcgtcctata aaaccggcg gcgcaacgcg cgccactgtc 240
gagtcgcgct ccaccgcga gtacaacctc cttgcagctc ctccgtcccg gtccacaccc 300
gccaccaggt aagcaggac gtcgggcca gcgggcccca actttacctt ggccactacc 360
tcgctgcagg atcgtgagga aactcagaa gggacaccgt agaggggtgg agcgtggtac 420
cgggcccggg agcagctggc aaagcttaac ttcccggcc cctaggggtg agagtgtttg 480
cagtcgtatt cccgcggtgt ggacactcgt ggggtacgct ctgcttgggt cgcggggctt 540
ggggacacac tagagtcgcg gtgtgggcat ttggagagcc ggtgcggctg cgggtgttaa 600
gccgcatctg tccaccttga ggggcaacag tattggggtc aggcgttaca atcacgcttt 660
gatggcctat gggctcttgt ccaaaccggt ttgtccattc ggcttggcgg gcgcgggcggg 720
gccgctcggc cgggtggggg ctgggatgcc attgcgctg cgcgctctat cactgggcat 780
tggggcccgtg cgcgctgggg agggaaactc tctctcccc ctcttccgag ttaagagttg 840
cgcgctgcgt ttgagactag gagcgcgcc gccccgggtt gggcgagggc gggccgtcca 900
ccggaagggg cggggtcgta gcggttaggc gcctgctcgc gcttctctgt ggggtgtggtc 960
gcctccccgc cgcgcactag ccgccgctg cctcagtgt ggcgggcctg tgcccgtttg 1020
gggaggggcg gaggcctggc ttctgcccgt ggggtccgct cggggccagc gtttgccttt 1080
tatggtaata atgcggtgtg cctgcgcttc ctttgtcccc tgagcttggg cgcgcccctg 1140
gcggtctgag gccgcggctc gccggaagtg ggcaggcgcg cagcggtctg tcttggcggc 1200
tccgctgta ccatagccct ctttgtgccc ttgatagttc gccatggatg acgatatcgc 1260
tgcgctcgct gtcgacaacg gctccggcat gtgcaaggcc ggcttcgcgg gcgacgatgc 1320
tccccgggcc gtcttccctt ccactgtggg ccgcctagg caccaggtaa gtgaccttt 1380
actttgggag tggcagccct agggttttct tgggggtcga tgccagtgtc gagaacgttg 1440
ttctctccg cagggtgtga tgggtgggtat gggtcagaag gactcctacg tgggcgacga 1500
ggcccagagc aagagaggca tcttgacctt gaagtacct attgaacacg gcattgtaac 1560
caactgggac gatattgaga agatttgga ccacactttc tacaatgagc tgcgtgtggc 1620
ccctgaggag caccctgtgc tgctcaccga ggccctctg aaccctaagg ccaaccgtga 1680
aaagatgacc caggtcagta tcctgggtga ccctccctt cttattgggt caacttctca 1740
gcacgcctt ctctaattgt ctttcttctg ccattgtcca taggactctc ttctatgagc 1800
tgagtctccc ttggaacttt gcagtttctg ctctttccca gatgaggtct ttttttctc 1860
tcgatcgctt ttctgactag gtgtttttaa cccctacagt gctgtgggtg taggtactaa 1920
caatggctcg tgtgacaaag ctaatgaggc tgggtgataa tggccttggg gtgtgtattc 1980
agtagatgac agtaggtcta aatggagccc ctgtcctgat actcccagca cacttaactt 2040
agctgtgttc ttgccctctt tgcatgtctc actcaaactt atccttacag tctcacatgc 2100
cctgagtggt tcttgtggct ttaggagctt gacaatactg tatctcttct tctacagatc 2160
atgtttgaga ccttcaacac ccagccatg tacgtagcca tccaggctgt gttgtccctg 2220
tatgcctctg gtcgtaccac tggcattgtg atggactccg gagacggggt caccacact 2280
gtgccatct atgagggtta cgcgctccct catgccatcc tgcgtctgga cctggctggc 2340
cgggacctga cagactacct catgaagatc ctgaccgagc gtggctacag cttcaccacc 2400
acagctgaga gggaaatcgt gcgtgacatt aaagagaagc tgtgctatgt tgccctagac 2460
ttcgagcaag agatggccac tgccgcatcc tcttctctcc tggagaagag ctatgagctg 2520
cctgacggtc aggtcatcac tatcggaat gagcggttcc gatgccccga ggctctcttc 2580
cagccttctt tcttgggtaa gttgtagtct cgtcccttct ccatctaaag gtgaccaatg 2640

```

EP 1 284 298 A2

ctggaggcca cactgtaact ctgatctctt gcttttccct tcagggtatgg aatcctgtgg 2700
 catccatgaa actacattca attccatcat gaagtgtgac gttgacatcc gtaaagacct 2760
 ctatgccaaac acagtgtgtg ctggtggcac caccatgtac ccaggcatcg ctgacaggat 2820
 gcagaaggag attactgccc tggctcctag caccatgaag atcaaggtaa gcagccttag 2880
 5 cctggaccca tagtgggggtg tggtcagccc tgtagtgtga gccaactctc ttggcttaag 2940
 gaacaaccca gcatccagaa tgctcacaat cactgtcttg ctttcttcag atcattgtctc 3000
 ctcttgagcg caagtactct gtgtggattg gtggctctat cctggcctca ctgtccacct 3060
 tccagcagat gtggatcagc aagcaggagt acgatgagtc cggccctcc atcgtgcacc 3120
 gcaaagtctt ctaggcggac tgttactgag ctgctgttta cacccttctt ttgacaaaac 3180
 10 ctaacttgcg cagaaaaaaa aaatgagaca tttggcatgg ctttattgtt tttttgtttt 3240
 ttgtttttgt tttttttaa tttttttttt aaaaagggtt tttttttttg ttttgttttg 3300
 gcgcttttga ctcaaggatt taaaaactgg aacggtgaag gcgaccgcag ttggttgagg 3360
 caaacatccc ccaaagtctt acaatgtggc tgaggacttt gattgtacat tgttttttgt 3420
 ttttggtttt tttaatagtc actccaagta tccacggcat agatgggttac aggaagtcct 3480
 tcaccctccc aaaagccacc cccaactcct aaggggagga tggctgcac catgccctga 3540
 15 gtccacaccg ggaagggtgac agcattgctt ctgtgtaaat tatgtacttg caaacatttt 3600
 tttaaatctt ccgccttaat acttcatttt tgtttttaat ttctgaatgg tcagccattc 3660
 gtggcctgcc cctttttttt gtccccccaa cttgatgtat gaaggctttg gtctccctgg 3720
 gagtggtttg aggtgttgag gcgccagggc tggcctgtac actgacgtga gaccgtttta 3780
 ataaaagtgc acaccttaca aacaagtttg tggctctgtg gcttctactg ggtgtgggga 3840
 gcaggctggg tgggtgtgna actccacgtg ggggaggggc aatttagggg gggctggcct 3900
 20 tgctgatag ctagtgggag ggctaaagga tcatgatctt taatgaggtc tcataaatac 3960
 cccaccttcg gtcttgaggg aggggtgagga gttgggaagg tatctccctg acacctggcc 4020
 aagctggcct catcaaccct actttcctca gccaggggga ggtccacatc ctcccacctg 4080
 catagcttgc gtctagaggc 4100

 25 <210> 96
 <211> 116
 <212> PRT
 <213> Mus musculus

 30 <220>
 <223> Ly6/neurotoxin homolog

 <400> 96
 Met Thr His Leu Leu Thr Val Phe Leu Val Ala Leu Met Gly Leu Pro
 1 5 10 15
 35 Val Ala Gln Ala Leu Glu Cys His Val Cys Ala Tyr Asn Gly Asp Asn
 20 25 30
 Cys Phe Lys Pro Met Arg Cys Pro Ala Met Ala Thr Tyr Cys Met Thr
 35 40 45
 Thr Arg Thr Tyr Phe Thr Pro Tyr Arg Met Lys Val Arg Lys Ser Cys
 50 55 60
 Val Pro Ser Cys Phe Glu Thr Val Tyr Asp Gly Tyr Ser Lys His Ala
 65 70 75 80
 45 Ser Ala Thr Ser Cys Cys Gln Tyr Tyr Leu Cys Asn Gly Ala Gly Phe
 85 90 95
 Ala Thr Pro Val Thr Leu Ala Leu Val Pro Ala Leu Leu Ala Thr Phe
 50 100 105 110
 Trp Ser Leu Leu
 115

 55 <210> 97

<211> 3925
 <212> DNA
 <213> Mus musculus

5

<220>
 <223> Ly6/neurotoxin homolog

10

15

20

25

30

35

40

45

50

55

```

<400> 97
taccaacacc gcacgaagtg tgtacagatt cccagttaga cagcaggagg gacctgggag 60
cggccagggg gatgttttat ctctaagaga ccaagagctc aggcagggct tctgtgccct 120
gcttcctccc tggcttgagc tggatcctgg accagctgct gacctcctgt tcaactctggc 180
actgcccctca cgtctccgtc atgacccatc tgctcacagt gtccctgggtg gccctgatgg 240
gcctgctctgt ggcccaggct ctggagtgcc acgtgttlyc ctacaatgga gacaactgct 300
tcaaaccat gcgctgcccga gccatggcca cctactgtat gaccacacga acttacttca 360
ccccataccg gatgaagggt aggaagtcct gtgtccccag ctgctttgaa accgtgtacg 420
atggctattc caagcatgca tctgccacct cctgttgcca gtactacctc tgcaacgggtg 480
ctggcctttgc tacccegggt accctggccc tgggtccagc actcctagct accttctgga 540
gcttgctgta aagctcgggt ccccaagcca gatccactca aacgcaacac tctcaaaaaa 600
cacagtttcc ctctctctcc caattcactc caccacacgc tcttctctct gacactcctc 660
aactaccacy aggtcccatg gctacctacg aaagaactga tggcatccag atacctcact 720
ccaaggtcat tttcagaagg ctgacatgtg gacctgtaat gtgccacccc atgggtgggg 780
caggctgggc tttcctctca ccaagatca ggggcatctg ggagaatgtt tatggaggag 840
gggtcatcac tcaagtcaag gagcactgat ttgatagaat tagtagccaa actccacctt 900
cagaaccctg cctcagtcta cccagtagag gatgggtctg ctaggaggta ggggaggaga 960
gcggcggaga ataacgagct ggctagaagc agagaaagac tcagcagggc tgtctccgaa 1020
gatcagcgcg gcttgccaga gcaaatgtga tgtggaagcc atgtgaggaa gccctttgtc 1080
atctccactt atctgaggaa ctctgccaga cctgatgttg ggatagccat tggccaaggg 1140
ttcctagcaa cggcgctcatt tccataggcc actgaaatcc ctccagcccc agctcagcag 1200
gccccctgac ctccactaca gtccctcatt cacacaccag ctgctggggc ttgaagttgg 1260
cagggacttg ggagcagggt acccatgtcta tttttgtct ggctgttat tctgggcag 1320
gcaagaaggg atcagacgca ggtcagagca gggcagtagg gcgactgaga cagggaaaca 1380
gacttcagcc agtggcttcc caggctccgt aggcagctcc tacatccttc agtctcttgt 1440
tacattcccg ggagacaaat atacaggag ccaagccgag tgctagggtg tgactgcctg 1500
tgaagtctat tgtggccaca gactgctggg taccaagtct caggagaacc cagcctagat 1560
ttaggagaca cagatctgcc ttcatgcag tgtagctgtc ctgggagcc ttacctagct 1620
ctctaactag ttctcaact cacatgtcac tgaggaaccc cctaactctg gccagccca 1680
ggggctcggg tgctggccaa tgtccatgga gtgggactac ccctggagag tccttgggtc 1740
atcacatcac aaatgtttta ttccaacctc ccagtgggtg gagctcggga cacaaggtc 1800
cactctgggg accttcttcc tgggtctagg cagacctgaa ctctgtctgc tcttagagct 1860
gatgtggttt tccgcctcag ttctctctc cggggatagg ccaccggagg atttgggagg 1920
gtggggaggg cactctgctg atgggctcgc cgaggttctc aggaacagga acgggagggg 1980
ctttagtaga caggtgagtt ggggtgggaac tggcccggag ctgaggagac actgactggg 2040
cagaggggaag atgagtctca agggagggga ggaaaaggga gggggagcgc gcatgcacat 2100
gtgcactcag tgcaggctac agagcccaaa aggcagcact ggctgtggtg tccctgagg 2160
cccaggcaag atgctaggag gaagccaatg ctgccccac ctgagctcac atggaacatg 2220
cacaccacca gcagcagcag caagcattga gactgacctg tggacgccat agggcactgg 2280
caaggagggt cagaggcggg tccctgactc agtgggtgag gcccgggaaa cattatcctg 2340
ttaccctgcg tgtgcaagat cattgtcccc agctagatgg cgtcctcaac caaaactgag 2400
aggagcccca gttcagggtc tccctcttac cacaaggggg tgggtgtggg gaggcttgat 2460
tgcccttggg gaagcaccgg tactgcagag ctgggggcca gcttctttca tctgtgtcta 2520
gacaccgacc agataggccc cacagtggca aactgcccac acagtccctac aagaagccct 2580
gtgcctagct agcacagagc cccaaaaggt gctcaattaa tacagggcca agcctgccag 2640
tgggggggat gcagattagg ggaacagacc cagatggcct gtccctgaacc ctgtctgggg 2700
tgggtgtgat agcatctgtc tagccactc caggtggctc tacacactcc acaacagttc 2760
tgcaaaagtg tatgaggtgg tcattactgc gccctctca caggtaaaag cactgaggca 2820
cggaggagtg aggcacttca ttttctctgg ccattcaact ttccaggacc aacacattca 2880
actatgggta ctactccaat agctgggggt ctttgaggct gggccccctg aagatagatg 2940
tggcttcatc aaccagagaa ttccagagt cagtgttgta ggagcctatg aactgaaat 3000
gtcagaactc gagggttgag gggctgaggg gtaggccagg ggtgtctggc ccttctctct 3060
gagacagaga gagaggggaa atgggatggg gtatagagaa gaagtgcaaa ggagcgtcag 3120
cctttctcag ggctaattgt gtcagggacg agggctcaag cctgtgagtg ttctcacact 3180
gtgataaaca gtggccctc aacacagacg gtgtccagag tggccggcag tggttatcta 3240

```

EP 1 284 298 A2

5 gagttgcaat ctggaagcct cttggtagtc actggagaga ggccgcttga tgggacagca 3300
 ccaaatgtgt gtgcttctgt gggatgtgag gaagctgggt cagcgcatga agccaaagcg 3360
 tccttcagag cagaggggtg gctggtctag tccaccagag acaagctatc cagtgagagt 3420
 catactctgt caccgtctct gtgattacct taccctaaag cagacgggga cgggatgcag 3480
 agcaccctgt tcttcattct ctgcggcaag cacgtgagtt cacattctga aactctagaa 3540
 agatttccag gagtgggggt tgcctttgct ttggtgcatg gttacttcct ggcaagcacc 3600
 gtggcatccc gcagcactga gtgacctggg ctctctcaagc catctcattg gtgaaatgac 3660
 agtgccagta cctctcagc tggctcttgg aggcctgtgc atgggggtctg cacagaggag 3720
 gccccaaaac tatgcatgga cggacacgtg atgcctagca cttcccttgg ttgtgtctct 3780
 10 gccaacccca ggctctcacc cagcaaggaa atgaaatcca cttttatgac acatctccct 3840
 cccccagcca gctccattca cctatatgcc aggggtggtcc ctttcaatgt ctgtccccca 3900
 ttggatgaat aaacaagcga aggac 3925

15 <210> 98
 <211> 130
 <212> PRT
 <213> Rattus norvegicus

20 <220>
 <223> Astrocytic phosphoprotein

<400> 98
 Met Ala Glu Tyr Gly Thr Leu Leu Gln Asp Leu Thr Asn Asn Ile Thr
 1 5 10 15
 25 Leu Glu Asp Leu Glu Gln Leu Lys Ser Ala Cys Lys Glu Asp Ile Pro
 20 25 30
 Ser Glu Lys Ser Glu Glu Ile Thr Thr Gly Ser Ala Trp Phe Ser Phe
 35 40 45
 30 Leu Glu Ser His Asn Lys Leu Asp Lys Asp Asn Leu Ser Tyr Ile Glu
 50 55 60
 His Ile Phe Glu Ile Ser Arg Arg Pro Asp Leu Leu Thr Met Val Val
 65 70 75 80
 35 Asp Tyr Arg Thr Arg Val Leu Lys Ile Ser Glu Glu Asp Glu Leu Asp
 85 90 95
 Thr Lys Leu Thr Arg Ile Pro Ser Ala Lys Lys Tyr Lys Asp Ile Ile
 100 105 110
 40 Arg Gln Pro Ser Glu Glu Glu Ile Ile Lys Leu Ala Pro Pro Pro Lys
 115 120 125
 Lys Ala
 130

45 <210> 99
 <211> 2341
 <212> DNA
 <213> Rattus norvegicus

50 <220>
 <223> Astrocytic phosphoprotein

<400> 99
 55 gcggaagagg cggcggcggc aggatcggcg gcagcgggtg ccggagccaa ggagcaggct 60
 ccagacgctg cttaggaacc ggggatccgc gactgcccgc accctgagct ctcagctccg 120

EP 1 284 298 A2

gaggcgtcat ggcagagtag gggactctcc ttcaggacct gaccaacaac atcacccttg 180
 aagatctgga acagctcaag tcagcctgca aggaggacat cccagtgag aagagtgaag 240
 agatcactac aggcagtgcc tggtttagct tcctggagag ccacaacaag ctggacaaag 300
 5 acaacctctc ctacattgag cacatctttg agatctcccg ccgtcctgac ctactcacga 360
 tgggtggttga ctacagaacc cgtgtgctga agatctctga ggaggatgag ctggacacca 420
 agctaaccgg tatccccagc gccaaagaag acaaagacat tatccggcag cctcttgagg 480
 aagaaatcat caaattggct cccccaccaa agaaggcctg agcaaggggg aggaagagga 540
 ggaagggttg atcttcatca gaccactccc ttcccatcc tcaatgggag gggctagggc 600
 aacaccctgc tccgtaccca cttactaact tggctctaac ccttactatg cgcgtgtgtg 660
 10 tgcgtgtgag cacgctctgg ctgtctgtct gtctagctca tctagtctct cctcctcatg 720
 aggggatttg agtcaaggga ggggggctta gctgccccca ctgtaagggg aggtggacgc 780
 tttttctatg taaacagaaa ctggcacact cctcctctct tctctctctc cactcttccc 840
 cacatcttta aagtatggaa gcagaaaagg cctgcgtttt cccacactga ggagctatgg 900
 tgaatatgag gtatggcgga aatgattaga tctaaagaaa accagtgggg aaggaaggtc 960
 aagaggctac ccaacctcca cctgaagggg ctctgagtg ccagcggggc cctctttatg 1020
 15 cccttggttac gggcctggga tgtggataag cagagatcct aatgagaaga cactactgct 1080
 ctctcctagg tcccaagatc aaaccccagt ggagaagcca gcttttgatg tccccaactt 1140
 ctgctctgga gagactatgc tgggaccatg cactgctgag cctgagccag gtagtcaggc 1200
 agagacaggc ccaactctgc tcctcagttt ctagatacag actgttgagg tatactgacc 1260
 cggagcctag gaattgggga atgagatccc ttagggtttt accgcaacct gcagagtccc 1320
 20 aaaatgggta ttgtaggcaa cctttccact ttccagttcg gaattctcca agcaagagat 1380
 aagttaacga cagtgtttcc tttgcaactg ctaccacccc attcaatcca ggaagggact 1440
 ggtcaccttt ctcatattggg tttgtgaatg ccacacagcc aagccactag agtacagtga 1500
 gtgaacccag cctcctccct gtcccaagat gccttccccc atcttgaccg tgctaactgt 1560
 gtgtacatat atattctaca tatatgtata ttaaaccggc actgccatgt ctgccctttt 1620
 ttgtgggttt tagcataac ttattgtcta ggccagagcg ggagtgggag gggaatgcca 1680
 25 cagtaaaagg agtggcagay ccaaattgct aagttagtca aaacagaaaa cattccaac 1740
 caatcacaaac aaacattgca tttacatttg agctaagaga caatttagag aaagttagaag 1800
 gtaggagctt ttaggatgtg ggagcaaaac ttcacaggga agggaggacc agctgtcaga 1860
 agagggtctt tgaagccaga ctggctagag caccctcact tcctagctga gccagtttg 1920
 cccatctcct ctggccactg ctgcagacac ctgcttaac acacacacct ctaagactcc 1980
 agttttgcct taaaggccct tcctaagtcct ccctagtcct gcctggcacc tcctttgaga 2040
 30 caagaaatcc ttgtacaact gggagaaagg aactatgggc aacatccttc catctggggg 2100
 gttacgtgag agcaggagtt aagacggagg ctttccttat gaagacacag gagagagaga 2160
 ggggtgcttc cagcagtttc tctgtaaggc aaaaacaca aaccttaaac acactaacct 2220
 gccctaatac actcacctac cctgctaccc tctgctgct gtgagggtgc cctagcctg 2280
 35 tgttcctctg tctgcagcgt gcacggcctt gttctaacce tggaataaag gtgactgact 2340
 g 2341

<210> 100

<211> 582

<212> PRT

<213> Mus musculus

<220>

<223> PLIC-1

<400> 100

Met Ala Glu Ser Ala Glu Ser Gly Gly Pro Pro Gly Ala Gln Asp Ser
 1 5 10 15

Ala Ala Asp Ser Gly Pro Ala Glu Pro Lys Ile Met Lys Val Thr Val
 20 25 30

Lys Thr Pro Lys Glu Lys Glu Glu Phe Ala Val Pro Glu Asn Ser Ser
 35 40 45

Val Gln Gln Phe Lys Glu Glu Ile Ser Lys Arg Phe Lys Ser His Ile
 50 55 60

Asp Gln Leu Val Leu Ile Phe Ala Gly Lys Ile Leu Lys Asp Gln Asp

EP 1 284 298 A2

	65		70		75		80									
	Thr	Leu	Ser	Gln	His	Gly	Ile	His	Asp	Gly	Leu	Thr	Val	His	Leu	Val
					85					90					95	
5	Ile	Lys	Thr	Gln	Asn	Arg	Pro	Gln	Asp	Asn	Ser	Ala	Gln	Gln	Thr	Asn
				100					105					110		
	Thr	Thr	Gly	Asn	Ser	Val	Thr	Ser	Ser	Pro	Ala	Pro	Asp	Ser	Asn	Pro
10			115					120					125			
	Thr	Ser	Gly	Pro	Ala	Ala	Asn	Ser	Ser	Phe	Gly	Leu	Gly	Gly	Leu	Gly
			130				135					140				
	Gly	Leu	Ala	Gly	Leu	Ser	Ser	Leu	Gly	Leu	Asn	Thr	Thr	Asn	Phe	Phe
15						150					155					160
	Glu	Leu	Gln	Ser	Gln	Met	Gln	Arg	Gln	Leu	Leu	Ser	Asn	Pro	Glu	Met
					165					170					175	
	Met	Val	Gln	Ile	Met	Glu	Asn	Pro	Phe	Val	Gln	Ser	Met	Leu	Ser	Asn
20				180					185					190		
	Pro	Asp	Leu	Met	Arg	Gln	Leu	Ile	Met	Ala	Asn	Pro	Gln	Met	Gln	Gln
			195					200					205			
	Leu	Ile	Gln	Arg	Asp	Pro	Glu	Ile	Ser	His	Met	Leu	Asn	Asn	Pro	Asp
25			210				215					220				
	Ile	Met	Gly	Gln	Thr	Leu	Glu	Leu	Ala	Arg	Asn	Pro	Ala	Met	Met	Gln
			225			230				235						240
	Glu	Met	Met	Arg	Asn	Gln	Asp	Arg	Ala	Leu	Ser	Asn	Val	Glu	Ser	Ile
30				245					250					255		
	Arg	Gly	Gly	Tyr	Asn	Ala	Leu	Arg	Arg	Met	Tyr	Thr	Asp	Ile	Gln	Glu
			260					265						270		
	Pro	Met	Ile	Asn	Ala	Ala	Gln	Glu	Gln	Phe	Gly	Gly	Asn	Pro	Phe	Gly
35			275				280						285			
	Ser	Leu	Val	Ser	Ser	Pro	Ser	Ser	Ala	Glu	Gly	Thr	Gln	Pro	Ser	Arg
			290				295					300				
	Thr	Glu	Asn	Arg	Asp	Pro	Leu	Pro	Asn	Pro	Trp	Ala	Pro	Gln	Thr	Pro
40					310						315					320
	Gln	Ser	Ser	Pro	Ala	Tyr	Gly	Ser	Ser	Gly	Ser	Thr	Asn	Asn	Thr	Val
				325						330					335	
	Ser	Thr	Ser	Gly	Gly	Asn	Ala	Thr	Ser	Thr	Pro	Ala	Gly	Gln	Gly	Thr
45				340				345					350			
	Ser	Gly	Pro	Lys	Leu	Val	Pro	Gly	Ala	Gly	Gly	Ser	Met	Phe	Asn	Thr
			355					360					365			
	Pro	Gly	Met	Gln	Ser	Leu	Leu	Gln	Gln	Ile	Thr	Glu	Asn	Pro	Gln	Leu
50						375						380				
	Met	Gln	Asn	Met	Leu	Ser	Ala	Pro	Tyr	Met	Arg	Ser	Met	Leu	Gln	Ser
55					390					395					400	

EP 1 284 298 A2

Leu Ser Gln Asn Pro Asp Leu Ala Ala Gln Met Met Leu Asn Asp Pro
 405 410 415
 5 Leu Phe Ala Gly Asn Pro Gln Leu Gln Glu Gln Met Arg Gln Gln Leu
 420 425 430
 Pro Thr Phe Leu Gln Gln Met Gln Asn Pro Asp Thr Leu Ser Ala Met
 435 440 445
 10 Ser Asn Pro Arg Thr Met Gln Ala Leu Leu Gln Ile Gln Gln Gly Leu
 450 455 460
 Gln Thr Leu Ala Thr Glu Ala Pro Gly Leu Ile Pro Gly Phe Thr Pro
 465 470 475 480
 15 Gly Leu Ala Ala Gly Asn Ser Gly Gly Pro Ala Gly Thr Thr Ala Pro
 485 490 495
 Ser Thr Ala Pro Gly Glu Asp Thr Asn Pro Gln Gly Gly Ala Ala Glu
 500 505 510
 20 Pro Gly His Gln Gln Phe Ile Gln Gln Met Leu Gln Ala Leu Ala Gly
 515 520 525
 Val Asn Pro Gln Leu Gln Ser Pro Glu Val Arg Phe Gln Gln Gln Leu
 530 535 540
 25 Glu Gln Leu Ser Ala Met Gly Phe Leu Lys Arg Glu Pro Asn Leu Gln
 545 550 555 560
 Ala Leu Ile Ala Thr Gly Gly Asp Ile Asn Ala Ala Ile Glu Arg Leu
 565 570 575
 30 Leu Gly Ser Gln Pro Ser
 580
 <210> 101
 35 <211> 1843
 <212> DNA
 <213> Mus musculus
 <220>
 40 <223> PLIC-1
 <400> 101
 ccatggccga gagcgagag agcgccggcc caccgggagc tcaggacagt gcggccgaca 60
 gcggcccccgc agagcccaag atcatgaagg tcacgggtgaa gacgcctaaa gagaaggaag 120
 agttcgctgt gcccgagaac agtcgggtcc agcagttcaa agaggaaatc tcaaaacgtt 180
 45 tcaaattctca tattgaccaa cttgtgttga ttttgcctgg aaaaatttta aaagatcaag 240
 atactttgag tcagcatggg attcatgatg gacttacggt tcaccttggtc atcaaaaccc 300
 aaaacaggcc gcaagataat tcagctcagc aaacaaatac cactggaaac agtgtgacca 360
 gttcaccagc tcctgacagt aaccccacgt ctgggcctgc tgctaacagc tccttttggtt 420
 taggtggact tggaggactt gcaggtctta gtagcttggg tttaaatacc accaacttct 480
 ttgaactaca gagccaaatg cagcggcaac ttttgtctaa ccctgaaatg atggtccaga 540
 50 tcatggaaaa cccctttgtg cagagcatgc tctcaaaccg tgacctgatg cggcagctga 600
 tcatggccaa cccacagatg cagcagctga tacagagaga cccagagatc agtcatatgc 660
 ttaataaccc agatataatg ggacagacat tggaacttgc cagaaaccca gcgatgatgc 720
 aggaaatgat gagaaaccag gaccgagcct tgagcaacgt agaaagtatc cgtggagggt 780
 acaacgcctt acggcgcatg tacacagata ttcaggagcc catgataaac gctgcgcaag 840
 55 agcagtttgg tggtaatcca tttggttcc ttagtgagcag tccgtcctca gcagaaggga 900
 ctcagccttc tcgaacagaa aatagggatc cgctacctaa cccttgggct ccacagactc 960

EP 1 284 298 A2

5
 10
 15
 20
 25
 30
 35
 40
 45
 50
 55

```

cccagagctc tccagcctat ggcagcagtg gcagcaccaa taacacagtg agcacctctg 1020
gtggcaatgc caccagtacc ccggcgggac agggcacctc agggccaag cttgtgcctg 1080
gagcaggagg tagtatgttc aacacccccg gaatgcagag cctgctgcag cagataactg 1140
agaaccacaca gctcatgcag aacatgctgt ctgccccata catgaggagc atgctgcagt 1200
ccctgagcca gaacccccgac cttgctgctg agatgatgct gaatgacccc ctatttgctg 1260
ggaaccctca gcttcaagag caaatgagac aacagctccc aacgttcctc caacaaatgc 1320
agaacccccga cacattgtca gccatgtcga accctagaac catgcaggcc ctgctgcaaa 1380
tccagcaggg cttgcagacg ttggccacag aagctcccg cctcatccca gggtttactc 1440
ctggcttggc agcgggcaat tctggaggcc ctgcaggaac cactgcacct agcactgcac 1500
ctggtgagga tacgaacccc caagggggcg ctgctgagcc aggccaccag cagtttatcc 1560
agcaaatgct gcaggccctc gccgggggtga accctcagct gcagagtcca gaagtcagat 1620
ttcaacagca actggaacag ctcatgtcaa tgggattctt gaagcgtgaa ccaaacttac 1680
aagcactgat agcaacaggg ggcgacatca atgcggccat tgaaagggtg ctgggtlccc 1740
agccgtcata gcagcatttc tgtatcctga aaaaatgtaa tttatttttg ataacggctc 1800
ttaaatcttt aaaataacct gctttatttc attgggatcc tgt 1843
  
```

<210> 102
 <211> 618
 <212> PRT
 <213> Rattus norvegicus

<220>
 <223> Nfxl

<400> 102

Met Ala Asp Glu Gly Lys Ser Tyr Asn Glu His Asp Asp Arg Val Ser
1 5 10 15

Phe Pro Gln Arg Arg Lys Lys Gly Arg Gly Pro Phe Arg Trp Lys Cys
20 25 30

Gly Val Gly Asn Arg Arg Ser Gly Arg Gly Gly Ser Gly Ile Arg Ser
35 40 45

Ser Arg Phe Glu Glu Asp Asp Gly Asp Val Ala Met Asn Asp Pro Gln
50 55 60

Asp Gly Pro Arg Val Arg Phe Asn Pro Tyr Thr Thr Arg Pro Asn Arg
65 70 75 80

Arg Arg Asp Thr Trp His Asp Arg Asp Arg Ile His Val Thr Val Arg
85 90 95

Arg Asp Arg Ala Pro Gln Glu Arg Gly Gly Ala Gly Thr Ser Gln Asp
100 105 110

Gly Thr Thr Lys Asn Trp Phe Lys Ile Thr Ile Pro Tyr Gly Lys Lys
115 120 125

Tyr Asp Lys Met Trp Leu Leu Ser Met Ile Gln Ser Lys Cys Ser Val
130 135 140

Pro Phe Asn Pro Ile Glu Phe His Tyr Glu Asn Thr Arg Ala His Phe
145 150 155 160

Phe Val Glu Asn Ala Thr Thr Ala Ser Ala Leu Lys Ala Val Asn Tyr
165 170 175

Lys Ile Gln Asp Arg Glu Asn Gly Arg Ile Ser Ile Ile Ile Asn Ser
180 185 190

EP 1 284 298 A2

	Ser	Ala	Pro	Pro	Tyr	Ile	Val	Gln	Asn	Glu	Leu	Lys	Pro	Glu	Gln	Val	
			195					200					205				
5	Glu	Gln	Leu	Lys	Leu	Ile	Met	Ser	Lys	Arg	Tyr	Asp	Gly	Ser	Gln	Gln	
		210					215					220					
	Ala	Leu	Asp	Leu	Lys	Gly	Leu	Arg	Ser	Asp	Pro	Asp	Leu	Val	Ala	Gln	
	225					230					235					240	
10	Asn	Ile	Asp	Val	Val	Leu	Asn	Arg	Arg	Gly	Cys	Met	Ala	Ala	Ala	Leu	
					245					250					255		
	Arg	Ile	Ile	Glu	Glu	Asn	Ile	Pro	Glu	Leu	Leu	Ser	Leu	Asn	Leu	Ser	
				260					265					270			
15	Asn	Asn	Arg	Leu	Tyr	Lys	Leu	Asp	Asp	Met	Ser	Ser	Ile	Val	Gln	Lys	
			275					280					285				
	Ala	Pro	Asn	Leu	Lys	Ile	Leu	Asn	Leu	Ser	Gly	Asn	Glu	Leu	Lys	Ser	
		290					295					300					
20	Glu	Trp	Glu	Leu	Asp	Lys	Ile	Lys	Gly	Leu	Lys	Leu	Glu	Glu	Leu	Trp	
	305					310					315					320	
	Leu	Asp	Arg	Asn	Pro	Met	Cys	Asp	Thr	Phe	Leu	Asp	Gln	Ser	Thr	Tyr	
					325					330					335		
25	Ile	Ser	Thr	Ile	Arg	Glu	Arg	Phe	Pro	Lys	Leu	Leu	Arg	Leu	Asp	Gly	
				340					345					350			
	His	Glu	Leu	Pro	Pro	Pro	Ile	Ala	Phe	Asp	Val	Glu	Ala	Pro	Thr	Met	
			355					360					365				
30	Leu	Pro	Pro	Cys	Lys	Gly	Ser	Tyr	Phe	Gly	Thr	Glu	Asn	Leu	Lys	Ser	
		370					375					380					
	Leu	Val	Leu	His	Phe	Leu	Gln	Gln	Tyr	Tyr	Ala	Ile	Tyr	Asp	Ser	Gly	
35	385					390					395					400	
	Asp	Arg	Gln	Gly	Leu	Leu	Asp	Ala	Tyr	His	Asp	Gly	Ala	Cys	Cys	Ser	
					405					410					415		
	Leu	Ser	Thr	Pro	Ser	Asn	Pro	Gln	Asn	Pro	Val	Arg	His	Asn	Leu	Ala	
40				420					425					430			
	Lys	Tyr	Phe	Asn	Asp	Ser	Arg	Asn	Val	Lys	Lys	Ile	Lys	Asp	Thr	Thr	
			435					440					445				
	Thr	Arg	Phe	Arg	Leu	Leu	Lys	His	Thr	Arg	Leu	Asn	Val	Val	Ala	Phe	
45	450						455					460					
	Leu	Asn	Glu	Leu	Pro	Lys	Thr	His	His	Asp	Val	Asn	Ser	Phe	Val	Val	
	465					470					475					480	
	Asp	Ile	Ser	Ala	Gln	Thr	Ser	Thr	Leu	Leu	Cys	Phe	Ser	Val	Asn	Gly	
50					485					490					495		
	Val	Phe	Lys	Glu	Val	Asp	Gly	Lys	Ser	Arg	Asp	Ser	Leu	Arg	Ala	Phe	
				500					505					510			
55	Thr	Arg	Thr	Phe	Ile	Ala	Val	Pro	Ala	Ser	Asn	Ser	Gly	Leu	Cys	Ile	
			515					520					525				

EP 1 284 298 A2

Val Asn Asp Glu Leu Phe Val Arg Asn Ala Ser Pro Glu Glu Ile Gln
530 535 540

5 Arg Ala Phe Ala Met Pro Ala Pro Thr Pro Ser Ser Ser Pro Val Pro
545 550 555 560

Thr Leu Ser Gln Glu Gln Gln Asp Met Leu Gln Ala Phe Ser Thr Gln
565 570 575

10 Ser Gly Met Asn Leu Glu Trp Ser Gln Lys Cys Leu Gln Asp Asn Asn
580 585 590

Trp Asp Tyr Thr Arg Ser Ala Gln Ala Phe Thr His Leu Lys Ala Lys
595 600 605

15 Gly Glu Ile Pro Glu Val Ala Phe Met Lys
610 615

<210> 103
<211> 2304
<212> DNA
<213> Rattus norvegicus

<220>
<223> Nfx1

25 <400> 103

30 attccatcct aatacgactc actatagggc tcgagcggcc gcccgggcag gtccaaggcg 60
tccgggtggt tgggtggcgtc aggttctgcg cctgagcccg ccctgtgacc tgccgtgccc 120
atggcggacg aagggaagtc atacaacgaa catgatgacc gtgttagttt cccacaaaga 180
agaagaaag gtccggggcc tttccgatgg aagtgtggtg tggggaatcg taggtctgga 240
agagggtggt ctggtatcac gtcttcccgg tttgaggaag atgatggaga tgtggcaatg 300
aatgatcccc aggatggccc ccgagtgaga ttcaaccctt ataccacccg acctaaccgt 360
cggagagata cttggcatga tcgagatcgg attcatgtta ctgtacggag agacagagct 420
cctcaagaaa gaggaggtgc tggcaccagt caagatggga ccaccaagaa ctggttcaag 480
attacaattc cttatggcaa aaagtatgat aaaatgtggc ttctgagcat gattcaaagc 540
aagtgcagtg tccccttcaa ccccatgtag ttctactatg aaaatacacg ggccccatgtt 600
35 tttgtggaaa atgccactac cgcttctgca ttaaaggctg tcaactataa gattcaggat 660
cgagaaaacg gaaggatata tatcatcctc aactcttctg ctccacccta tattgtacag 720
aatgaactga agcctgaaca agtagagcag ctcaagctga tcatgagcaa acgatatgat 780
ggctcccagc aagcacttga cctcaagggc ctccgctcag acccagattt ggtggcccag 840
40 aacatcgatg ttgttctaaa ccgtagaggg tgtatggcag ccgcccctgag gatcattgaa 900
gagaacattc ctgagctatt gtctttgaac ttgagtaaca acaggctgta caagcttgat 960
gacatgtcca gcattgtaca gaaggcacca aacttaaaga tcttgaatct ctctggaaac 1020
gaattgaagt ccgagtggga attagacaag ataaaagggc tgaagctgga agagctgtgg 1080
cttgacagaa accccatgtg tgacaccttc ctagaccagt ccacctatat cagcaccatt 1140
cgcgaaacgat ttcccaagtt attacgcctg gatggccatg agctaccccc tccaattgcc 1200
45 tttgatgtcg aagcccctac tatgttacca ccctgcaagg gaagctattt tggaacagag 1260
aacctaaaga gtctggtcct gcacttcttg cagcagtact atgcaattta tgactcagga 1320
gaccgccagg gtcttctgga tgccctaccat gatggcgcct gttgtctgct aagcactcct 1380
tccaaccctc agaaccctgt ccgacacaac ttacgcaaact acttcaatga cagcagaaat 1440
gtgaagaaga ttaaagatac caccacgcgg ttccggctat taaagcatac acgtcttaat 1500
gtcgttgcct tccctcaatga gttacctaata actcaccatg acgttaactc ctttgtggta 1560
50 gatataagtg cccaaacaag cacattgttg tgtttttctg tcaatggagt cttcaaggaa 1620
gtggacggga agtctcgaga ttctttacgt gctttcaca gaacgttcat tgcgtgtcct 1680
gccagcaatt cagggtatg tttgttaaat gcagcaattat ttgtgcggaa cggcagcctt 1740
gaagaaatcc aaagagcctt cgccatgcct gcacccacac cttcttccag ccagtagccc 1800
acactctccc aagaacagca ggatatgtta caagcatttt ctacccagtc tggcatgaac 1860
55 ctcgagtggg ctccagaagt ccttcaagac aataactggg actacaccag atctgcccag 1920
gccttcactc atctcaaggc caaggagag attccagaag tagcgtttat gaaatgatct 1980

EP 1 284 298 A2

caagaaaagt ccccttgtaa atagcccttg gataatattg tctggctgtc atctgcggac 2040
tcctgtccag cccgaggcca cmctgtaact gtgactgggg aggaagggct gcytcateck 2100
tcctcaccta ccttctggaa gmcttagcag aagacttccg gaagattgag cctctatggg 2160
gccagggaagc caaagcttac tttgtagagc tdgacrcata attaccggaa ggacttaggt 2220
gctctgtgta cttaacccca gsattccctt tactttttaa gataaagagt gatattgtag 2280
tgtgtgtccc aaaaaaaaaa aaaa 2304

<210> 104
<211> 175
<212> PRT
<213> Rattus norvegicus

<220>
<223> Alpha B-crystallin

<400> 104
Met Asp Ile Ala Ile His His Pro Trp Ile Arg Arg Pro Phe Phe Pro
1 5 10 15
Phe His Ser Pro Ser Arg Leu Phe Asp Gln Phe Phe Gly Glu His Leu
20 25 30
Leu Glu Ser Asp Leu Phe Ser Thr Ala Thr Ser Leu Ser Pro Phe Tyr
35 40 45
Leu Arg Pro Pro Ser Phe Leu Arg Ala Pro Ser Trp Ile Asp Thr Gly
50 55 60
Leu Ser Glu Met Arg Met Glu Lys Asp Arg Phe Ser Val Asn Leu Asp
65 70 75 80
Val Lys His Phe Ser Pro Glu Glu Leu Lys Val Lys Val Leu Gly Asp
85 90 95
Val Ile Glu Val His Gly Lys His Glu Glu Arg Gln Asp Glu His Gly
100 105 110
Phe Ile Ser Arg Glu Phe His Arg Lys Tyr Arg Ile Pro Ala Asp Val
115 120 125
Asp Pro Leu Thr Ile Thr Ser Ser Leu Ser Ser Asp Gly Val Leu Thr
130 135 140
Val Asn Gly Pro Arg Lys Gln Ala Ser Gly Pro Glu Arg Thr Ile Pro
145 150 155 160
Ile Thr Arg Glu Glu Lys Pro Ala Val Thr Ala Ala Pro Lys Lys
165 170 175

<210> 105
<211> 6806
<212> DNA
<213> Rattus norvegicus

<220>
<223> Alpha B-crystallin

<400> 105
gggaagagca gcctatgact ttctgcccac acggacgcca ttcggtctac caggttacag 60
acaggagcag cacaacaag gccctagat ttgtgttat ttagcctcac ccagaattaa 120

	atcgaaggct	acgattcatc	aagggaccaa	accatacact	gtgggaccatg	cacctatccc	180
	atctcccagg	aatgctgctc	cctctggggg	gtgggtggatt	tctggaatca	ccacggggagg	240
	tagacagggg	attcaccggg	ttctgggtct	ggcagtcagg	gttcaactct	ggctacctct	300
5	tcctcttctc	cggggtcagg	aggtgcagga	agcagggaga	tgtagacctc	attgacttcc	360
	gtgtccagat	gcccgccacc	ccgcggtgcc	tccaagttaa	ggatgccatc	atggggagaga	420
	gcagctctga	cccgcacagg	gtccacatct	gcaggcagga	cataggttgc	gacagaactc	480
	tcgggacacg	aagccgtggc	gtccagacgt	tgggggtgtc	gggcagacac	tctagcaggt	540
	tgtccacagt	cctcacggtc	acctcatctg	gggtaaagtg	gctcacatcc	agaaatgcct	600
	ggaacttgcc	ttcactgagc	ctgagctctg	aggcccctgc	cctgccgccc	tccccagctc	660
10	ctggcgggcc	ggggccgaac	atagtagcca	tggtagaggg	tgggggtcag	gatctcttct	720
	ggcaggaggc	ctgggagcag	agaaagaaa	agaaggcaag	aggcaggatg	aggaagaatg	780
	cagcggcgac	agtgaaggct	gaaaggcgat	atctggagat	atgggctaga	agagcagggt	840
	ggaaactgta	gaggggctgg	gaaaggagag	gagatggtta	cggaaaaagc	gagctggaac	900
	tggaggacag	aagcaaaacc	agaaaatact	ctgaagcgtg	caaggcccgg	acaccgaaag	960
	ccctgccgat	ctaaagtttg	gtcctgaagt	ctgttagcaa	gaccagagag	agtcttgctt	1020
15	gaggggggag	tctggggtgg	gagatggctc	acctcaggag	ttcacttaag	ccccaggtag	1080
	agtggaggcc	agtgaaagctg	ggcagtgagc	ccagaaattc	cggaggtggg	ggtaggaagc	1140
	atctgagcca	taccttctcc	gaagcgtctg	tcgccccagg	cggctagggt	tggcaaattc	1200
	gtactcggca	gtggctgggt	gggcgtgtgg	cactgtgcgg	cccagacatg	ctgctgttgc	1260
	gactagtagc	cctgatccca	agtgtagccc	caacaagatc	aaggcgaccc	ctccagcttc	1320
20	agaggagagc	ccaggactca	gtcagagtgg	gggcggggtc	tacaccaccg	aaatatgtgc	1380
	agagcgtctg	ggggatgggg	gaggggtggg	agcctaagtc	tagagtgcag	ctatgagggt	1440
	gtgatcagcg	ctgcctggac	cccctaagtc	ccctcctctg	tatacccttc	agctgtcgca	1500
	taggcctgga	agaacagctg	agggtcctgg	tcctagagta	agctgggaag	agaaactggg	1560
	gcgctgcagg	agggcaagga	gaggcctggt	tgggcccttc	accaattgta	cattccacat	1620
	caccctttgt	ccttatcagt	ctcaggcact	gagcacatta	cttagaaaaa	aaaaaaaaaa	1680
25	gacaatgttc	tatgagccac	agaacgtcaa	aaatacaaga	aacattttct	gtctttttta	1740
	tgtcagggtc	ttctgaacct	agatcaactc	ggggttccag	tcagacacct	agttctgaca	1800
	tattgggtgt	cacagctctc	ctctgggact	ccacaaagag	ttaatgtccc	tgggctcagc	1860
	ccagggaagat	tccagcctct	ccccaggccc	aagatagtgt	ctggctcaat	tccccgggca	1920
	tgcaagactg	gagaggagga	ggggcccacc	agcagctgct	tgggattcca	gaccctgtcc	1980
	tggctccaga	gaacaaggat	gggggtgggtg	ggtgccacta	ggtgtggaca	gagagctagt	2040
30	gaaacaagac	cgtgacaagt	caccggccag	ctcagccctg	ccccgtgttt	ctcttttctt	2100
	agctcagtga	gtactgggta	tgtgtcacc	tgccaaatcc	ctgatcaca	gtccccatga	2160
	actgtcgggg	agctgggata	ataaaaaccc	tgacatcacc	gttcagaaag	cttcacaga	2220
	ctgcatatat	aaggggcagg	ctgtagcagc	ggctgaagga	gttgaccggc	taaccgactc	2280
	tacactcatc	tagccatcat	ggacatagcc	atccaccacc	cctggatccg	gcgtcccttc	2340
35	tttcttttcc	actceccaag	cgcctctttt	gaccagtctt	tcggagagca	cctgttggag	2400
	tctgacctct	ctctacagc	cacttccttg	agcccttctt	accttcggcc	acctctcttc	2460
	ctgcgggcac	ctagctggat	tgacactggg	ctctcagagg	taagtctccc	ttgtgccagg	2520
	gcaggaaatac	gtatccttcc	tggctctctc	attcctttgc	cctttcaccc	tgcctaagtc	2580
	atttttaggca	tgtgcgtgtg	caaaggatca	gagaaatgag	gttactgttc	tcttctctgt	2640
	gcacctgttc	tgttgatgtc	cctgttctctg	gtccatttct	tgtgcatggt	gcctcttctt	2700
40	cctctttcaa	ctcctttacc	cacctcttta	atagctccag	tcctggcaga	ttttatcatc	2760
	tcaaactgta	gagatcagat	agaaaccac	tcattctggg	cttttctctg	cttcttttct	2820
	ccccacttcc	ttttgatgga	gctggatata	tcaatcaata	ttctctctct	ctctctctct	2880
	ctctctctct	ctctctctct	ctctctctct	ccttgccctat	gactttccgg	gttctctcgg	2940
	gctgagacag	tgcattgact	tcagtccatg	ccttaagagg	accgctcttg	ggaagccctg	3000
	acttcttatc	tcagcagcgt	gggagataag	attaacagag	gttgctcacag	ataacactgt	3060
45	ggtttaaaaa	tattcgctgtg	tgaggaaaca	ggagctgagt	gagcaagggc	tttggaagga	3120
	cagaacatcc	cagatcgagt	gggttggaaa	cttggcaggc	aactgaacaa	gaaaaagggg	3180
	gcttttgggt	tatagacaaa	tgacaaagcc	agcactgggt	agagaggcag	cagatgccat	3240
	ccccagacc	attcttgtga	ctagtctcct	actgaccctg	cttcttccct	gtgcctctcg	3300
	gtaaagtgtg	ggactgatgg	atgactaaga	ggfghctttt	gggtatcacc	atgggtggctc	3360
	acatatacca	gtgtcactag	tcaataagag	gatttttccc	ccagcagcca	ggtagaggat	3420
50	ggattaccag	ggcaggaagt	aaatctcctg	gacgatgagc	cttctccagc	ttaatggaca	3480
	ttctaccatc	ttttctctc	cgcccccttg	ttattctaga	tgcgtatgga	gaaggacagg	3540
	ttctctgtga	acctggacgt	gaagcacttc	tctccagagg	aactcaaagt	caaggttctg	3600
	ggagacgtga	ttgaggtgca	cggcaagcac	gaagagcgcc	aggtgtgtgg	acctttctgc	3660
	cttctcttgt	gaattcattt	agtgcctgtc	tggatgccag	ggactgccgc	caccagcctc	3720
	tgaggctggc	agaattccag	tcccaaaca	taagactaga	tcaggagtta	tagatcaatg	3780
55	gctgggaaac	aagttagggc	tagatctgct	gttagtgttg	tggctgtgct	gagagaactt	3840

5 tccccgggat gttcccttttg attgccttgt cttgtccagt gacgtcagaa tagcagaaga 3900
 attctcaaca tttcccaaccc tcagcacatc ctaggccaat tgaatctgaa gtttttaggga 3960
 catagctcag gcatcaacct ttaaacaacaa actcactcct tgggtacttt 4020
 ctgtacccca aactggcagc cattgctcta ggcacagtgt gctgtacata atggctctgc 4080
 gaaatgacag tcaccacgga gtcgaaggca ataaaatctg tggcttttga atgttcagga 4140
 ttccatgcct cttctgctca gtttaattgt atgctacttg gtttgtctgc ttttcagagc 4200
 ttcaggctta tggctgtgag gaagttaatt gagatttgtt tgtgtggatg cttgggggtac 4260
 ttgggattca ataggttaaca ggattagcat ccacaattcc tcttgcatth ttagcatttt 4320
 tttttcttga cttcttaaaa aggtgttatg attgcttctt aaaaattaat gacttggggg 4380
 10 gctggggatt tagctcagtg gtagagcgtt tacctaggaa gcgcaaggtc ctgggttcgg 4440
 tccccagctc cgaaaaaaa gaacaaaaaa aaaaaaatt aatgacttgg ggttggggat 4500
 ttagctcagc ggtagagcgt ttgcctagca agcgcaaggc cctgggttca gtccccagct 4560
 ccgaaaaaaa gaaaagaaaa aaaaattaat gacttagggc ctggagagat ggctcagcag 4620
 ttaaaagcac tgaccgctct tccagaggtc ctgcatacaa tccccagcaa ccacatggtg 4680
 gctcacaaac atctgtaatt ggatccaatg ccctcttcg gcatgcaggt gtacatgcag 4740
 15 atagagtgtc catacataaa attaaaaaaa tcttaacaaa aaataactca gctgtgccgt 4800
 ggtgtgtcat gcctttaatc ccaacatttg ggaggcagag gtagacagat ctaagttaga 4860
 ggccagctta gactacagaa tgagttccag gagagcagga gctcaacaga gaaaccctac 4920
 ttatctcaaa caaaacaaaa aacaaaaatc aatacctcgg ttttgcctcat gatttaggac 4980
 tggaccacag tgtcactgat agggtcacct tatataatat cagcaatatt atactagaaa 5040
 cattctgaga cttccttgag caattagaac aatttatggg cttcctataa gatcacagaa 5100
 20 tactcggggg tggggatttg gctcagtggt agagcgtttg cctaggaagc gcaaggtcct 5160
 gggttcggtc ccagccctg aaaaaaagaa aaaagaaaaa aaaaaaagat acagacatac 5220
 tcaatgcaa agtgggagtc taaattccat ggtccagtca acatggattc attcctttgt 5280
 ggaaatgccc tgaattgtag ttgtgtctcc gaatatgaag atctatgaaa ttccggggctg 5340
 tttcagattt cctacactct gattggtagg ttgtccatc tggacagttt attctagcct 5400
 25 taaacctgga caaacagctc tggacttagc tatctgcata tttacagtgt tggagggtgaa 5460
 ctcaggcctt tcaactactag actgaatccc cagctccaga ttttttttcc ccccttaggg 5520
 ccttttgttc taacccaagg gcaggggatg tctagagtct ggggcaagtg gtggtatttc 5580
 ctgctcttat tctctccct tgccttcctat tctctcggat taggacgaac atggcttcat 5640
 ctcacgggag ttccacagga agtaccggat ccagccgac gtggatcctc tcaccattac 5700
 ttcttccctg tcatcggtat gagtcctcac tgtgaatgga ccaaggaaac aggcctctgg 5760
 30 ccctgagcgc accattcca tcaccctgta agagaagcct gctgtcactg cagcccctaa 5820
 gaagtagatt ccttttctc gttgcatttt ttaagacaag gaagtttccc atcagcgaat 5880
 gaacatctgt gactagtgc gaagcttact aatgctaagg gctggcccag attattaagc 5940
 taataaaaaa tatcgttcag caacagacct gcctcgtctt tgcaaaccca gtgtgcttta 6000
 aaccaatctg caaacatagc agatctgctg atccccaccc tgtgattcag ggggctccga 6060
 ggatacgttt ggtcagagtg attggctcca gaactttgta cagtacaaac ccagggaaaa 6120
 35 ccattcactc tctgtgtatt ccagcttcca ttttataaca cactgtactg gtttagacag 6180
 agtcttagga gtagactaag aaggagaaaa tgggtgacgtc ccagcagggt catgatgaat 6240
 cagctctggc taactccaca taaaagactt cagtgcattt ctgaagatta attacttcac 6300
 cagggggaca cgggtggcctt ggtgttattt gaagagtgtc ctcagctaatt tcacaggaca 6360
 gtaaatagct cgtgggtggt gactgtcgaa cgagagagcc tctcgggaat ggcacagagt 6420
 40 aatcaacaga taccttttaa accgagacca ttctctacca aacatgaaaa tgacaataaa 6480
 ggggtccagca aaaaaacaaa caccaaaatc agaagaacat cttcctccta aagttactaa 6540
 cccctggggt gggggggaagc ccacacaaaa tagaaacccc ccaaaaacct ctctccattt 6600
 taatgggtct agacatagtt tctgtcagat tacactgagc cctgctaccc gatattctggc 6660
 aagcctgtag caccagttct catctctcct gtgttaactt taggttcaat tgaggatgtg 6720
 45 ccttttgaag atttttttta ttttagtaatt attatttttt tataaaaactt gataaaaaat 6780
 agtatttcca actgtacagt cactag 6806

<210> 106

<211> 646

<212> PRT

50 <213> Rattus norvegicus

<220>

<223> Heat shock cognate protein 70

<400> 106

55 Met Ser Lys Gly Pro Ala Val Gly Ile Asp Leu Gly Thr Thr Tyr Ser

EP 1 284 298 A2

	1		5		10		15									
	Cys	Val	Gly	Val	Phe	Gln	His	Gly	Lys	Val	Glu	Ile	Ile	Ala	Asn	Asp
5			20					25						30		
	Gln	Gly	Asn	Arg	Thr	Thr	Pro	Ser	Tyr	Val	Ala	Phe	Thr	Asp	Thr	Glu
			35					40					45			
10	Arg	Leu	Ile	Gly	Asp	Ala	Ala	Lys	Asn	Gln	Val	Ala	Met	Asn	Pro	Thr
		50					55					60				
	Asn	Thr	Val	Phe	Asp	Ala	Lys	Arg	Leu	Ile	Gly	Arg	Arg	Phe	Asp	Asp
	65					70					75				80	
15	Ala	Val	Val	Gln	Ser	Asp	Met	Lys	His	Trp	Pro	Phe	Met	Val	Val	Asn
					85					90					95	
	Asp	Ala	Gly	Arg	Pro	Lys	Val	Gln	Val	Glu	Tyr	Lys	Gly	Glu	Thr	Lys
			100					105						110		
20	Ser	Phe	Tyr	Pro	Glu	Glu	Val	Ser	Ser	Met	Val	Leu	Thr	Lys	Met	Lys
			115					120					125			
	Glu	Ile	Ala	Glu	Ala	Tyr	Leu	Gly	Lys	Thr	Val	Thr	Asn	Ala	Val	Val
		130					135					140				
25	Thr	Val	Pro	Ala	Tyr	Phe	Asn	Asp	Ser	Gln	Arg	Gln	Ala	Ala	Lys	Asp
	145					150				155					160	
	Ala	Gly	Thr	Ile	Ala	Gly	Leu	Asn	Val	Leu	Arg	Ile	Ile	Asn	Glu	Pro
				165						170					175	
30	Thr	Ala	Ala	Ala	Ile	Ala	Tyr	Gly	Leu	Asp	Lys	Lys	Val	Arg	Ala	Glu
			180						185					190		
	Arg	Asn	Val	Leu	Ile	Phe	Asp	Leu	Gly	Gly	Gly	Thr	Phe	Asp	Val	Ser
			195					200					205			
35	Ile	Leu	Thr	Thr	Glu	Asp	Gly	Ile	Phe	Glu	Val	Lys	Ser	Thr	Ala	Gly
		210					215					220				
	Asp	Thr	His	Leu	Gly	Gly	Glu	Asp	Phe	Asp	Asn	Arg	Met	Val	Asn	His
	225				230						235				240	
40	Phe	Ile	Ala	Glu	Phe	Lys	Arg	Lys	His	Lys	Lys	Asp	Ile	Ser	Glu	Asn
				245						250					255	
	Lys	Arg	Ala	Val	Arg	Arg	Leu	Arg	Thr	Ala	Cys	Glu	Arg	Ala	Lys	Arg
			260					265						270		
45	Thr	Leu	Ser	Ser	Ser	Thr	Gln	Ala	Ser	Ile	Glu	Ile	Asp	Ser	Leu	Tyr
		275					280						285			
	Glu	Gly	Ile	Asp	Phe	Tyr	Thr	Ser	Ile	Thr	Arg	Ala	Arg	Phe	Glu	Glu
		290					295					300				
50	Leu	Asn	Ala	Asp	Leu	Phe	Arg	Gly	Thr	Leu	Asp	Pro	Val	Glu	Lys	Ala
	305					310					315				320	
	Leu	Arg	Asp	Ala	Lys	Leu	Asp	Lys	Ser	Gln	Ile	His	Asp	Ile	Val	Leu
55				325						330				335		

EP 1 284 298 A2

	Val Gly Gly Ser Thr Arg Ile Pro Lys Ile Gln Lys Leu Leu Gln Asp	
	340	345 350
5	Phe Phe Asn Gly Lys Glu Leu Asn Lys Ser Ile Asn Pro Asp Glu Ala	
	355	360 365
	Val Ala Tyr Gly Ala Ala Val Gln Ala Ala Ile Leu Ser Gly Asp Lys	
	370	375 380
10	Ser Glu Asn Val Gln Asp Leu Leu Leu Leu Asp Val Thr Pro Leu Ser	
	385	390 395 400
	Leu Gly Ile Glu Thr Ala Gly Gly Val Met Thr Val Leu Ile Lys Arg	
		405 410 415
15	Asn Thr Thr Ile Pro Thr Lys Gln Thr Gln Thr Phe Thr Thr Tyr Ser	
		420 425 430
	Asp Asn Gln Pro Gly Val Leu Ile Gln Val Tyr Glu Gly Glu Arg Ala	
		435 440 445
20	Met Thr Lys Asp Asn Asn Leu Leu Gly Lys Phe Glu Leu Thr Gly Ile	
	450	455 460
	Pro Pro Ala Pro Arg Gly Val Pro Gln Ile Glu Val Thr Phe Asp Ile	
	465	470 475 480
25	Asp Ala Asn Gly Ile Leu Asn Val Ser Ala Val Asp Lys Ser Thr Gly	
		485 490 495
	Lys Glu Asn Lys Ile Thr Ile Thr Asn Asp Lys Gly Arg Leu Ser Lys	
		500 505 510
30	Glu Asp Ile Glu Arg Met Val Gln Glu Ala Glu Lys Tyr Lys Ala Glu	
		515 520 525
	Asp Glu Lys Gln Arg Asp Lys Val Ser Ser Lys Asn Ser Leu Glu Ser	
	530	535 540
35	Tyr Ala Phe Asn Met Lys Ala Thr Val Glu Asp Glu Lys Leu Gln Gly	
	545	550 555 560
	Lys Ile Asn Asp Glu Asp Lys Gln Lys Ile Leu Asp Lys Cys Asn Glu	
		565 570 575
40	Ile Ile Ser Trp Leu Asp Lys Asn Gln Thr Ala Glu Lys Glu Glu Phe	
		580 585 590
	Glu His Gln Gln Lys Glu Leu Glu Lys Val Cys Asn Pro Ile Ile Thr	
	595	600 605
45	Lys Leu Tyr Gln Ser Ala Gly Gly Met Pro Gly Gly Met Pro Gly Gly	
	610	615 620
	Phe Pro Gly Gly Gly Ala Pro Pro Ser Gly Gly Ala Ser Ser Gly Pro	
	625	630 635 640
	Thr Ile Glu Glu Val Asp	
		645
55	<210> 107	

EP 1 284 298 A2

<211> 2242
<212> DNA
<213> Rattus norvegicus

<220>
<223> Heat shock cognate protein 70

<400> 107

```

atgcactttc aaagtagtga gaaaattttg atgttttcta atacatagaa atgatatcat 60
taaaaggcag atgtggctca ttgaacgcag agccagctct cgggggtctc tgtgtggtct 120
cgtcatcagc acagctgggc ctacacgcaa gcaaccatgt ctaaggggacc tgcagttggc 180
attgatcttg gcaccaccta ctctgtgtg ggtgtcttcc agcatggaaa ggtggaaata 240
attgccaatg accagggtta ccgcaccacg ccgagctatg ttgctttcac cgacacagaa 300
cgattaattg gggatgcggc caagaatcag gttgcaatga accccaccaa cacagttttt 360
gatgccaaac gtctgatcgg acgtagggtt gatgatgctg ttgttcagtc tgacatgaag 420
cactggccct tcatgggtgt gaacgatgca ggcaggccca aggtccaagt cgaatacaaa 480
ggggagacaa aaagtttcta tcctgaggaa gtgtcttcaa tggttctgac aaaaatgaag 540
gaaattgcag aagcttacct tggaaagact gttaccaatg ccgtgggtcac cgtgccagct 600
tacttcaatg actctcagcg acaggcagca aaagatgctg gaactattgc tggcctcaac 660
gtacttcgaa ttatcaatga gccaaactgct gctgctattg cctatggctt agataagaag 720
gtcagggttg aaaggaatgt gctcattttt cacttgggag gtggcacttt tgatgtgtca 780
attctgacta ctgaggatgg aatttttgaa gtcaaataca cagctggaga caccacttgg 840
ggcggagaag actttgacaa ccgaatggtc aaccatttca ttgctgagtt taagcgaaag 900
cacaagaagg acatcagtgga gaacaagaga gctgtcaggc gtctccgcac tgcctgtgag 960
cgggccaaagc gcaccctctc ctccagcacc caggccagta ttgagattga ttctctctat 1020
gaggggaattg acttctacac ctccattacc cgtgctcgat ttgaggagtt gaatgctgac 1080
ctgttccgtg gcacactgga ccctgtagag aaggcccttc gagatgccaa actagacaag 1140
tcacagatcc atgatattgt cctgggtggg gtgtctacca gaatcccaa gatccagaaa 1200
cttctgcaag acttcttcaa tggaaaagag ctgaataaga gcattaaccc cgatgaagct 1260
gttgccctat gtgcagctgt ccaggcagcc attctatctg gagacaagtc tgagaatggt 1320
caggatttgc tgcctttgga tgtcactcct ttttcccttg ggattgaaac tgctgtgga 1380
gtcatgactg tcctcatcaa gcgcaatacc accattccca ccaagcagac ccagactttc 1440
accacctact ctgacaacca gccagggtgta ctcatccagg tgtatgaagg tgaaagggcc 1500
atgaccaagg acaacaacct gcttgggaag tttgagctca caggcatacc tccagcacc 1560
cgtgggggttc ctgagattga ggttactttt gacattgatg ccaatggcat cctcaatggt 1620
tctgctgtag ataagagcac aggaaggag aacaagatca ccatcaccaa tgacaagggc 1680
cgcttgagta aggaggatat tgagcgcatg gtccaagaag ctgagaagta caaagctgag 1740
gatgagaagc agagagataa ggtttcctct aagaactcgc tggagtctta tgctttcaac 1800
atgaaagcaa ctgttgagga tgagaaactt caaggcaaga tcaatgatga agacaaacag 1860
aagattcttg acaagtgcac cgaaatcatc agctggctgg ataagaacca gactgcggag 1920
aaggaagaat ttgagcatca gcagaaagaa ctggagaagg tctgcaaccc tatcatcacc 1980
aagctgtacc agagtgtctg tggcatgcct ggaggaatgc ctggtggctt ccctggcgga 2040
ggagctcctc catctggttg tgccttctca ggccccacca ttgaagaggt cgattaagtc 2100
aaagtagagg gtgtagcatt gtccacagg gacccaaaac aagtaacatg gaataaaaa 2160
actattttaa ttggcacaaa aaaaaaaaaa aaacaggaga tgtggtgact cagctgtaat 2220
cccgccactt aggaagctga gg

```

<210> 108
<211> 374
<212> PRT
<213> Rattus norvegicus

<220>
<223> Tau microtubule associated protein

<400> 108

```

Met Ala Glu Pro Arg Gln Glu Phe Asp Thr Met Glu Asp Gln Ala Gly
  1             5             10             15
Asp Tyr Thr Met Leu Gln Asp Gln Glu Gly Asp Met Asp His Gly Leu
55             20             25             30

```

EP 1 284 298 A2

	Lys	Ala	Glu	Glu	Ala	Gly	Ile	Gly	Asp	Thr	Pro	Asn	Met	Glu	Asp	Gln	
			35					40					45				
5	Ala	Ala	Gly	His	Val	Thr	Gln	Ala	Arg	Val	Ala	Gly	Val	Ser	Lys	Asp	
		50					55					60					
	Arg	Thr	Gly	Asn	Asp	Glu	Lys	Lys	Ala	Lys	Gly	Ala	Asp	Gly	Lys	Thr	
		65				70					75					80	
10	Gly	Ala	Lys	Ile	Ala	Thr	Pro	Arg	Gly	Ala	Ala	Thr	Pro	Gly	Gln	Lys	
				85						90					95		
	Gly	Thr	Ser	Asn	Ala	Thr	Arg	Ile	Pro	Ala	Lys	Thr	Thr	Pro	Ser	Pro	
				100					105					110			
15	Lys	Thr	Pro	Pro	Gly	Ser	Gly	Glu	Pro	Pro	Lys	Ser	Gly	Glu	Arg	Ser	
			115					120					125				
	Gly	Tyr	Ser	Ser	Pro	Gly	Ser	Pro	Gly	Thr	Pro	Gly	Ser	Arg	Ser	Arg	
		130					135					140					
20	Thr	Pro	Ser	Leu	Pro	Thr	Pro	Pro	Thr	Arg	Glu	Pro	Lys	Lys	Val	Ala	
		145				150					155					160	
	Val	Val	Arg	Thr	Pro	Pro	Lys	Ser	Pro	Ser	Ala	Ser	Lys	Ser	Arg	Leu	
25					165					170					175		
	Gln	Thr	Ala	Pro	Val	Pro	Met	Pro	Asp	Leu	Lys	Asn	Val	Arg	Ser	Lys	
				180					185					190			
	Ile	Gly	Ser	Thr	Glu	Asn	Leu	Lys	His	Gln	Pro	Gly	Gly	Gly	Lys	Val	
30			195				200						205				
	Gln	Ile	Ile	Asn	Lys	Lys	Leu	Asp	Leu	Ser	Asn	Val	Gln	Ser	Lys	Cys	
		210					215					220					
	Gly	Ser	Lys	Asp	Asn	Ile	Lys	His	Val	Pro	Gly	Gly	Gly	Ser	Val	Gln	
35		225				230					235					240	
	Ile	Val	Tyr	Lys	Pro	Val	Asp	Leu	Ser	Lys	Val	Thr	Ser	Lys	Cys	Gly	
				245					250						255		
	Ser	Leu	Gly	Asn	Ile	His	His	Lys	Pro	Gly	Gly	Gly	Gln	Val	Glu	Val	
40				260					265					270			
	Lys	Ser	Glu	Lys	Leu	Asp	Phe	Lys	Asp	Arg	Val	Gln	Ser	Lys	Ile	Gly	
			275				280						285				
	Ser	Leu	Asp	Asn	Ile	Thr	His	Val	Pro	Gly	Gly	Gly	Asn	Lys	Lys	Ile	
45			290				295					300					
	Glu	Thr	His	Lys	Leu	Thr	Phe	Arg	Glu	Asn	Ala	Lys	Ala	Lys	Thr	Asp	
		305				310					315					320	
	His	Gly	Ala	Glu	Ile	Val	His	Lys	Ser	Pro	Val	Val	Ser	Gly	Asp	Thr	
50					325					330					335		
	Ser	Pro	Arg	His	Leu	Ser	Asn	Val	Ser	Ser	Thr	Gly	Ser	Ile	Asp	Met	
				340					345					350			
55	Val	Asp	Ser	Pro	Gln	Leu	Ala	Thr	Leu	Ala	Asp	Glu	Val	Ser	Ala	Ser	

355

360

365

Leu Ala Lys Gln Gly Leu
370

<210> 109
<211> 5240
<212> DNA
<213> Rattus norvegicus

<220>
<223> Tau microtubule associated protein

<400> 109

```

15 cctccccctgg ggaggttcgc gttccccgtgg ctgcgcctg ctgcccgcg gcctcgagaa 60
   cgcgctctct cgcccgcgyc gctcacagtc tccgccaccc accagctcca gcaccagcag 120
   cagcgccggc gccaccgccc accttctgct gtcgcgcgcy ccacaaccac ctccccctcc 180
   gctgtcctct tctgtcctcg cctcctgtcg attatcaggc tttgaagcag catggctgaa 240
   ccccgccagg agtttgacac aatggaagac caggcgggag attacactat gctccaagac 300
   caagaaggag acatggacca tggcttaaaa gctgaagaag caggcatcgg agacaccccg 360
20 aacatggagg accaagctgc tgggcatgtg actcaagctc gagtggccgg cgtaagcaaa 420
   gacaggacag gaaatgacga gaagaaagcg aagggggccg atggcaaaac gggggcgaa 480
   atcgccacac ctccggggagc agccactccg ggccagaaag gcacatccaa tgccaccagg 540
   atcccagcca agaccacacc cagcccaaa gactctccag gatcagggtga accaccaaaa 600
   tccggagaac gaagcggcta cagcagcccc ggctcgcccg gaacccttg cagtcgctcc 660
25 cgtaccccat cctaccaac gccgcccacc cgagagccca aaaaggtggc agtggttcgc 720
   actcccccta agtcaccgtc tgccagtaag agccgcctac agactgcccc tgtgcccatt 780
   ccagaccta agaagctcag gtccaagatt ggctccactg agaacctgaa gcaccagccg 840
   ggaggcgga aggtgcagat aattaataag aagctggatc ttagcaacgt ccagtcgaag 900
   tgtggctcaa aggacaatat caaacacgtc ccgggaggag gcagtgtgca aatagtctac 960
   aagccagtgg acctgagcaa ggtgacctcc aagtgtggtt ccttagggaa catccatcac 1020
30 aagccaggag gtggccagggt agaagtaaaa tcagagaagc tggacttcaa ggatagagtc 1080
   cagtcgaaga ttggtcctt ggataacatc acccatgtcc ctggaggagg gaataagaag 1140
   attgaaaccc acaagctgac cttcaggagg aatgccaaag ccaagacaga ccatggagca 1200
   gaaatcgtgc acaagtcacc tgtggtgtct ggggacacat ctccacggca cctcagcaac 1260
   gtctcctcca cgggcagcat cgacatggtg gactctccac agcttgccac gttagccgat 1320
   gaagtgtccg cctctttggc caagcagggt ttgtgatcag gcccctgggg ccgtcactga 1380
35 tcatggagag aagagagagt gagagtgtg aaaaaaaa aaaaagaatg acctggcccc 1440
   tcacctctg cctccccgc tgcctctcat agacaggctg accagcttgt cacctaacct 1500
   gcttttgtgg ctccgggttg gctcgggact tcaaaatcag tgatgggaaa aagtaaat 1560
   catcttcca aattgatttg tgggctagta ataaatatt ttaagggaag gaaaaaaaaa 1620
   acacgtaaaa ccatggccaa aaaaaaccca acatttcctt ggcaattgtt attgaccccg 1680
40 cccccctc tgagttttag aggtgaagg aggctttgga tagaggctgc ttctggggat 1740
   tggctgaggg actagggcaa ctaattgccc acagcccat cttaggggca tcagggacag 1800
   cggcagacat gaaagacttg ggacttggtg tgtttgtgga gccgtaaggc gtatgttaac 1860
   tttgtgtggg tttgaggag gactgtgata gtgaaggctg agagatgggt gggctgggag 1920
   tcagaggaga gagtgagga agacaggttg ggagaggggg cattgcgtcc ttgccaagga 1980
   gcttgggaag cacaggtagc cctggctgca gcagtcttag ctagcacaga tgcctgctg 2040
45 agaaagcaca gtgggtaca gtgggtgtgt gtgcccctt tgaagggcag cccatgggag 2100
   aaggggtatt gggcagaagg aaggtaggcc ccagaagggt gcaccttcta gattggttct 2160
   ctgaaggctg accttgccat cccagggcac tgctccacc ctccaggagg aggtctgagc 2220
   tgaggagctt ccttttcgat ctacaggaa aacctgtgtt actgagttct gaagtttgga 2280
   actacagcca tgattttggc caccatacag acctgggact ttagggctaa ccagttcttt 2340
   gtaaggactt gtgcctcttg cgggaacatc tgcctgttct caagcctggt cctctggcac 2400
50 ttctgcagtg gtgagggatg ggggtggtat tctgggatgt ggggtcccagg cctcccatcc 2460
   ctgcacagc cctgtatcc cctctacctg tctatcatg ccacgtctg ccacgagagc 2520
   cagtcactgc cgtccgtaca tcacgtctca ccgtcctgag tgcccagcct cccaagcca 2580
   atccctggac cctgggtag ttatggccaa tctgctctac actaggggtt ggagtccagg 2640
   gaaggcaaa atttggcct tggctcttag tcctacgttg ccagaatcca accagtgtgc 2700
55 tcccacaag gaaccttaca acctgtttg gtttgcctca tcaggcgttt ggcgccatcg 2760
   tggatggagt ccgtgtgtgc ctggagatta cctggacac ctctgctttt ttttttttta 2820

```

EP 1 284 298 A2

5 ctttagcgggt tgcctcctag gcctgactcc ttcccatggt gaactggagg cagccaagtt 2880
 aggtgtcaat gtcctggcat cagtatgaac agtcagtagt cccagggcag ggccacactt 2940
 ctcccatctt ctgcttccac ccagcttgtt gattgctagc ctcccagagc tcagccgcca 3000
 ttaagtcccc atgcacgtaa tcagcccttc cataccccaa tttggggaac atacccttgg 3060
 attgaaatgt tttccctcca gtcctatgga agcgggtgctg cctgcctgct ggagcagcca 3120
 gccatctcag agacgcagcc ctttctctcc tgtccgcacc ctgctgcgct gtagtcggat 3180
 tcgtctgttt gtctgggttc accagagtga ctatgatagt gaaaagaaaa agaaaaagaa 3240
 aaaagaaaaa agaaaaaaa aaaaggacgc atgttatctt gaaatatattg tcaaaagggt 3300
 gtagccacc gcagggattg gagggcctga tattccttgt cttcttcgtg acttaggtcc 3360
 10 aggccggtcg agtgctaccc tgctggacat cccatgtttt gaaggggttc ttcttcatct 3420
 gggacccttg cagacactgg attgtgacat tggaggctta tacattggcc aaggctgaag 3480
 cacaggacc gtttagaggca gcaggctccg actgtcaggg agagcttgtg gctggcctgt 3540
 ttctctgagt gaagatggtc ctctctaadc acaacttcaa gtcccacagc agccctggca 3600
 gacatctaag aactcctgca tcacaagaga aaaggacact agtaccagca gggagagctg 3660
 tggccctaga aattccatga ctctccacta ctatccgtgg gtcctttcca agccttgcct 3720
 15 cgtcaccaag ggcttgggat ggactgcccc actgatgaaa gggacatctt tggagacccc 3780
 cttggtttcc aaggcgtcag ccccttgacc ttgcatgacc tcctacagct gaaggatgag 3840
 gcctttaaag attaggaacc tcaggcccag gtcggccact ttgggcttgg gtacagttag 3900
 ggacgatcg gtagaaggag gtggccaacc ttcccatata agagttctgt gtgccagag 3960
 ctaccctatt gtgagctccc cactgctgat ggacttttagc tgccttaga agtgaagagt 4020
 ccaacggagg aaaaggaagt gtggtttgat ggtctgtggt cccttcatca tggttacctg 4080
 20 ttgtggtttt ctctgtatac ccccatttac ccacctgca gttcctgtcc ttgaataggg 4140
 gtgggggtac tctgccatat ctctttagg cagtcagccc ccaagtcata gtttggagt 4200
 atctggtcag tgctaataag cagtttacaa ggaattcttg cttgttactt cagtggagg 4260
 aatcccccaa ggccttgga cctgtcctgt ctttccatgg ctctccactg cagagccaat 4320
 gtctttgggt gggctagata ggggtgacaa tttgcctgga acctccaagc tcttaatcca 4380
 25 ctttatcaat agttccattt aaattgactt caatataaga gtgtatccat ttgagattgc 4440
 ttgtgttgtt gggtaaaagg gggaggagga acatgttaag ataattgaca tgggcaagg 4500
 gaagtcttga agttagcag ttaaaccatc ttgtagcccc attcatgatg ttgaccactt 4560
 gctagagaga agaggtgcca taaggctaga acctagaggc ttggctgtcc accaacaggc 4620
 aggcctttgc aaggcagagg cagccagcta ggctccgtac ttcccagcca ggtgcagctc 4680
 taagaactgc tcttgccctgc tgccttcttg tgggtgtccag agcccacagc caatgcctcc 4740
 30 tcaaaaccct ggcttccttc cttctaattc actggcacat cagcatcacc tccggattga 4800
 cttcagatcc acagcctaca ctactagcag tgggtaagac cacttccctt gtccttgtct 4860
 gttctccaga aaagtgggca tggaggcggg gtttaataact ataggctgtg ggtttatga 4920
 gccttcaaac ttctctctag cttctgaaag gggtactttt gggcagtatt gcagtctcac 4980
 cctccgatgg ctgtagcctg tgcagttgct gtactgggca tgatctccag tgcctgcaag 5040
 35 tcccatgatt tctttgggtg tttgaggggt gggggaggga catgaatcat cttagcttag 5100
 cttcctgtct gtgaatgtcc atatatgtga ctgtgtttta acaaacgatt tacactgact 5160
 gttgctgtac aagtgaattt ggaaataaag ttattactct gattaaacaa aaaaaaaa 5220
 aaaaaaaaaa aaaaaaaaaa 5240

40 <210> 110
 <211> 248
 <212> PRT
 <213> Rattus norvegicus

45 <220>
 <223> Schwann cell peripheral myelin

50 <400> 110
 Met Ala Pro Gly Ala Pro Ser Ser Ser Pro Ser Pro Ile Leu Ala Ala
 1 5 10 15
 Leu Leu Phe Ser Ser Leu Val Leu Ser Pro Thr Leu Ala Ile Val Val
 20 25 30
 Tyr Thr Asp Arg Glu Val Tyr Gly Ala Val Arg Ser Gln Val Thr Leu
 35 40 45
 55 His Cys Ser Phe Trp Ser Ser Glu Trp Val Ser Asp Asp Ile Ser Phe

EP 1 284 298 A2

	50		55		60	
5	Thr Trp Arg Tyr Gln Pro Glu Gly Gly Arg Asp Ala Ile Ser Ile Phe					
	65		70		75	80
	His Tyr Ala Lys Gly Gln Pro Tyr Ile Asp Glu Val Gly Thr Phe Lys					
		85		90		95
10	Glu Arg Ile Gln Trp Val Gly Asp Pro Ser Trp Lys Asp Gly Ser Ile					
		100		105		110
	Val Ile His Asn Leu Asp Tyr Ser Asp Asn Gly Thr Phe Thr Cys Asp					
		115		120		125
15	Val Lys Asn Pro Pro Asp Ile Val Gly Lys Thr Ser Gln Val Thr Leu					
		130		135		140
	Tyr Val Phe Glu Lys Val Pro Thr Arg Tyr Gly Val Val Leu Gly Ala					
		145		150		155
						160
20	Val Ile Gly Gly Ile Leu Gly Val Val Leu Leu Leu Leu Leu Phe					
		165		170		175
	Tyr Leu Ile Arg Tyr Cys Trp Leu Arg Arg Gln Ala Ala Leu Gln Arg					
		180		185		190
25	Arg Leu Ser Ala Met Glu Lys Gly Lys Phe His Lys Ser Ser Lys Asp					
		195		200		205
	Ser Ser Lys Arg Gly Arg Gln Thr Pro Val Leu Tyr Ala Met Leu Asp					
		210		215		220
30	His Ser Arg Ser Thr Lys Ala Ala Ser Glu Lys Lys Ser Lys Gly Leu					
		225		230		235
						240
	Gly Glu Ser Arg Lys Asp Lys Lys					
		245				
35						
	<210> 111					
	<211> 1029					
	<212> DNA					
	<213> Rattus norvegicus					
40						
	<220>					
	<223> Schwann cell peripheral myelin					
	<400> 111					
45	attcggtggtg gcccttgccc ctaccccagc tatggctcct ggggctccct catccagccc	60				
	cagccctatc ctggctgccc tgctcttctc ttctttggtg ctgtccccaa ccctggccat	120				
	tgtggtttac acggacaggg aagtctatgg tgctgtgctc tcccaggtca ccctgcaactg	180				
	ctccttctggt tccagtgaat ggggtctcaga tgacatctct ttacactggc gctaccagcc	240				
	tgaaggaggc cgagatgcca tttcaatctt ccactatgcc aagggtcaac cttacatcga	300				
	tgaggtgggg accttcaagg agcgcaccca gtgggtaggg gaccctagct ggaaggatgg	360				
	ctccattgtc atacacaacc tagactacag tgacaacggc actttcacat gtgatgtcaa	420				
50	aaacccaccg gacatagtgg gcaagacgtc tcagggtcacg ctctatgtct ttgaaaaagt	480				
	gccactagg tatggggtgg tgggtgggag cgtgatcggg ggcacccctg ggggtgggtct	540				
	gttgctgctg ttgctcttct acctgatccg gtactgctgg ctgcgcaggc aggtgccct	600				
	gcagaggagg ctcatgcca tggagaaggg gaaatttcac aagtcttcta aggactctc	660				
	gaagcgcggg cggcagacgc cagtgtgta tgccatgctg gaccacagcc gaagcacaa	720				
	agctgccagt gagaagaaat ctaaagggtc gggggagtct cgcaaggata agaaatagcg	780				
55	gttagcgggc cgggcggggg gtcgggggtc tgcgatggag tcttccaaag gctctcaggt	840				

EP 1 284 298 A2

ggtgggtcatc gagatggagc ttcgcaaaga tgagcagagc tcggagcccc ggcttgcagt 900
 caaatccccc agtagaacca gcctcaagaa cgccctcaag aacatgatgg gcctggactc 960
 gaacaagtga ccgtcacctc caggctctgt cagagcaggg gacctaggct cctctttttc 1020
 ccagtctag 1029

<210> 112
 <211> 444
 <212> PRT
 <213> Rattus norvegicus

<220>
 <223> Class 1 beta tubulin

<400> 112
 Met Arg Glu Ile Val His Ile Gln Ala Gly Gln Cys Gly Asn Gln Ile
 1 5 10 15
 Gly Ala Lys Phe Trp Glu Val Ile Ser Asp Glu His Gly Ile Asp Pro
 20 25 30
 Thr Gly Thr Tyr His Gly Asp Ser Asp Leu Gln Leu Asp Arg Ile Ser
 35 40 45
 Val Tyr Tyr Asn Glu Ala Thr Gly Gly Lys Tyr Val Pro Arg Ala Ile
 50 55 60
 Leu Val Asp Leu Glu Pro Gly Thr Met Asp Ser Val Arg Ser Gly Pro
 65 70 75 80
 Phe Gly Gln Ile Phe Arg Pro Asp Asn Phe Val Phe Gly Gln Ser Gly
 85 90 95
 Ala Gly Asn Asn Trp Ala Lys Gly His Tyr Thr Glu Gly Ala Glu Leu
 100 105 110
 Val Asp Ser Val Leu Asp Val Val Arg Lys Glu Ala Glu Ser Cys Asp
 115 120 125
 Cys Leu Gln Gly Phe Gln Leu Thr His Ser Leu Gly Gly Gly Thr Gly
 130 135 140
 Ser Gly Met Gly Thr Leu Leu Ile Ser Lys Ile Arg Glu Glu Tyr Pro
 145 150 155 160
 Asp Arg Ile Met Asn Thr Phe Ser Val Val Pro Ser Pro Lys Val Ser
 165 170 175
 Asp Thr Val Val Glu Pro Tyr Asn Ala Thr Leu Ser Val His Gln Leu
 180 185 190
 Val Glu Asn Thr Asp Glu Thr Tyr Cys Ile Asp Asn Glu Ala Leu Tyr
 195 200 205
 Asp Ile Cys Phe Arg Thr Leu Lys Leu Thr Thr Pro Thr Tyr Gly Asp
 210 215 220
 Leu Asn His Leu Val Ser Ala Thr Met Ser Gly Val Thr Thr Cys Leu
 225 230 235 240
 Arg Phe Pro Gly Gln Leu Asn Ala Asp Leu Arg Lys Leu Ala Val Asn
 245 250 255

EP 1 284 298 A2

Met Val Pro Phe Pro Arg Leu His Phe Phe Met Pro Gly Phe Ala Pro
260 265 270

5 Leu Thr Ser Arg Gly Ser Gln Gln Tyr Arg Ala Leu Thr Val Pro Glu
275 280 285

Leu Thr Gln Gln Val Phe Asp Ala Lys Asn Met Met Ala Ala Cys Asp
290 295 300

10 Pro Arg His Gly Arg Tyr Leu Thr Val Ala Ala Val Phe Arg Gly Arg
305 310 315 320

Met Ser Met Lys Glu Val Asp Glu Gln Met Leu Asn Val Gln Asn Lys
325 330 335

15 Asn Ser Ser Tyr Phe Val Glu Trp Ile Pro Asn Asn Val Lys Thr Ala
340 345 350

Val Cys Asp Ile Pro Pro Arg Gly Leu Lys Met Ala Val Thr Phe Ile
355 360 365

20 Gly Asn Ser Thr Ala Ile Gln Glu Leu Phe Lys Arg Ile Ser Glu Gln
370 375 380

Phe Thr Ala Met Phe Arg Arg Lys Ala Phe Leu His Trp Tyr Thr Gly
385 390 395 400

25 Glu Gly Met Asp Glu Met Glu Phe Thr Glu Ala Glu Ser Asn Met Asn
405 410 415

Asp Leu Val Ser Glu Tyr Gln Gln Tyr Gln Asp Ala Thr Ala Glu Glu
420 425 430

30 Glu Glu Asp Phe Gly Glu Glu Ala Glu Glu Glu Ala
435 440

35 <210> 113
<211> 2346
<212> DNA
<213> Rattus norvegicus

40 <220>
<223> Class 1 beta tubulin

<400> 113
ctcgcacatc tctgcagcag cctccggggc tacgttccat cctatcagtc tgagaccagc 60
ccagaagaaa aaaacaaaa atccttaatt atcttctttt gctcgggtacc tacattggga 120
45 ccatcaaaaa aaaattatta cagtaaaccc tagccatgag ggaaatcgtg cacatccagg 180
ccggacagtg tggcaaccag atcgggtgcta agttctggga ggtgataagc gatgaacacg 240
gcatcgaccc caccgggcacc taccacggag acagcgactt gcagctggac cgaatctctg 300
tgtactacaa tgaagctaca ggtggcaagt atgtccctcg agctatctta gtggatctag 360
aaaccggggc tatggactcc gtccgctcag gtcccttttg ccagatcttc agaccggaca 420
actttgtttt tggtcagtct ggggcaggca acaactgggc taagggtcac tacacagagg 480
50 gagctgagct ggttgactct gtcttggatg tgggtcggaa ggaggcggag agctgtgact 540
gcctgcaagg ctttcagctg acccactcgc tgggtggagg cacgggctct ggcatgggca 600
ccctgctcat cagcaagatt cgagaagaat accccgaccg catcatgaac accttcagcg 660
tgggtgccctc acccaaagtg tctgacaccg tgggtgagcc ctacaacgcc accctgtccg 720
tcaccagtt ggtagagaac acagatgaga cctactgcat tgacaacgag gctctctacg 780
acatctgctt ccgtaccctt aagctcacca cgccaacctt cggagacctg aaccatctcg 840
55 tctctgccac catgagcggg gtcaccacct gcctccggtt cccgggccag ctgaacgccg 900

EP 1 284 298 A2

```

accttcggaa gctggctgtc aacatgggtgc ccttcccgcg tctccacttc ttcattgcctg 960
gctttgcccc tctcaccagc cgtggaagcc agcagtaccg ggcctcact gtgcctgaac 1020
tcacccagca ggtcttcgac gccaaagaaca tgatggccgc ctgtgaccca cgccacggcc 1080
ggtacctcac ggttgccggt gtcttccgtg gacggatgtc catgaaggag gtagatgagc 1140
aaatgctcaa cgtgcagaat aagaatagca gctacttcgt ggaatggatc cccaacaacg 1200
tcaagacggc tgtctgtgac atcccaccgc gaggcctcaa gatggcagtc accttcacgc 1260
gaaacagcac ggccatccag gagctcttca agcgcatttc tgagcagttt acggcaatgt 1320
tccgtcggaa ggctttcctc cactggtaca cgggtgaggg catggacgag atggagtcca 1380
ccgaagctga gagcaacatg aatgacctcg tctctgagta tcagcagtac caggacgcca 1440
ccgcagaaga ggaagaggat ttcggagagg aggcagaaga agaggcctaa ggcggaagcc 1500
ctgctgcacc tcaggctgct tagttccctt agcttttttc caactgccct ttgtttcttt 1560
ctgctgcctc tgctctgttt ttgttccgtt ttgttttctc attggggggg aaacgggtgc 1620
tggtcacgtg caggcgctca ataaatattt ctttgtggaa tgtctccttt ctctttccga 1680
tctgacattc tgagcgttaa ccctgtgctt cctcctggta cccatttctt tattatgact 1740
gtccagttaa tattcttcca atatatcttc caggaaccag cgttcgggctc cagaccgggg 1800
gtagaaccca gccagttct aagaactcaa gagagttagc accatcttaa agcaaagtag 1860
cgggtgggga aaaggtgggt agaggagatg ctacttaggg ggtgggattt tccagtcagg 1920
gccatttaga cacgggaatc gctggggctt tcagtcgatg gggctttctt ttttccctgc 1980
ttcatctctc ggccctcagga gaggtattaa cagtattatc accatttata tcctagctgt 2040
cctgagccaa atctgccatt ggaggtgtct tcccctgtgt tggttctcca agggacgttg 2100
tatggggatt tgtgggggca gggcagcaag gccttgttct ctaaatgtcc agaaacactc 2160
taattaccat ttccacctgg gtgcctcaca cactccccag aggggaggta acatctctgc 2220
cccatttcca tcctgttctt tgcttggtc attccctacc tttctatttt ctgttaact 2280
tggtttttt tttttcatat tgaaaagatg acattgcccc gagagccaaa aataaatggg 2340
aattgg
2346

```

<210> 114
 <211> 724
 <212> PRT
 <213> Rattus norvegicus

<220>
 <223> Heat shock protein 90

<400> 114
 Met Pro Glu Glu Val His His Gly Glu Glu Glu Val Glu Thr Phe Ala
 1 5 10 15
 Phe Gln Ala Glu Ile Ala Gln Leu Met Ser Leu Ile Ile Asn Thr Phe
 20 25 30
 Tyr Ser Asn Lys Glu Ile Phe Leu Arg Glu Leu Ile Ser Asn Ala Ser
 35 40 45
 Asp Ala Leu Asp Lys Ile Arg Tyr Glu Ser Leu Thr Asp Pro Ser Lys
 50 55 60
 Leu Asp Ser Gly Lys Glu Leu Lys Ile Asp Ile Ile Pro Asn Pro Gln
 65 70 75 80
 Glu Ala Thr Leu Thr Leu Val Asp Thr Gly Ile Gly Met Thr Lys Ala
 85 90 95
 Asp Leu Ile Asn Asn Leu Gly Thr Ile Ala Lys Ser Gly Thr Lys Ala
 100 105 110
 Phe Met Glu Ala Leu Gln Ala Gly Ala Asp Ile Ser Met Ile Gly Gln
 115 120 125
 Phe Gly Val Gly Phe Tyr Ser Ala Tyr Leu Val Ala Glu Lys Val Val
 130 135 140

EP 1 284 298 A2

Val Ile Thr Lys His Asn Asp Asp Glu Gln Tyr Ala Trp Glu Ser Ser
145 150 155 160

5 Ala Gly Gly Ser Phe Thr Val Arg Ala Asp His Gly Glu Pro Ile Gly
165 170 175

Arg Gly Thr Lys Val Ile Leu His Leu Lys Glu Asp Gln Thr Glu Tyr
180 185 190

10 Leu Glu Glu Arg Arg Val Lys Glu Val Val Lys Lys His Ser Gln Phe
195 200 205

Ile Gly Tyr Pro Ile Thr Leu Tyr Leu Glu Lys Glu Arg Glu Lys Glu
210 215 220

15 Ile Ser Asp Asp Glu Ala Glu Glu Glu Lys Gly Glu Lys Glu Glu Glu
225 230 235 240

Asp Lys Glu Asp Glu Glu Lys Pro Lys Ile Glu Asp Val Gly Ser Asp
245 250 255

20 Glu Glu Asp Asp Ser Gly Lys Asp Lys Lys Lys Lys Thr Lys Lys Ile
260 265 270

Lys Glu Lys Tyr Ile Asp Gln Glu Glu Leu Asn Lys Thr Lys Pro Ile
275 280 285

25 Trp Thr Arg Asn Pro Asp Asp Ile Thr Gln Glu Glu Tyr Gly Glu Phe
290 295 300

Tyr Lys Ser Leu Thr Asn Asp Trp Glu Asp His Leu Ala Val Lys His
305 310 315 320

Phe Ser Val Glu Gly Gln Leu Glu Phe Arg Ala Leu Leu Phe Ile Pro
325 330 335

35 Arg Arg Ala Pro Phe Asp Leu Phe Glu Asn Lys Lys Lys Lys Asn Asn
340 345 350

Ile Lys Leu Tyr Val Arg Arg Val Phe Ile Met Asp Ser Cys Asp Asp
355 360 365

40 Leu Ile Pro Glu Tyr Leu Asn Phe Ile Arg Gly Val Val Asp Ser Glu
370 375 380

Asp Leu Pro Leu Asn Ile Ser Arg Glu Met Leu Gln Gln Ser Lys Ile
385 390 395 400

45 Leu Lys Val Ile Arg Lys Asn Ile Val Lys Lys Cys Leu Glu Leu Phe
405 410 415

Ser Glu Leu Ala Glu Asp Lys Glu Asn Tyr Lys Lys Phe Tyr Glu Ala
420 425 430

50 Phe Ser Lys Asn Leu Lys Leu Gly Ile His Glu Asp Ser Thr Asn Arg
435 440 445

Arg Arg Leu Ser Glu Leu Leu Arg Tyr His Thr Ser Gln Ser Gly Asp
450 455 460

55 Glu Met Thr Ser Leu Ser Glu Tyr Val Ser Arg Met Lys Glu Thr Gln

EP 1 284 298 A2

	465		470		475		480
5	Lys Ser Ile Tyr	Tyr Ile Thr Gly Glu Ser Lys Glu Gln Val Ala Asn	485	490	495		
	Ser Ala Phe Val	Glu Arg Val Arg Lys Arg Gly Phe Glu Val Val Tyr	500	505	510		
10	Met Thr Glu Pro	Ile Asp Glu Tyr Cys Val Gln Gln Leu Lys Glu Phe	515	520	525		
	Asp Gly Lys Ser	Leu Val Ser Val Thr Lys Glu Gly Leu Glu Leu Pro	530	535	540		
15	Glu Asp Glu Glu	Glu Lys Lys Lys Met Glu Glu Ser Lys Ala Arg Phe	545	550	555	560	
	Glu Asn Leu Cys	Lys Leu Met Lys Glu Ile Leu Asp Lys Lys Val Glu	565	570	575		
20	Lys Val Thr Ile	Ser Asn Arg Leu Val Ser Ser Pro Cys Cys Ile Val	580	585	590		
	Thr Ser Thr Tyr	Gly Trp Thr Ala Asn Met Glu Arg Ile Met Lys Ala	595	600	605		
25	Gln Ala Leu Arg	Asp Asn Ser Thr Met Gly Tyr Met Met Ala Lys Lys	610	615	620		
	His Leu Glu Ile	Asn Pro Asp His Pro Ile Val Glu Thr Leu Arg Gln	625	630	635	640	
30	Lys Ala Glu Ala	Asp Lys Asn Asp Lys Ala Val Lys Asp Leu Val Val	645	650	655		
	Leu Leu Phe Glu	Thr Ala Leu Ser Ser Leu Ala Ser His Phe Arg Arg	660	665	670		
35	Pro Lys Thr His	Ser Asn Arg Ile Tyr Arg Met Ile Lys Leu Gly Leu	675	680	685		
	Gly Ile Asp Glu	Asp Glu Val Thr Ala Glu Glu Pro Ser Ala Ala Val	690	695	700		
40	Pro Asp Glu Ile	Pro Pro Leu Glu Gly Asp Glu Asp Ala Ser Arg Met	705	710	715	720	
	Glu Glu Val Asp						
45							
	<210>	115					
	<211>	2524					
	<212>	DNA					
50	<213>	Rattus norvegicus					
	<220>						
	<223>	Heat shock protein 90					
	<400>	115					
55	ggcctagget	tgccgtgcga	gtcggacgtg	gtccgggccc	accctgctct	gtactactac	60
	tcggctttct	cgtcaagatg	cctgaggaag	tgcaccatgg	agaggaagag	gtggagacct	120

EP 1 284 298 A2

5 tgcgctttca ggcagaaatt gcccagctga tgtccctcat catcaacact ttttactcaa 180
 acaaagagat tttcctccgg gagttgatct ctaatgcttc tgatgcctg gacaagattc 240
 ggtatgagag cctgactgac ccttccaagt tggacagcgg gaaagagctg aagattgaca 300
 tcatcccaa ccctcaggaa gccacgctga ctttggtgga cacaggcatt ggcatgacca 360
 aggctgacct cataaataac ttgggaacca ttgctaagtc tgggtacaaag gcgttcatgg 420
 aggctctcca ggctgggtgca gacatctcca tgattgggca gtttggtgtc ggcttctact 480
 ctgcctacct ggtggcagag aaagtgggtg tgatcacgaa gcacaacgat gatgagcagt 540
 atgcctggga gtcttctgct ggtggatcct tcaactgtccg tgcagaccac ggtgagccca 600
 ttggccgggg taccaaagt atccttcacc tcaaagaaga ccagacagag tacttagagg 660
 10 agaggagggt caaggagggt gtgaagaaac actcacagtt catagggtac cccatcaccc 720
 tctatctgga gaaggaacgc gagaaggaga tcagtgtatga tgaggcagag gaagagaaag 780
 gggagaagga ggaggaagat aaggaggatg aggagaagcc taagattgag gatgtgggat 840
 ctgatgagga ggatgacagc ggcaaagata agaaaaagaa aacaaagaag atcaaggaga 900
 agtacattga ccaggaagag ctgaataaga cgaagcccat ctggaccaga aatcctgatg 960
 acatcactca agaggaatat ggtgaattct acaagagcct caccaatgac tgggaagacc 1020
 15 acttggcagt caagcacttc tctgtagaag ggcagttgga attcagggca ttgctcttca 1080
 ttccccggcg agtccctttt gacctctttg agaacaagaa gaagaagaac aacatcaa 1140
 tgtatgtccg tcgtgtgttc atcatggaca gctgtgatga cctgatacct gactacctca 1200
 acttcatccg tgggtgtggtt gattccgagg acctgcctct gaacatctcc cgagaaatgc 1260
 tccagcagag caagatcctg aaagtcatcc gcaaaaacat tgtgaagaag tgccttgagc 1320
 20 tcttctctga gttggctgaa gacaaagaga actacaagaa attttatgag gcattctcta 1380
 agaattttaa gcttggaaatc catgaggatt ccactaaccg tcgccgcctc tctgagctcc 1440
 ttcgctacca tacctctcag tctggagatg agatgacttc cctgtcagag tatgtgtctc 1500
 gcatgaagga gacacagaag tccatctact atatcactgg tgagagcaaa gaggcaggtg 1560
 ccaactctgc cttcgtggag cgtgtgcgga aacggggctt tgagggtgga tacatgactg 1620
 agcccatgga tgagtactgc gtacagcagc tcaaggagtt cgatggcaag agcctggctc 1680
 25 ccgtgaccaa ggagggcctg gagctaccag aggatgagga agagaagaaa aaaatggagg 1740
 agagcaaggc aagggtttgag aatctctgca agctcatgaa ggagatcttg gacaagaagg 1800
 ttgaaaaagt gactatctcc aataggcttg tgtcttcccc ctgctgcatt gtgaccagca 1860
 cctaccggctg gacagccaac atggaacgga ttatgaaggc ccaggcactg cgggacaact 1920
 cgacaatggg ctacatgatg gccaagaaac acctagagat caaccctgac caccctattg 1980
 30 tggagactct gcggcagaag gctgaggcag acaaaaacga caaagctgtc aaagacctgg 2040
 tgggtgtgct gtttgagact gctctgtctt ctctcgcttc tcaactttagg aggcccaaaa 2100
 cccactccaa ccgcactctac cgcattgatta aactaggcct gggcattgat gaagatgagg 2160
 tcaactgcaga agagccaggt gctgctgttc ccgatgagat ccccccactg gagggtgatg 2220
 aggatgcctc tcgcatggaa gaagtggatt aaaggctcct gggaagcccc cgccctctgt 2280
 atagtatccc tgtggctccc ccaacagcct tgactggccc tgaccacact gggctctctc 2340
 35 tgctcatgtc tacaagaatc tcttctatcc tgtccttgtg ccttaaggca ggaagatccc 2400
 ctcccacaga tagcagggtt ggggtgtgtg ttattgtgtt ttttgtttgt tttatttctt 2460
 tctgaaatta aaagtatgca aaataaagat gatgcagttt taataaaaaa aaaaaaaa 2520
 aagg 2524

40 <210> 116
 <211> 541
 <212> PRT
 <213> Homo sapiens

45 <220>
 <223> Putative ribonuclease III

50 <400> 116
 Met Arg Arg Glu Val Thr Val Glu Leu Ser Ser Gln Gly Phe Trp Lys
 1 5 10 15
 Thr Gly Ile Arg Ser Asp Val Cys Gln His Ala Met Met Leu Pro Val
 20 25 30
 Leu Thr His His Ile Arg Tyr His Gln Cys Leu Met His Leu Asp Lys
 35 40 45
 Leu Ile Gly Tyr Thr Phe Gln Asp Arg Cys Leu Leu Gln Leu Ala Met
 50 55 60

EP 1 284 298 A2

	Thr	His	Pro	Ser	His	His	Leu	Asn	Phe	Gly	Met	Asn	Pro	Asp	His	Ala
	65				70						75					80
	Arg	Asn	Ser	Leu	Ser	Asn	Cys	Gly	Ile	Arg	Gln	Pro	Lys	Tyr	Gly	Asp
				85						90					95	
5	Arg	Lys	Val	His	His	Met	His	Met	Arg	Lys	Lys	Gly	Ile	Asn	Thr	Leu
			100						105					110		
	Ile	Asn	Ile	Met	Ser	Arg	Leu	Gly	Gln	Asp	Asp	Pro	Thr	Pro	Ser	Arg
		115						120					125			
	Ile	Asn	His	Asn	Glu	Arg	Leu	Glu	Phe	Leu	Gly	Asp	Ala	Val	Val	Glu
10		130					135					140				
	Phe	Leu	Thr	Ser	Val	His	Leu	Tyr	Tyr	Leu	Phe	Pro	Ser	Leu	Glu	Glu
	145					150					155					160
	Gly	Gly	Leu	Ala	Thr	Tyr	Arg	Thr	Ala	Ile	Val	Gln	Asn	Gln	His	Leu
				165					170						175	
	Ala	Met	Leu	Ala	Lys	Lys	Leu	Glu	Leu	Asp	Arg	Phe	Met	Leu	Tyr	Ala
15				180					185					190		
	His	Gly	Pro	Asp	Leu	Cys	Arg	Glu	Ser	Asp	Leu	Arg	His	Ala	Met	Ala
		195						200					205			
	Asn	Cys	Phe	Glu	Ala	Leu	Ile	Gly	Ala	Val	Tyr	Leu	Glu	Gly	Ser	Leu
		210					215					220				
	Glu	Glu	Ala	Lys	Gln	Leu	Phe	Gly	Arg	Leu	Leu	Phe	Asn	Asp	Pro	Asp
20		225				230					235					240
	Leu	Arg	Glu	Val	Trp	Leu	Asn	Tyr	Pro	Leu	His	Pro	Leu	Gln	Leu	Gln
				245						250					255	
	Glu	Pro	Asn	Thr	Asp	Arg	Gln	Leu	Ile	Glu	Thr	Ser	Pro	Val	Leu	Gln
			260					265						270		
25	Lys	Leu	Thr	Glu	Phe	Glu	Glu	Ala	Ile	Gly	Val	Ile	Phe	Thr	His	Val
		275						280					285			
	Arg	Leu	Leu	Ala	Arg	Ala	Phe	Thr	Leu	Arg	Thr	Val	Gly	Phe	Asn	His
		290				295						300				
	Leu	Thr	Leu	Gly	His	Asn	Gln	Arg	Met	Glu	Phe	Leu	Gly	Asp	Ser	Ile
		305				310					315					320
30	Met	Gln	Leu	Val	Ala	Thr	Glu	Tyr	Leu	Phe	Ile	His	Phe	Pro	Asp	His
				325						330					335	
	His	Glu	Gly	His	Leu	Thr	Leu	Leu	Arg	Ser	Ser	Leu	Val	Asn	Asn	Arg
			340						345					350		
	Thr	Gln	Ala	Lys	Val	Ala	Glu	Glu	Leu	Gly	Met	Gln	Glu	Tyr	Ala	Ile
			355					360					365			
35	Thr	Asn	Asp	Lys	Thr	Lys	Arg	Pro	Val	Ala	Leu	Arg	Thr	Lys	Thr	Leu
		370					375					380				
	Ala	Asp	Leu	Leu	Glu	Ser	Phe	Ile	Ala	Ala	Leu	Tyr	Ile	Asp	Lys	Asp
		385				390					395					400
	Leu	Glu	Tyr	Val	His	Thr	Phe	Met	Asn	Val	Cys	Phe	Phe	Pro	Arg	Leu
				405						410					415	
40	Lys	Glu	Phe	Ile	Leu	Asn	Gln	Asp	Trp	Asn	Asp	Pro	Lys	Ser	Gln	Leu
			420					425						430		
	Gln	Gln	Cys	Cys	Leu	Thr	Leu	Arg	Thr	Glu	Gly	Lys	Glu	Pro	Asp	Ile
			435					440					445			
	Pro	Leu	Tyr	Lys	Thr	Leu	Gln	Thr	Val	Gly	Pro	Ser	His	Ala	Arg	Thr
45		450					455					460				
	Tyr	Thr	Val	Ala	Val	Tyr	Phe	Lys	Gly	Glu	Arg	Ile	Gly	Cys	Gly	Lys
		465				470					475					480
	Gly	Pro	Ser	Ile	Gln	Gln	Ala	Glu	Met	Gly	Ala	Ala	Met	Asp	Ala	Leu
				485					490						495	
	Glu	Lys	Tyr	Asn	Phe	Pro	Gln	Met	Ala	His	Gln	Lys	Arg	Phe	Ile	Glu
50			500						505					510		
	Arg	Lys	Tyr	Arg	Gln	Glu	Leu	Lys	Glu	Met	Arg	Trp	Glu	Arg	Glu	His
			515					520					525			
	Gln	Glu	Arg	Glu	Pro	Asp	Glu	Thr	Glu	Asp	Ile	Lys	Lys			
		530					535					540				

<210> 117
 <211> 1626
 <212> PNA
 <213> Homo sapiens

<220>
 <223> Putative ribonuclease III

<400> 117
 atgagacgag aagtaacggt ggagctaagt agccaaggat tctggaaaac tggcatccgt 60
 tctgatgtct gtcagcatgc aatgatgcta cctgttctga cccatcatat ccgctaccac 120
 caatgcctaa tgcatttgga caagttgata ggatatactt tccaagatcg ttgtctgttg 180
 cagctggcca tgactcatcc aagtcacatc ttaaattttg gaatgaatcc tgatcatgcc 240
 aggaattcat tatctaactg tggaaattcgg cagcccaaat acggagacag aaaagttcat 300
 cacatgcaca tgcggaagaa agggattaac accttgataa atatcatgtc acgccttggc 360
 caagatgacc caactccctc gaggattaac cacaatgaac ggttggaatt cctgggtgat 420
 gctgttggtg aatttctgac cagcgtccat ttgtactatt tgtttcctag tctggaagaa 480
 ggaggattag caacctatcg gactgccatt gttcagaatc agcaccttgc catgctagca 540
 aagaaacttg aactggatcg atttatgctg tatgctcacg ggcctgacct ttgtagagaa 600
 tcggaccttc gacatgcaat ggccaattgt tttgaagcgt taataggagc tgtttacttg 660
 gaggggaagcc tggaggaagc caagcagtta tttggacgct tgctctttaa tgatccggac 720
 ctgcgcgaag tctggctcaa ttatcctctc caccactcc aactacaaga gccaaatact 780
 gatcgacaac ttattgaaac ttctccggtt ctacaaaaac ttactgagtt tgaagaagca 840
 attggagtaa tttttactca tgttcgactt ctggcaaggg cattcacatt gagaactgtg 900
 ggattttaacc atctgaccct aggccacaat cagagaatgg aattcctagg tgactccata 960
 atgcaactgg tagccacaga gtacttattc attcatttcc cagatcatca tgaaggacac 1020
 ttaactttgt tgcgaagctc tttggtgaat aatagaactc agggcaagggt agcggaggag 1080
 ctgggcatgc aggagtacgc cataaccaac gacaagacca agaggcctgt ggcgcttcgc 1140
 accaagacct tggcggaact tttggaatca tttattgcag cgctgtacat tgataaggat 1200
 ttggaatatg ttcatacttt catgaatgtc tgcctcttcc cagcattgaa agagtccatt 1260
 ttgaatcagg attggaatga ccccaaattc cagcttcagc agtggttgctt gacacttagg 1320
 acagaaggaa aagagccaga cattcctctg tacaagactc tgcagacagt gggcccatcc 1380
 catgcccgaa cctacactgt ggctgtttat ttcaagggag aaagaatagg ctgtgggaaa 1440
 ggaccaagta ttcagcaagc ggaaatggga gcagcaatgg atgcgcttga aaaatataat 1500
 tttcccaga tggcccatca gaagcgggtc atcgaacgga agtacagaca agagttaaaa 1560
 gaaatgaggt gggaaagaga gcacaaagag agagagccag atgagactga agacatcaag 1620
 aaataa 1626

Claims

1. Use of:

- (a) an isolated gene sequence that is down-regulated in the spinal cord of a mammal in response to mechanistically distinct first and second models of neuropathic or central sensitization pain;
- (b) an isolated gene sequence comprising a nucleic acid sequence of any of Tables I to VI;
- (c) an isolated gene sequence having at least 80% sequence identity with a nucleic acid sequence of any of Tables I to VI;
- (d) an isolated nucleic acid sequence that is hybridizable to any of the gene sequences according to (a), (b) or (c) under stringent hybridisation conditions;
- (e) a recombinant vector comprising a gene sequence or nucleic acid sequence according to any one of (a) to (d);
- (f) a host cell containing the vector according to (e);
- (g) a non-human animal having in its genome an introduced gene sequence or nucleic acid sequence or a removed or down-regulated gene sequence or nucleic acid sequence according to any one of (a) to (d);
- (h) an isolated polypeptide comprising an amino acid sequence at least 90% identical to an amino acid sequence encoded by a nucleotide sequence according to any one of (a) to (d), or a polypeptide variant thereof

with sequential amino acid deletions from the C terminus and/or the N-terminus;
 (i) an isolated polypeptide encoded by a nucleotide sequence according to any one of (a) to (d); or
 (j) an isolated antibody that binds specifically to a polypeptide according to (h) or (i);

In the screening of compounds for the treatment of pain, or for the diagnosis of pain.

2. Use according to claim 1, wherein the isolated gene sequence is down-regulated both in response to streptozocin-induced diabetes and in response to surgical injury of a nerve leading to the spine.
3. Use according to claim 1 or 2 wherein the isolated gene sequence encodes a kinase.
4. Use according to claim 1, 2 or 3, wherein the isolated gene sequence encodes an expression product or fragment thereof of pyruvate kinase, M1 and M2 subunits (M24359; X97047; X56494).
5. Use according to claim 1 or 2, wherein the isolated gene sequence encodes an expression product or fragment thereof of a receptor.
6. Use according to claim 1, 2 or 5, wherein the isolated gene sequence encodes dopamine receptor D.sub.1 (I58000).
7. Use according to claim 1 or 2, wherein the isolated gene sequence encodes a transporter.
8. Use according to claim 1, 2 or 7, wherein the isolated gene sequence encodes differentiation-associated Na⁺-dependent inorganic phosphate cotransporter (AF271235) or putative vacuolar assembly protein VSP41 gene (U87309).
9. Use according to claim 1 or 2, wherein the isolated gene sequence encodes a G-protein coupled receptor protein.
10. Use according to claim 1, 2 or 9, wherein the isolated gene sequence encodes Glt1 (G-protein-coupled receptor kinase-interactor 1; GPCR kinase-associated ADP-ribosylation factor) (AF085693).
11. Use according to claim 1 or 2, wherein the isolated gene sequence encodes a DNA-binding protein.
12. Use according to claim 1, 2 or 11, wherein the isolated gene sequence encodes putative histone H3.3A (X91866; M11354).
13. Use according to claim 1 or 2, wherein the isolated gene sequence encodes a ligase.
14. Use according to claim 1, 2 or 13, wherein the isolated gene sequence encodes 3-Hydroxy 3-methylglutaryl coenzyme A synthase, cytosolic (X52625), acyl-CoA synthetase II, brain (D360666) farnesyl diphosphate synthase (M34477), bendless protein (AB032739; E12457), fatty acid synthase (X62888), glutamine synthetase (EC 6.3.1.2) (M91652), or putative seryl-tRNA synthetase (X91257).
15. Use according to claim 1 or 2, wherein the isolated gene sequence encodes a lyase.
16. Use according to claim 1, 2 or 15, wherein the lyase is enolase, alpha alpha, non-neuronal (NNE) (X02610; X52379; M14328).
17. Use according to claim 1 or 2, wherein the isolated gene sequence encodes an oxidoreductase.
18. Use according to claim 1, 2 or 17, wherein the isolated gene sequence encodes aldose reductase, lens (AREC 11.1.21) (X05884) cytochrome-c oxidase I, mitochondrial (S79304), lactate dehydrogenase-B (LDH-B) (U07181; X51905; Y00711), putative cytochrome c oxidase VIB (EC 1.9.3.1) (X13923), putative NADH: ubiquinone oxidoreductase PGIV subunit (AF044953), putative succinate dehydrogenase flavoprotein (AF095938; AF171022), putative ubiquinol-cytochrome-c reductase (EC 1.10.2.2) core protein II (J04973) or stearyl-coA desaturase 2 (AB032243; M26270).
19. Use according to claim 1 or 2, wherein the isolated sequence encodes a transferase.

20. Use according to claim 1, 2 or 19, wherein the isolated sequence encodes ribophorin I (X05300) or sulfotransferase-like protein (AF188699).

21. Use according to claim 1 or 2, wherein the isolated sequence encodes a hydrolase.

22. Use according to claim 1, 2 or 21, wherein the isolated sequence encodes ATP synthase, H⁺, alpha subunit, mitochondrial (EC 3.6.1.34) (X56133), F1F0 ATPase delta subunit (U00926), putative dihydropyrimidinase related protein (D78013), heat shock protein 90 (S45392; M18186; M16660), or putative ribonuclease III (AF116910).

23. Use according to claim 1 or 2, wherein the isolated sequence encodes myelin basic protein S (MBP S) (K00512), transferring (D38380), neurofilament, light molecular weight (NF-L) (AF031880), myelin-associated glycoprotein (MAG) (M16800; M31811), NF-M middle molecular weight neurofilament protein (M18628) neuro-degeneration associated- protein 1 (D32249), S-100 protein β -subunit (X01090), microtubule-associated protein 1b (Map 1b) (X60370; L06237), putative cdc 37 homolog (D26564), putative ras-related protein Rab-5c (U11293), putative gelsolin (J04953), Cd81 antigen (target of antiproliferative antibody 1) (U19894; X59047; M33680), Mobp81 (Myelin-associated/Oligo-dendrocytic basic protein 81) (X87900), syntaxin binding protein n-secl, sec1 homolog, A-internexin (M73049), putative β -sarcoglycan A3b (AB024921), CGI-78 protein (AF151835), KIAA0143 (D63477), septin 2 (D50918), Nucleobindin (Z36277), myelin protein SR13 (M69139; S55427), B-Actin, cytoplasmic (V01217; X03672), ly6/neurotoxin (Lynx1) homolog (AD141377), astrocytic phosphoprotein ; PFA 15 gene (AJ243949; X86694), PLIC-1 (AF177345), Nfx1 (tip associating protein (TAP) gene) (AF093139; AF093140), A-Crystallin B (U04320; M73741 ; M28638), heat shock-like protein 70 kD (X70065; U73744; Y00371), tau microtubule-associated protein (X79321), myelin, Schwann cell, Perioheral (P-0) (K03242), B-Tubulin class 1 (AB011679; X04663; AF14139), putative long-chain polyunsaturated fatty acid elongation enzyme (Helo1) or peptidylglycine alpha-amidating monooxygenase 1.

24. A non-human animal having in its genome an introduced gene sequence or a removed or down-regulated gene sequence, said sequence being down-regulated in the spinal cord of a mammal in response to first and second models of neuropathic or central sensitisation pain.

25. A non-human animal according to claim 24, wherein said gene sequence becomes down regulated both in response to streptozocin induced diabetes and in response to chronic constriction injury.

26. A non-human animal according to claim 24 or 25, wherein the introduced gene sequence is according to any of claims 1 to 23.

27. A non-human animal according to any one of claims 24 to 26 which is *C. elegans*.

28. A kit comprising;

(a) affinity peptide and/or ligand and/or substrate for an expression product of a gene sequence that is down-regulated in the spinal cord of a mammal in response to a mechanistically distinct first and second models of neuropathic or central sensitization pain ; and

(b) a defined quantity of an expression product of a gene sequence that is down-regulated in the spinal cord of a mammal both in response to first and second models of neuropathic or central sensitization pain, for simultaneous, separate or sequential use in detecting and/or quantifying down-regulation of a gene sequence in the spinal cord of a mammal in response to first and second models of neuropathic or central sensitization pain.

29. A kit according to claim 28, wherein the gene sequence is defined in any one of claims 1 to 23.

30. A kit comprising:

(a) nucleic acid sequences capable of hybridization to a nucleic acid sequence that is down-regulated in the spinal cord of a mammal in response to first and second models of neuropathic or central sensitization pain; and
(b) a defined quantity of one or more nucleic acid sequences capable of hybridization to a nucleic acid sequence that is down-regulated in the spinal cord of a mammal in response to first and second models of neuropathic or central sensitization pain,

EP 1 284 298 A2

for simultaneous, separate or sequential use in detecting and/or quantifying down-regulation of a gene sequence in the spinal cord of a mammal in response to first and second models of neuropathic or central sensitization pain.

- 5 31. The kit of claim 30, wherein the gene sequence is according to any of claims 1 to 23.
32. A compound that modulates the action of an expression product of a gene sequence that is down-regulated in the spinal cord of a mammal in response to first and second models of neuropathic or central sensitization pain.
- 10 33. A compound according to claim 32 wherein the gene sequence is listed in Tables I to VI.
34. A compound according to claim 32 or 33 wherein the nucleotide sequence is according to any one of claims 1 to 23.
35. A compound according to any one of claims 32 to 34 for use as a medicament.
- 15 36. A compound according to any one of claims 32 to 35 for the treatment or diagnosis of pain.
37. A pharmaceutical composition comprising a compound according to any one of claims 32 to 36 and a pharmaceutically acceptable carrier or diluent.
- 20 38. Use of a compound according to any one of claims 32 to 36 in the manufacture of a medicament for the treatment or diagnosis of pain.
- 25 39. Use of a compound according to any one of claims 32 to 36 in the manufacture of a medicament for the treatment or diagnosis of chronic pain.
- 30 40. A method of treatment of pain, which comprises administering to a patient an effective amount of a compound according to any one of claims 32 to 36.



(11) **EP 1 284 298 A3**

(12) **EUROPEAN PATENT APPLICATION**

(88) Date of publication A3:
26.05.2004 Bulletin 2004/22

(51) Int Cl.7: **C12Q 1/68, C07K 14/47,
C12N 5/10, C12N 15/85**

(43) Date of publication A2:
19.02.2003 Bulletin 2003/08

(21) Application number: **02255229.3**

(22) Date of filing: **26.07.2002**

(84) Designated Contracting States:
**AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
IE IT LI LU MC NL PT SE SK TR**
Designated Extension States:
AL LT LV MK RO SI

(30) Priority: **27.07.2001 GB 0118354
07.02.2002 GB 0202883**

(71) Applicant: **Warner-Lambert Company LLC
Morris Plains, New Jersey 07950 (US)**

(72) Inventors:
• **Brooksbank, Robert Alan
Cambridgeshire, CB1 3AW (GB)**

• **Dixon, Alistair Kerr,
Cambridgeshire, CB1 2LL (GB)**
• **Lee, Kevin, c/o Pfizer Limited UK
Sandwich, Kent CT13 9NJ (GB)**
• **Pinnock, Robert Denham,
Pfizer Global Res. and Dev
Ann Arbor, MI 48105 (US)**

(74) Representative: **Hayles, James Richard et al
UK Patents Department,
Pfizer Limited,
Ramsgate Road
Sandwich, Kent CT13 9NJ (GB)**

(54) **Identification and use of molecules implicated in pain**

(57) The invention relates to the use of:

- (a) an isolated gene sequence that is down-regulated in the spinal cord of a mammal in response to mechanistically distinct first and second models of neuropathic or central sensitization pain;
- (b) an isolated gene sequence comprising a nucleic acid sequence of any of Tables I to VI;
- (c) an isolated gene sequence having at least 80% sequence identity with a nucleic acid sequence of any of Tables I to VI;
- (d) an isolated nucleic acid sequence that is hybridizable to any of the gene sequences according to (a), (b) or (c) under stringent hybridisation conditions;
- (e) a recombinant vector comprising a gene sequence or nucleic acid sequence according to any one of (a) to (d);
- (f) a host cell containing the vector according to (e);
- (g) a non-human animal having in its genome an introduced gene sequence or nucleic acid sequence or a removed or down-regulated gene sequence or nucleic acid sequence according to any one of (a) to (d);
- (h) an isolated polypeptide comprising an amino acid sequence at least 90% identical to an amino acid sequence encoded by a nucleotide sequence ac-

cording to any one of (a) to (d), or a variant polypeptide thereof with sequential amino acid deletions from the C terminus and/or the N-terminus;
(i) an isolated polypeptide encoded by a nucleotide sequence according to any one of (a) to (d); or
(j) an isolated antibody that binds specifically to a polypeptide according to (h) or (i);

in the screening of compounds for the treatment of pain, or for the diagnosis of pain.

The invention also relates to the use of naturally occurring compounds such as peptide ligands of the expression products of the above gene sequences and their associated signal transduction pathways for use in the treatment of pain.

EP 1 284 298 A3



European Patent
Office

PARTIAL EUROPEAN SEARCH REPORT

Application Number

which under Rule 45 of the European Patent Convention EP 02 25 5229 shall be considered, for the purposes of subsequent proceedings, as the European search report

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (InI.CI.7)
X	SHAH B ET AL: "Beta3, An auxiliary subunit of the voltage gated sodium channel is upr" SOCIETY FOR NEUROSCIENCE ABSTRACTS, SOCIETY FOR NEUROSCIENCE, US, vol. 26, no. 1-2, 4 November 2000 (2000-11-04), page 938, ABSTRACTN03526, XP009020087 ISSN: 0190-5295 * the whole document *	1-3, 24-31	C12Q1/68 C07K14/47 C12N5/10 C12N15/85
Y	BITAR MILAD S ET AL: "Attenuation of IGF-1 antinociceptive action and a reduction in spinal cord gene expression of its receptor in experimental diabetes" PAIN, vol. 75, no. 1, March 1998 (1998-03), pages 69-74, XP002262337 ISSN: 0304-3959 * the whole document *	1-3, 24-31	
			TECHNICAL FIELDS SEARCHED (InI.CI.7)
			C12Q C07K C12N
INCOMPLETE SEARCH <p>The Search Division considers that the present application, or one or more of its claims, does/do not comply with the EPC to such an extent that a meaningful search into the state of the art cannot be carried out, or can only be carried out partially, for these claims.</p> <p>Claims searched completely :</p> <p>Claims searched incompletely :</p> <p>Claims not searched :</p> <p>Reason for the limitation of the search:</p> <p>see sheet C</p>			
Place of search		Date of completion of the search	Examiner
Munich		3 December 2003	Hermann, P
CATEGORY OF CITED DOCUMENTS <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document</p>			

EPO FORM 1503 (03.82) (P04C37)



European Patent
Office

INCOMPLETE SEARCH
SHEET C

Application Number
EP 02 25 5229

The following comments apply to the invention for which a search has been performed - i.e. claims 1, 2, 24-40 (in part) and 3-4 (in full) relating to the first invention of the application.

The applicant should therefore bear in mind that, should he pay additional search fees, further objections leading to incomplete search might as well arise during the search phase of the further inventions.

Claim(s) searched completely:
2-4, 26

Claim(s) searched incompletely:
1, 24, 25, 27-31

Claim(s) not searched:
32-40

Reason for the limitation of the search:

a) Article 52 (4) EPC - Method for treatment of the human or animal body by therapy (claim 40).

Although claim 40 is directed to a method of treatment of the human/animal body (Article 52(4) EPC), the search could have been carried out and based on the alleged effects of the compound/composition. However, in view of the lack of clarity of said claim (see item (f) hereinbelow) no search has been carried out.

b) The isolated gene sequence of part (a) of claim 1 is only defined by a result achieved in special conditions, and the description is silent as to any other characteristic features pertaining to said isolated gene sequence. Claim 1 therefore lacks clarity (Article 84 EPC), and could only be searched as it relates to the isolated gene sequences of table I encoding a kinase, and derivative thereof as listed in parts (c)-(j) of claim 1, all relating to kinase encoding nucleic acid sequences.

c) The non-human animal of present claims 24 or 25 or the *C. elegans* of claim 27 is defined by reference to the following parameter:

- the modification of the presence or expression of a gene sequence which is downregulated in the spinal cord of a mammal in response to two models of neuropathic pain and claim 25, as for it, limits those two models to the streptozocin induced-diabetes and the chronic constriction injury.

The use of that parameter in the present context is considered to lead to a lack of clarity within the meaning of Article 84 EPC (see also Guidelines C-III, 4.7a). For the same reasons as those hereinabove under item (b), the search for claims 24, 25 and 27 has been restricted to



European Patent
Office

INCOMPLETE SEARCH
SHEET C

Application Number
EP 02 25 5229

non-human animal wherein the introduced gene sequence is one of the sequences listed in Table I, encoding a kinase.

d) The expression product of a gene sequence and the nucleic acid sequence of the kits of claims 28-31 are only defined by a parameter - i.e. the expression product of said gene sequence or the nucleic acid sequence that is downregulated in the spinal cord of a mammal in response to two models of neuropathic pain. The use of that parameter in the present context is considered to lead to a lack of clarity within the meaning of Article 84 EPC (see also Guidelines C-III, 4.7a). For the same reasons as those hereinabove under item (b), the search for claims 28-31 has been restricted respectively to the product of the gene sequences given in Table I and to the sequences given in Table I themselves.

e) Moreover in independent claim 28 none of the characteristic features of the "affinity peptide", "ligand" and "substrate" for the expression product are given in said claim, and the description is also silent as to said eventual characteristics. Therefore the skilled person would not clearly understand which compounds are falling under the scope of said claim. Said claim therefore lacks clarity (Article 84 EPC) to such an extent that a meaningful search on its entire scope could not be performed. Said search has been restricted to substrates known for the kinases encoded by the gene sequences listed in table I.

f) Claims 32-36 relate to compounds only defined by the result to be achieved and the claims as well as the description do not relate to any features which would allow the skilled person to clearly understand which compounds are falling under the scope of said claims. Said claims therefore lack clarity (Article 84 EPC) to such an extent that no meaningful search could be performed.

As claims 37-40 are depending upon one or more of claims 32-36, said claims therefore lack clarity (Article 84 EPC) and could not be searched either.



European Patent
Office

PARTIAL EUROPEAN SEARCH REPORT

Application Number
EP 02 25 5229

DOCUMENTS CONSIDERED TO BE RELEVANT			CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	
Y	BLACKBURN-MUNRO G ET AL: "The sodium channel auxiliary subunits beta1 and beta2 are differentially expressed in the spinal cord of neuropathic rats" NEUROSCIENCE, vol. 90, no. 1, April 1999 (1999-04), pages 153-164, XP002262713 ISSN: 0306-4522 * the whole document *	1-3, 24-31	
A	NAKAMURA JIRO ET AL: "A protein kinase C-beta-selective inhibitor ameliorates neural dysfunction in streptozotocin-induced diabetic rats" DIABETES, vol. 48, no. 10, October 1999 (1999-10), pages 2090-2095, XP002260473 ISSN: 0012-1797 * the whole document *	1-3, 24-31	TECHNICAL FIELDS SEARCHED (Int.Cl.7)
A	LUO Z DAVID ET AL: "Neuronal nitric oxide synthase mRNA upregulation in rat sensory neurons after spinal nerve ligation: Lack of a role in allodynia development" JOURNAL OF NEUROSCIENCE, vol. 19, no. 21, 1 November 1999 (1999-11-01), pages 9201-9208, XP002262714 ISSN: 0270-6474 * the whole document *	1-3, 24-31	
	----- -/--		

EPO FORM 1503 03.82 (P04C10)



European Patent
Office

PARTIAL EUROPEAN SEARCH REPORT

Application Number
EP 02 25 5229

DOCUMENTS CONSIDERED TO BE RELEVANT			CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	
A	FOX ALYSON ET AL: "Critical evaluation of the streptozotocin model of painful diabetic neuropathy in the rat" PAIN, vol. 81, no. 3, June 1999 (1999-06), pages 307-316, XP002260439 ISSN: 0304-3959 * the whole document *	1-3, 24-31	
A	COURTEIX C ET AL: "Streptozocin-induced diabetic rats: Behavioural evidence for a model of chronic pain" PAIN, ELSEVIER SCIENCE PUBLISHERS, AMSTERDAM, NL, vol. 53, no. 1, 1993, pages 81-88, XP009020332 ISSN: 0304-3959 * the whole document *	1-3, 24-31	TECHNICAL FIELDS SEARCHED (Int.Cl.7)
A	MALMBERG ANNIKA B ET AL: "Preserved acute pain and reduced neuropathic pain in mice lacking PKC-gamma" SCIENCE (WASHINGTON D C), vol. 278, no. 5336, 1997, pages 279-283, XP002260438 ISSN: 0036-8075 * the whole document *	1-3, 24-31	
A	WO 00/63427 A (CUVILLIER GWLADYS ;DEVGEN NV (BE); BOGAERT THIERRY (BE); PLATTEUW) 26 October 2000 (2000-10-26) * the whole document *	1-3, 24-31	
	----- -/--		

EPO FORM 1503 03.82 (P04C10)



European Patent
Office

PARTIAL EUROPEAN SEARCH REPORT

Application Number
EP 02 25 5229

DOCUMENTS CONSIDERED TO BE RELEVANT			CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	
A	TAO Y -X ET AL: "Expression and action of cyclic GMP-dependent protein kinase 1alpha in inflammatory hyperalgesia in rat spinal cord" NEUROSCIENCE, vol. 95, no. 2, 1 December 2000 (2000-12-01), pages 525-533, XP002260437 ISSN: 0306-4522 * the whole document *	1-3, 24-31	
A	BRIDGES D ET AL: "MECHANISMS OF NEUROPATHIC PAIN" BRITISH JOURNAL OF ANAESTHESIA, BJM PUBLISHING GROUP, LONDON, GB, vol. 87, no. 1, 2001, pages 12-26, XP001068882 ISSN: 0007-0912 * the whole document *	1-3, 24-31	TECHNICAL FIELDS SEARCHED (Int.Cl.7)
T	CIRUELA A ET AL: "Identification of MEK1 as a novel target for the treatment of neuropathic pain." BRITISH JOURNAL OF PHARMACOLOGY, vol. 138, no. 5, March 2003 (2003-03), pages 751-756, XP002260445 ISSN: 0007-1188 (ISSN print) * the whole document *	1-3, 24-31	

EPO FORM 1503 03.82 (P04C10)



European Patent
Office

Application Number
EP 02 25 5229

CLAIMS INCURRING FEES

The present European patent application comprised at the time of filing more than ten claims.

- ☐ Only part of the claims have been paid within the prescribed time limit. The present European search report has been drawn up for the first ten claims and for those claims for which claims fees have been paid, namely claim(s):
- ☐ No claims fees have been paid within the prescribed time limit. The present European search report has been drawn up for the first ten claims.

LACK OF UNITY OF INVENTION

The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely:

see sheet B

- ☐ All further search fees have been paid within the fixed time limit. The present European search report has been drawn up for all claims.
- ☐ As all searchable claims could be searched without effort justifying an additional fee, the Search Division did not invite payment of any additional fee.
- ☐ Only part of the further search fees have been paid within the fixed time limit. The present European search report has been drawn up for those parts of the European patent application which relate to the inventions in respect of which search fees have been paid, namely claims:
- ☒ None of the further search fees have been paid within the fixed time limit. The present European search report has been drawn up for those parts of the European patent application which relate to the invention first mentioned in the claims, namely claims:
- 1, 2, 24-40 (in part) 3-4 (in full)



European Patent
Office

LACK OF UNITY OF INVENTION
SHEET B

Application Number
EP 02 25 5229

The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely:

Invention 1: 1, 2, 24-40 (in part) 3-4 (in full)

Invention 1 relates to: i) the use of an isolated gene sequence encoding a kinase according to Table I, or derivative thereof such as recombinant vector, host cells or non-human animal comprising said isolated gene sequence, or isolated polypeptide encoded by, or comprising an isolated polypeptide encoded by said isolated gene sequence or isolated antibody directed against the above cited polypeptides, in the screening of compounds for the treatment of pain, or for the diagnosis of pain; ii) a non-human animal having introduced in its genome, said isolated gene sequence; iii) kits comprising either the expression product of said isolated gene sequence and its substrate, ligand or affinity peptide; iv) a compound that modulates the action of the expression product of said selected gene sequence; v) a pharmaceutical composition comprising said compound; vi) the use of said compound for the treatment or the diagnosis of pain; and vii) a method of treatment of pain which comprises administering to a patient an effective amount of said compound.

Invention 2: 1, 2, 24-40 (in part) 5-6 (in full)

Invention 2 is equivalent to invention 1 for an isolated gene sequence encoding an expression product or a fragment thereof of a receptor according to Table II.

Invention 3: 1, 2, 24-40 (in part) 7-8 (in full)

Invention 3 is equivalent to invention 1 for an isolated gene sequence encoding a transporter according to Table III.

Invention 4: 1, 2, 24-40 (in part) 9-10 (in full)

Invention 4 is equivalent to invention 1 for an isolated gene sequence encoding a G-protein coupled receptor protein according to Table IV.

Invention 5: 1, 2, 24-40 (in part) 11-12 (in full)

Invention 5 is equivalent to invention 1 for an isolated gene sequence encoding a DNA-binding protein according to Table V.

Invention 6: 1, 2, 24-40 (in part) 13-14 (in full)



European Patent
Office

**LACK OF UNITY OF INVENTION
SHEET B**

Application Number
EP 02 25 5229

The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely:

Invention 6 is equivalent to invention 1 for an isolated gene sequence encoding a ligase according to rows 1-7 of Table VI.

Invention 7: 1, 2, 24-40 (in part) 15-16 (in full)

Invention 7 is equivalent to invention 1 for an isolated gene sequence encoding a lyase according to row 8 of Table VI.

Invention 8: 1, 2, 24-40 (in part) 17-18 (in full)

Invention 8 is equivalent to invention 1 for an isolated gene sequence encoding an oxido-reductase according to rows 9-16 of Table VI.

Invention 9: 1, 2, 24-40 (in part) 19-20 (in full)

Invention 9 is equivalent to invention 1 for an isolated gene sequence encoding a transferase according to rows 17-18 of Table VI.

Invention 10: 1, 2, 24-40 (in part) 21-22 (in full)

Invention 10 is equivalent to invention 1 for an isolated gene sequence encoding a hydrolase according to rows 19-21 and 54 of Table VI.

Invention 11: 1, 2, 23-40 (in part)

Invention 11 is equivalent to invention 1 for an isolated gene sequence encoding a protein according to 23rd row of Table VI.

Inventions 12-41: 1, 2, 23-40 (in part)

Inventions 12-41 are equivalent to invention 1 for an isolated gene sequences encoding a protein according to the 24th-53rd rows of Table VI respectively.

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 02 25 5229

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

03-12-2003

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 0063427 A	26-10-2000	AU 3984700 A	02-11-2000
		AU 4137600 A	02-11-2000
		CA 2365707 A1	26-10-2000
		CA 2369478 A1	26-10-2000
		EP 1171628 A2	16-01-2002
		EP 1175506 A2	30-01-2002
		GB 2351151 A ,B	20-12-2000
		GB 2349217 A ,B	25-10-2000
		GB 2359358 A ,B	22-08-2001
		GB 2359359 A ,B	22-08-2001
		GB 2359626 A ,B	29-08-2001
		GB 2359627 A ,B	29-08-2001
		GB 2359360 A ,B	22-08-2001
		GB 2359361 A ,B	22-08-2001
		HK 1029376 A1	07-09-2001
		HK 1030047 A1	02-11-2001
		HU 0201142 A2	28-08-2002
		WO 0063426 A2	26-10-2000
		WO 0063427 A2	26-10-2000
		JP 2002541859 T	10-12-2002
		JP 2002542466 T	10-12-2002
		PL 351432 A1	22-04-2003
		US 2003154501 A1	14-08-2003
		US 2003149995 A1	07-08-2003
		US 6540996 B1	01-04-2003

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

